THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	E3	REVISED PER ECO-16-002589	26FEB2016	NK	JO
	F	REVISED PER ECO-18-012301	06AUG2018	RS	JO



1. HOUSING: HIGH TEMPERATURE, GLASS FILLED NYLON, COLOR: BLACK. CONTACTS: PHOSPHOR BRONZE.
2. CONTACTS: 0.000381 MIN GOLD ON MATING RECEPTACLE END, 0.00254 BRIGHT TIN-LEAD ON REMAINDER, ALL OVER 0.001270 NICKEL.
3. NO CONTACT IN THIS POSITION FOR PART NUMBER 1375965-2 & -5 ONLY.
4. NO CONTACT IN THIS POSITION FOR PART NUMBER 1375965-3 & -6 ONLY.
5. CONTACTS: 0.000381 MIN GOLD ON MATING RECEPTACLE END, 0.00254-0.00508 MATTE TIN ON REMAINDER, ALL OVER 0.001270 NICKEL.
6. ROHS 2002/95/EC COMPLIANT PART TO BE USED WITH ROHS 2002/95/EC COMPLIANT PCB's.





6	5	YES 4	1375967-6
6	5	YES 3	1375967-5
6	5	NO	1375967-4
	2	YES 4	1375967-3
	2	YES 3	1375967-2
	2	NO	1375967-1
	FINISH	KEYED CIRCUITS	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.13
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL 1

FINISH 5 2

DWN W.G.LENKER 20JUN2000
CHK L.BREKOSKY 15JAN2001
APVD -
PRODUCT SPEC 108-1956
APPLICATION SPEC 114-13021
WEIGHT -

TE Connectivity

NAME ASSEMBLY, PC/104-PLUS, NON-STACKTHROUGH CONTACTS, SOLDER

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1375967	

CUSTOMER DRAWING | SCALE 5:1 | SHEET 1 OF 2 | REV F

4805 (3/13)

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



RECOMMENDED PCB LAYOUT
FOR 1375967-1 & -4



RECOMMENDED PCB LAYOUT
FOR 1375967-2 & -5



RECOMMENDED PCB LAYOUT
FOR 1375967-3 & -6

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±0.13
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL
FINISH

DWN W.G.LENKER 20JUN2000
CHK L.BREKOSKY 15JAN2001
APVD -
PRODUCT SPEC 108-1956
APPLICATION SPEC 114-13021
WEIGHT -

TE Connectivity

NAME ASSEMBLY, PC/104-PLUS, NON-STACKTHROUGH CONTACTS, SOLDER

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-1375967	

CUSTOMER DRAWING SCALE 5:1 SHEET 2 OF 2 REV F

4805 (3/13)

Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.

Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.