





SECTION F-F

DIMENSIONS					
POSITION	A ±0.10	B $\begin{smallmatrix} +0.15 \\ -0.05 \end{smallmatrix}$	C ±0.20	D ±0.23	E ±0.20
36	6	7.65	9.15	25.00	27.00
64	20	21.65	23.15	39.00	41.00
98	37	38.65	40.15	56.00	58.00
164	70	71.65	73.15	89.00	91.00

mat'l. code				surface	58	tolerance	projection	product family
N/A				/	/	/	MM	EDGE CARD
ltr	ecn no	dr	date	tolerances unless otherwise specified				
A	T07-1031	S.Lin	03/28/07	angles	Linear	.X ± 0.30		title
B	T07-1151	J.H	11/05/07	0°±2°	Linear	.XX ± 0.20		PCI EXPRESS SMT TYPE GEN3
C	ELX-DG-17423-1	ST	04/10/14			.XXX ± 0.10	scale N/A	for SIOM
D	ELX-DG-17800-1	ST	05/28/14	dr	Stone Li	05/28/15		dwg no
E	ELX-DG-21161-1	ST	05/28/15	engr	Stone Li	05/28/15		sheet 1 of 4
				chr	/	05/28/15		size
				appd	PeiMing Zheng	05/28/15		A4
sheet				revision	E	E	E	E
index				sheet	1	2	3	4




PIN "F" SEE TABLE	2.40±0.10
NOTE 4	



PIN "F" SEE TABLE	2.40±0.10
NOTE 4	

mat'l. code N/A				surface $\sqrt{8}$ / tolerance /				projection 		product family EDGE CARD			
ltr ecn no dr date				tolerances unless otherwise specified				 MM		title PCI EXPRESS SMT TYPE GEN3 for SIOM 			
				angles linear .X $\pm$ 0.30									
				.XX $\pm$ 0.20									
				0° $\pm$ 2' linear .XXX $\pm$ 0.10				scale N/A		dwg no sheet 2 of 4 size 10073228 A4			
				dr Stone Li 05/28/15						type CUSTOMER Drawing			
				enrg Stone Li 05/28/15									
				chr / 05/28/15									
				appd PeiMing Zheng 05/28/15									
sheet index		revision sheet											



RECOMMENDED PCB LAYOUT, PAD TYPE

DIMENSIONS								
POSITION	A	B $\begin{smallmatrix} +0.15 \\ -0.05 \end{smallmatrix}$	C ± 0.20	D ± 0.23	E ± 0.20	H ± 0.10	J	K ± 0.10
36	6.00	7.65	9.15	25.00	27.00	28.00	6.00	9.15
64	20.00	21.65	23.15	39.00	41.00	42.00	20.00	23.15
98	37.00	38.65	40.15	56.00	58.00	59.00	37.00	40.15
164	70.00	71.65	73.15	89.00	91.00	92.00	70.00	73.15

POSTION OF CAP

mat'l. code N/A				surface 58	tolerance	projection	product family EDGE CARD		
ltr	ecn no	dr	date	tolerances unless otherwise specified			title		
				angles	.X ± 0.30	Linear	PCI EXPRESS SMT TYPE GEN3 for SIOM		
				0°±2°	.XX ± 0.20	MM	scale N/A		
				dr	Stone Li	05/28/15	dwg no		
				enr	Stone Li	05/28/15	sheet 3 of 4		
				chr	/	05/28/15	10073228		
				appd	PeiMing Zheng	05/28/15	type		
sheet index				revision sheet			CUSTOMER Drawing		

NOTES:

1.MATERIAL:

HOUSING: HIGH TEMPERATURE NYLON, GLASS FILLED UL94V-0
RATED.

TERMINAL: COPPER ALLOY

PLATING: 50u" NICKEL UNDERPLATE ALL OVER
CONTACT AREA PLATING - SEE PRODUCT NUMBER CODE
SOLDER TAIL: TIN - SEE PRODUCT NO. CODE
100u" MIN. OVER 50u" NICKEL

METAL BOARD LOCKS: COPPER ALLOY

FINISH: 100u" TIN OVER 50u" NICKEL UNDERPLATE
SEE PRODUCT NUMBER CODE

2.RoHS COMPATIBLE PRODUCT SPECIFICATIONS

a - PLATING:

- "LF" MEANS THE PRODUCT IS LEAD-FREE, 2um MINIMUM MATTE TIN OVER 1.27um
MINIMUM NICKEL UNDERPLATE.

b - MANUFACTURING PROCESS COMPATIBILITY

- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C±5°C SOLDER BATH TEMPERATURE FOR
5 SECONDS IN A REFLOW SOLDER APPLICATION WITH A 1.6mm MIN THICK CIRCUIT BOARD.

PRODUCT NUMBER CODE

10073228 -x 0 x 0 x T □ □

HOUSING COLOR OPTIONS

1-BLACK

RESERVE

TERMINAL PLATING OPTIONS

0-50u" Ni UNDERPLATE
30u" Au CONTACT AREA
100u" TIN TAIL AREA ----- COMPATIBLE RoHS
1-50u" Ni UNDERPLATE
15u" Au CONTACT AREA
100u" TIN TAIL AREA ----- COMPATIBLE RoHS
2-50u" Ni UNDERPLATE
GOLD FLASH CONTACT AREA
100u" TIN TAIL AREA ----- COMPATIBLE RoHS

PACKAGING OPTIONS

T: TRAY PACKAGING WITHOUT CAP OR MYLAR

M: T&R PACKAGING WITH MYLAR (36P, 64P AND 98P ONLY) △

POS. OPTIONS

0-36
1-64
2-98
3-164

RESERVE

"LF" FOR TERMINAL PLATING OPTION 0,1,2

mat'l. code				surface	58	tolerance	projection	product family			
N/A				/	✓	/	⊕	EDGE CARD			
lfr	ecr	no	dr	date	tolerances unless otherwise specified			title			
					angles	Linear	.X ± 0.30	PCI EXPRESS SMT TYPE GEN3			
							.XX ± 0.20	for SIOM			
					0°±2°		.XXX ± 0.10	△			
					dr	Stone Li	05/28/15	dwg no			
					enr	Stone Li	05/28/15	sheet 4 of 4			
					chr	/	05/28/15	10073228			
					appd	PeiMing Zheng	05/28/15	size			
sheet		revision						type			
index		sheet						CUSTOMER Drawing			



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.