

MATERIAL:


CAGE:
COPPER ALLOY

PLATING OPTION Y=2:
2.54um MIN. NICKEL


PLATING OPTION Y=3:
3.81um MIN. MATTE TIN
OVER 1.27um MIN. NICKEL

PACKAGING:
TRAY PACKAGING

TEMPERATURE RANGE:
-40C TO +85C



P/N U77-A661M-X081 SHOWN



P/N U77-A261M-X081 SHOWN


AMPHENOL PART NUMBER CONFIGURATION

U77 - A X 6 1 M - Y 0 8 1

PACKAGING
1 = TRAY PACKAGING

PLATING
2 = NICKEL PLATING
3 = MATTE TIN PLATING

NUMBER OF PORTS
2 = 2 PORTS
4 = 4 PORTS
6 = 6 PORTS



P/N U77-A461M-X081 SHOWN



DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR14/09	TITLE 1XN SFP+ GAGE ASSY WITH SPRING FINGER GASKET	
		DESIGNED			
		CHECKED J.SI	MAR26/09		
MATERIAL AND FINISH SEE NOTE 1		QA APPD			
REF.		IE APPD		SIZE A3	DWG. NO. P-U77-AX61M-X081
CODE IDENT. NO. 03554		DWG APPD A.G	MAR26/09	SCALE 4:1	PROJECT
					SHEET 1 OF 6

PART NUMBER	DIM"A"	DIM"B"
U77-A261M-X081	28.75	30.51
U77-A461M-X081	57.25	59.01
U77-A661M-X081	85.75	87.51


REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	





U77-A661M-X081 SHOWN



U77-A261M-X081 SHOWN




U77-A461M-X081 SHOWN



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS	DATE	Amphenol Canada Corp. TITLE 1XN SFP+ GAGE ASSY WITH SPRING FINGER GASKET	
		DRAWN ChigowX	MAR14/09		
		DESIGNED			
		CHECKED J.SI	MAR26/09		
MATERIAL AND FINISH SEE NOTE 1		QA APPD		SIZE A3 DWG. NO. P-U77-AX61M-X081 REV. A	
REF.		IE APPD			
CODE IDENT. NO. 03554		DWG APPD A.G	MAR26/09	SCALE 1:1 PROJECT	SHEET 2 OF 6

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.





REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.38 ± 1° X.XX ± 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR14/09		
		DESIGNED			
		CHECKED J.SI	MAR26/09	1XN SFP+ GAGE ASSY WITH SPRING FINGER GASKET	
MATERIAL AND FINISH SEE NOTE 1		QA APPD			
REF.		IE APPD		SIZE A3	DWG. NO. P-U77-AX61M-X081
CODE IDENT. NO. 03554		DWG APPD A.G	MAR26/09	SCALE 1:1	PROJECT
				SHEET 3 OF 6	

- NOTES:
- DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 - PADS AND VIAS ARE CHASIS GROUND.
 - THRU-HOLES, PLATING OPTIONAL.
 - SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	



DETAIL B
SCALE 4 : 1



DETAIL C
SCALE 4 : 1

RECOMMENDED PCB DESIGN
(P/N: U77-A241M-X081)


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X $\pm$ 0.38 X.XX $\pm$ 0.25 MATERIAL AND FINISH SEE NOTE 1 REF. CODE IDENT. NO. 03554		APPROVALS		DATE		Amphenol Canada Corp.	
		DRAWN	ChigowX		MAR14/09		
		DESIGNED				1XN SFP+ GAGE ASSY WITH SPRING FINGER GASKET	
		CHECKED	J.SI		MAR26/09		
		QA APPD					
		IE APPD					
		DWG APPD	A.G		MAR26/09		
		SIZE	A3	DWG. NO.	P-U77-AX61M-X081	REV.	A
		SCALE	2:1	PROJECT		SHEET	4 OF 6

- NOTES:
- DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 - PADS AND VIAS ARE CHASIS GROUND.
 - THRU-HOLES, PLATING OPTIONAL.
 - SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	



RECOMMENDED PCB DESIGN
(P/N: U77-A441M-X081)


DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X $\pm$ 0.38 $\pm$ 1° X.XX $\pm$ 0.25 MATERIAL AND FINISH SEE NOTE 1 REF. CODE IDENT. NO. 03554		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR14/09	TITLE 1XN SFP+ GAGE ASSY WITH SPRING FINGER GASKET	
		DESIGNED			
		CHECKED J.SI	MAR26/09		
		QA APPD			
		IE APPD			
		DWG APPD A.G	MAR26/09	SIZE A3	DWG. NO. P-U77-AX61M-X081
				SCALE 2:1	PROJECT
					SHEET 5 OF 6

- NOTES:
- DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
 - PADS AND VIAS ARE CHASIS GROUND.
 - THRU-HOLES, PLATING OPTIONAL.
 - SEE DRAWINGS P-UX76-A20-X00XX FOR CONNECTOR LAYOUT.

REVISIONS				
REV.	ECN/E-R	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	MAR26/09	



RECOMMENDED PCB DESIGN
(P/N: U77-A641M-X081)

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE
OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X $\pm$ 0.38 $\pm$ 1° X.XX $\pm$ 0.25		APPROVALS	DATE	Amphenol Canada Corp.	
		DRAWN ChigowX	MAR14/09	TITLE	
MATERIAL AND FINISH SEE NOTE 1		CHECKED J.SI	MAR26/09	1XN SFP+ GAGE ASSY WITH SPRING FINGER GASKET	
REF.		QA APPD		SIZE A3	DWG. NO. P-U77-AX61M-X081
CODE IDENT. NO. 03554		IE APPD		SCALE 1:1	PROJECT
		DWG APPD A.G	MAR26/09	SHEET 6 OF 6	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.