

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [1300550014](#)
Status: **Active**
Overview: [brad_industrial_ethernet_products](#)
Description: Ethernet Pass Thru RJ11 Female Receptacle Shielded


Documents:
[Drawing \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

General	
Product Family	Industrial Receptacles
Series	130055
IP Rating	IP67
Overview	brad_industrial_ethernet_products
Product Name	RJ11
Type	Bulkhead Feed-Through
Physical	
Coupling Type	External Thread
Gender	N/A
Keyway	None
Length	N/A
Material - Component	ABS
Mounting Thread Size	1" - 14 UNC
Orientation	Straight
Panel Mount	N/A
Poles	N/A
Temperature Range - Operating	-20°C to +80°C
Wire Size AWG	N/A
Wire/Cable Type	N/A

Electrical	
Current - Maximum per Contact	1.5A
Voltage - Maximum	125V DC

Material Info	
Old Part Number	ENSP6F5

Reference - Drawing Numbers	
Sales Drawing	SD-130055-004



EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[130055Series](#)

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

E

E

D

D

C

C

B

B





A

A

MATERIAL
NUMBERENGINEERING
NUMBER

1300550014

ENSP6F5



NOTES:

- 1) MATERIAL: SEE TABLE
- 2) FINISHES: SEE TABLE
- 3) ELECTRICAL DATA:
VOLTAGE RATING: 125V DC
CURRENT RATING: 1.5A
- 4) ENVIRONMENTAL:
PROTECTION IP67
OPERATING TEMPERATURE RANGE: -20C TO 80C

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH
4	1	LOCK NUT	LNP, AF-1002BK8-115	BLACK
3	1	O-RING	VITON	BROWN
2	1	GASKET	NITRILE	BLACK
1	1	RECEPTACLE HOUSING	SABIC ABS FR15U	BLACK

RELEASE	EC NO: WNA2010-0438	DRWN: TWOLDEGE 2010/01/19	CHKD: BWOODMAN	APPR: JFMURPHY 2010/01/25
DESCRIPTION	DESCRIPTION	DESCRIPTION	DESCRIPTION	DESCRIPTION
REV	REV	REV	REV	REV

QUALITY
SYMBOLS
▽=0
▽C=0GENERAL TOLERANCES
(UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±---	±---
3 PLACES	±---	±.005
2 PLACES	±0.13	±.010
1 PLACE	±0.25	±.020

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONSDIMENSION STYLE
IN/MM

DRAWN BY DATE

CHECKED BY DATE

APPROVED BY DATE

MATERIAL NO.

SIZE

SEE CHART

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX
INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSIONSCALE
1:1DESIGN UNITS
INCHTHIRD ANGLE
PROJECTIONETHERNET PASS THRU
RJ11 FEMALE RECEPTACLE
SHIELDED PASS THRU

MOLEX INCORPORATED

DOCUMENT NO.

SD-130055-004

SHEET NO.

1 OF 1



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.