



THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	- , - .
© COPYRIGHT - By -		ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	AT1	REVISED PER ECO-16-004223	19JUL2016	NK	MZ
	AT2	REVISED PER ECO-17-008715	16JUN2017	RS	MZ



- ① BRASS PER ASTM B-36.
- ② $2.54\mu\text{m}$ [.000100] MIN TIN-LEAD OVER $1.27\mu\text{m}$ [.000050] MIN NICKEL.
- ③ $0.76\mu\text{m}$ [.000030] MIN PRECIOUS METAL PLATING CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPEC 108-10042, BASED ON EIA/ECA-364-1000.01 (CONTROLLED ENVIRONMENT APPLICATIONS), OVER $1.27\mu\text{m}$ [.000050] MIN NICKEL.
- ④ $0.76\mu\text{m}$ [.000030] MIN PRECIOUS METAL PLATE ON MATING END FOR A LENGTH OF 5.08 [.200] MIN OVER $1.27\mu\text{m}$ [.000050] MIN NICKEL PLATE. GOLD FLASH ALL OVER. CONFORMS TO THE REQUIREMENTS OF TE CONNECTIVITY PRODUCT SPEC 108-10042, BASED ON EIA/ECA-364-1000.01A (CONTROLLED ENVIRONMENT APPLICATIONS).
- ⑤ SELECTIVELY PLATED $0.51\mu\text{m}$ [.000020] MIN GOLD, FOR A DISTANCE OF 5.08[.200] FROM MATING END, GOLD FLASH ON REMAINDER, ALL OVER $0.76\mu\text{m}$ [.000030] MIN NICKEL.
- ⑥ POST WILL ACCEPT (SEE TABLE) TERMINATIONS.
- ⑦ POST PLATING .000100 MIN TIN OVER .000050 MIN NICKEL.
- ⑧ .0001000 TIN OVER .000050 NICKEL.

			3	46.08 [1.814]	25.91 [1.020]	6-66460-6
			1	35.97 [1.416]	15.80 [.622]	6-66460-5
			3	46.08 [1.814]	25.91 [1.020]	6-66460-4
			2	41.28 [1.625]	21.11 [.831]	6-66460-3
			1	35.97 [1.416]	15.80 [.622]	6-66460-2
OBSOLETE			SPECIAL	33.40 [1.315]	13.23 [.521]	6-66460-1
			SPECIAL	65.61 [2.583]	45.44 [1.789]	5-66460-0
			SPECIAL	57.73 [2.273]	37.57 [1.479]	4-66460-9
			SPECIAL	49.86 [1.963]	29.69 [1.169]	4-66460-8
			SPECIAL	68.60 [2.701]	48.44 [1.907]	3-66460-0
			SPECIAL	59.71 [2.351]	39.55 [1.557]	2-66460-9
			SPECIAL	50.82 [2.001]	30.66 [1.207]	2-66460-8
OBSOLETE			1	34.80 [1.370]	14.63 [.576]	2-66460-1
			-	34.77 [1.369]	14.63 [.576]	2-66460-0
			SPECIAL	52.78 [2.078]	32.61 [1.284]	1-66460-9
OBSOLETE			2	41.28 [1.625]	21.11 [.831]	1-66460-8
			2	41.28 [1.625]	21.11 [.831]	1-66460-1
			SPECIAL	33.40 [1.315]	13.23 [.521]	1-66460-0
			3	46.08 [1.814]	25.91 [1.020]	66460-9
			2	41.28 [1.625]	21.11 [.831]	66460-8
			1	35.97 [1.416]	15.80 [.622]	66460-7
			3	46.08 [1.814]	25.91 [1.020]	66460-6
Y 66460-8			2	41.28 [1.625]	21.11 [.831]	66460-5
			1	35.97 [1.416]	15.80 [.622]	66460-4
			3	46.08 [1.814]	25.91 [1.020]	66460-3
			2	41.28 [1.625]	21.11 [.831]	66460-2
			1	35.97 [1.416]	15.80 [.622]	66460-1
	FINISH	BODY FINISH	NO OF TERM	B	A	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 06 JUN 96 C. REIFSNYDER CHK 27 JUN 96 R. STONE		 TE Connectivity	
DIMENSIONS: MM [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME PIN CONTACT, CRIMPED, .062, .025 X .025 POSST, M SERIES	
		APD 23 JUL 96 G. STEINHAUER PRODUCT SPEC —			
0 PLC ± — 1 PLC ± — 2 PLC ± 0.25 [.010] 3 PLC ± — 4 PLC ± — ANGLES ± —		APPLICATION SPEC —			
MATERIAL SEE CALLOUTS		FINISH WEIGHT			
		CUSTOMER DRAWING		SIZE A2	CAGE CODE 00779
				DRAWING NO C-66460	RESTRICTED TO —
				SCALE 4:1	SHEET 1 of 2
				REV AT2	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

7

4

SPECIAL

33.40
[1.315]

13.23
[.521]

6-66460-8

7

8

2

41.28
[1.625]

21.11
[.831]

6-66460-7

POST
FINISH

BODY
FINISH

NO OF
TERM

B

A

PART
NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
C.REIFSNYDER
06 JUN 96

CHK
R.STONE
27 JUN 96

APVD
G.A.STEINHAUER
23 JUL 96

PRODUCT SPEC

APPLICATION SPEC

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

SCALE

SHEET

REV

AT2

DIMENSIONS:
MM [INCHES]

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± -

1 PLC ± -

2 PLC ± 0.25 [.010]

3 PLC ± -

4 PLC ± -

ANGLES ± -

MATERIAL

FINISH

SEE CALLOUTS

SEE CALLOUTS

TE Connectivity

PIN CONTACT, CRIMPED,
.062, .025 X .025 POSST,
M SERIES

A200779

C=66460

4:1

2 of 2



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.