


Apacer



The Most **Reliable**  
Storage For Industries




Industrial microSD card

## Industrial MicroSD(HC) card Industrial MicroSD (SLC)

### Overview

Apacer's industrial-grade MicroSD memory card is compliant with SD 2.0 Specification. Available in 256MB to 4GB, with sequential read/write speed reaching up to 20/16 MB/sec, it fulfills requirements for flexible-capacity and high-speed data storage. With a superbly reliable SLC (single-level cell) flash memory, it can operate normally in harsh temperature environments ranging from -40°C - +85°C. Apacer stresses "stability" has always been the primary concern for industrial devices. The greatest difference between this industrial-grade MicroSD memory card and other consumer memory cards on the market lies in its firmware version and major components that can be fixed. Apacer's clients can benefit from the stable, long term supply. Besides, for clients who need long-term and stable supply chains, stock-out risk may be avoided, with compatibility issues caused by frequent product component changes significantly reduced. Time and money spent on product verification can also be saved.



### Feature

- Compliant with SD 2.0 Specification
- S.M.A.R.T supported
- Wear-Leveling and Block Management
- Support SD mode and SPI mode
- Low Power Consumption
- Wide Temperature Support

## Specifications

<b>Model</b>	Industrial microSD
<b>Interface</b>	SD2.0
<b>NAND Flash Type</b>	SLC
<b>Capacity</b>	SD:256MB~2GB;SDHC:4GB
<b>Sustained Read Performance (MB/sec)</b>	Up to 20
<b>Sustained Write Performance (MB/sec)</b>	Up to 16
<b>ECC Engine*</b>	Built-in 24-bit per 1K bytes BCH ECC
<b>Extended Operating Temperature ( °C )</b>	-40 ~ + 85
<b>Storage Temperature ( °C )</b>	-40 ~ + 85
<b>Shock</b>	1,500G, 0.5ms
<b>Vibration</b>	20Hz~80Hz/1.52mm (frequency/displacement) 80Hz~2,000Hz/20G (frequency/accelerate)
<b>Humidity</b>	95%
<b>Operating Voltage</b>	3.3 V ± 5%
<b>Low Power Consumption</b>	AcActive mode: 50 mA & Idle mode: 100 uA
<b>Dimension (L x W x H )</b>	15x11x1 (mm)
<b>MTBF (hours)</b>	>2,000,000
<b>Features / Technology</b>	S.M.A.R.T./Wide Temp.
<b>Applications</b>	Military/Cloud Computing/In-Vehicle/Gaming/HealthCare/Embedded System

## Ordering Info

Model	Extended temp: -40~85
256MB	AP-MSD256ISI-1T
512MB	AP-MSD512IDI-1T
1G	AP-MSD01GISI-T
2G	AP-MSD02GIDI-T
4G	AP-MSD04GIHI-T

## Global Presence

Taiwan (Headquarters)  
Apacer Technology Inc.  
Tel: +886-2-2267-8000  
Fax: +886-2-2267-2261

Europe  
Apacer Technology B.V.  
Tel: +31-40-267-0000  
Fax: +31-40-290-0686

U.S.A.  
Apacer Memory America, Inc.  
Tel: +1-408-518-8699  
Fax: 1-510-249-9568

China  
Apacer Electronic(Shanghai)  
Co., Ltd.  
Tel: +86-21-6228-9939

Japan  
Apacer Technology Corp.  
Tel: +81-3-5419-2668  
Fax: +81-3-5419-0018

India  
Apacer Technologies Pvt. Ltd.  
Tel: +91-80-41529061~3  
Fax: +91-80-41700215



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.