


PRODUCT NUMBER
74742-XYY
74742-XYYLF








mat'l code	--			tolerances unless otherwise specified			CUSTOMER COPY	www.fciconnect.com
ltr	ecn no.	dr	date					
K	V06-0544	DCH	2006-06-09	linear	0.X ±0.3			
L	DG09-0256	TER	2009-08-19		0.XX ±0.13		projection	title: METRAL SIGNAL HEADER 2 MOD, 5 ROW STB
-	-	-	-		.XXX ±.051			
-	-	-	-	angles	0° ±2°			
F	V21671	TAB	10/21/02	dr	T.BRUNGARD	11/19/99	MM	product family: METRAL; code: 213
G	V03-1059	DAI	09/24/03	engr	M.STRAWSER	11/19/99		
H	V05-1064	LP	11/21/05	chr	M.STRAWSER	11/19/99	scale: 2:1	size: A; dwg no: 74742; sheet: 1 of 5
J	V06-0057	DAI	02/08/06	appd	M.STRAWSER	2/29/00		
sheet index	revision	L	L	L	L	L		cage code: 22526
	sheet	1	2	3	4	5		

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

REV E - 2006-04-18

Pro/E

PDM: Rev:L STATUS:Released Printed: Dec 01, 2009



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE

SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY (SIGNAL STB)		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.25
2	5.75	4.25
3	6.50	4.25
4	7.25	4.25
5	5.00	3.30
6	5.75	3.30
7	6.50	3.30
8	7.25	3.30
9	5.00	2.65
10	5.75	2.65
11	6.50	2.65
12	6.50	2.65
13	8.00	4.25

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

mat'l code	--			tolerances unless otherwise specified			CUSTOMER COPY	www.fciconnect.com
ltr	ecn no.	dr	date	linear	0.X ±0.3		projection	title: METRAL SIGNAL HEADER 2 MOD, 5 ROW STB
L					0.XX ±0.13			
					.XXX ±.051			
				angles	0° ±2°			
				dr	T.BRUNGARD	11/19/99	MM	product family: METRAL; code: 213
				engr	M.STRAWSER	11/19/99		size: A; dwg no: 74742
				chr	M.STRAWSER	11/19/99	scale: 1:1	sheet: 2
				appd	M.STRAWSER	2/29/00		
sheet index	revision sheet							cage code: 22526

REV E - 2006-04-18

Pro/E

PDM: Rev:L STATUS:Released Printed: Dec 01, 2009

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X01 SEE NOTE 9 LEAD FREE OPTION	E	3	3	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X07 SEE NOTE 9 LEAD FREE OPTION	E	2	2	2	2	2	2	2	2	2	2	2	2
	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X32 SEE NOTE 9 LEAD FREE OPTION	E	5	5	5	5	5	5	5	5	5	5	5	5
	D	5	5	5	5	5	5	5	5	5	5	5	5
	C	5	5	5	5	5	5	5	5	5	5	5	5
	B	5	5	5	5	5	5	5	5	5	5	5	5
	A	5	5	5	5	5	5	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X36 SEE NOTE 9 LEAD FREE OPTION	E	6	6	6	6	6	6	6	6	6	6	6	6
	D	6	6	6	6	6	6	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6	6	6
	A	6	6	6	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X02 SEE NOTE 9 LEAD FREE OPTION	E	1	1	1	1	1	1	1	1	1	1	1	1
	D	1	1	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1	1	1
	B	1	1	1	1	1	1	1	1	1	1	1	1
	A	3	3	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X08 SEE NOTE 9 LEAD FREE OPTION	E	4	4	4	4	4	4	4	4	4	4	4	4
	D	4	4	4	4	4	4	4	4	4	4	4	4
	C	4	4	4	4	4	4	4	4	4	4	4	4
	B	4	4	4	4	4	4	4	4	4	4	4	4
	A	4	4	4	4	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X33 SEE NOTE 9 LEAD FREE OPTION	E	5	5	5	5	5	5	5	5	5	5	5	5
	D	5	5	5	5	5	5	5	5	5	5	5	5
	C	5	5	5	5	5	5	5	5	5	5	5	5
	B	5	5	5	5	5	5	5	5	5	5	5	5
	A	7	7	7	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X37 SEE NOTE 9 LEAD FREE OPTION	E	8	8	8	8	8	8	8	8	8	8	8	8
	D	8	8	8	8	8	8	8	8	8	8	8	8
	C	8	8	8	8	8	8	8	8	8	8	8	8
	B	8	8	8	8	8	8	8	8	8	8	8	8
	A	8	8	8	8	8	8	8	8	8	8	8	8

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X03 SEE NOTE 9 LEAD FREE OPTION	E	2	2	2	2	2	2	2	2	2	2	2	2
	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	3	3	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X09 SEE NOTE 9 LEAD FREE OPTION	E	13	13	13	13	13	13	13	13	13	13	13	13
	D	13	13	13	13	13	13	13	13	13	13	13	13
	C	13	13	13	13	13	13	13	13	13	13	13	13
	B	13	13	13	13	13	13	13	13	13	13	13	13
	A	13	13	13	13	13	13	13	13	13	13	13	13

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X34 SEE NOTE 9 LEAD FREE OPTION	E	6	6	6	6	6	6	6	6	6	6	6	6
	D	7	7	7	7	7	7	7	7	7	7	7	7
	C	6	6	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6	6	6
	A	7	7	7	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X61 SEE NOTE 9 LEAD FREE OPTION	E	11	11	11	11	11	11	11	11	11	11	11	11
	D	11	11	11	11	11	11	11	11	11	11	11	11
	C	11	11	11	11	11	11	11	11	11	11	11	11
	B	11	11	11	11	11	11	11	11	11	11	11	11
	A	11	11	11	11	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X04 SEE NOTE 9 LEAD FREE OPTION	E	2	2	2	2	2	2	2	2	2	2	2	2
	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	4	4	4	4	4	4	4	4	4	4	4	4
	A	2	2	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X31 SEE NOTE 9 LEAD FREE OPTION	E	7	7	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7	7	7
	C	7	7	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7	7	7
	A	7	7	7	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X35 SEE NOTE 9 LEAD FREE OPTION	E	6	6	6	6	6	6	6	6	6	6	6	6
	D	6	6	6	6	6	6	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	6	6	6	6	6
	B	8	8	8	8	8	8	8	8	8	8	8	8
	A	6	6	6	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X62 SEE NOTE 9 LEAD FREE OPTION	E	9	9	9	9	9	9	9	9	9	9	9	9
	D	9	9	9	9	9	9	9	9	9	9	9	9
	C	9	9	9	9	9	9	9	9	9	9	9	9
	B	9	9	9	9	9	9	9	9	9	9	9	9
	A	9	9	9	9	9	9	9	9	9	9	9	9

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X05 SEE NOTE 9 LEAD FREE OPTION	E	3	3	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	4	4	4	4	4	4	4	4	4	4	4	4
	B	13	13	13	13	13	13	13	13	13	13	13	13
	A	13	13	13	13	13	13	13	13	13	13	13	13

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X06 SEE NOTE 9 LEAD FREE OPTION	E	3	3	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	13	13	13	13	13	13	13	13	13	13	13	13
	A	3	3	3	3	3	3	3	3	3	3	3	3

mat'l code	--			tolerances unless otherwise specified		CUSTOMER	FCI www.fciconnect.com
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY	
L					0.XX ±0.13	projection	title: METRAL SIGNAL HEADER 2 MOD, 5 ROW STB
					.XXX ±.051		
				angles	0° ±2°		
				dr	T.BRUNGARD 11/19/99	MM	product family: METRAL; code: 213
				engr	M.STRAWSER 11/19/99		
				chr	M.STRAWSER 11/19/99	scale 1:1	size: A; dwg no: 74742; sheet: 3
				appd	M.STRAWSER 2/29/00		
sheet index	revision sheet						cage code: 22526

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

REV E - 2006-04-18

Pro/E

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X63 SEE NOTE 9 LEAD FREE OPTION	E	9	9	9	9	9	9	9	9	9	9	9	9
	D	9	9	9	9	9	9	9	9	9	9	9	9
	C	9	9	9	9	9	9	9	9	9	9	9	9
	B	9	9	9	9	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X64 SEE NOTE 9 LEAD FREE OPTION	E	10	10	10	10	10	10	10	10	10	10	10	10
	D	11	11	11	11	11	11	11	11	11	11	11	11
	C	10	10	10	10	10	10	10	10	10	10	10	10
	B	10	10	10	10	10	10	10	10	10	10	10	10
	A	11	11	11	11	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X65 SEE NOTE 9 LEAD FREE OPTION	E	10	10	10	10	10	10	10	10	10	10	10	10
	D	10	10	10	10	10	10	10	10	10	10	10	10
	C	10	10	10	10	10	10	10	10	10	10	10	10
	B	12	12	12	12	12	12	12	12	12	12	12	12
	A	10	10	10	10	10	10	10	10	10	10	10	10

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X66 SEE NOTE 9 LEAD FREE OPTION	E	10	10	10	10	10	10	10	10	10	10	10	10
	D	10	10	10	10	10	10	10	10	10	10	10	10
	C	10	10	10	10	10	10	10	10	10	10	10	10
	B	10	10	10	10	10	10	10	10	10	10	10	10
	A	10	10	10	10	10	10	10	10	10	10	10	10

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X67 SEE NOTE 9 LEAD FREE OPTION	E	12	12	12	12	12	12	12	12	12	12	12	12
	D	12	12	12	12	12	12	12	12	12	12	12	12
	C	12	12	12	12	12	12	12	12	12	12	12	12
	B	12	12	12	12	12	12	12	12	12	12	12	12
	A	12	12	12	12	12	12	12	12	12	12	12	12

METRAL P/N	ROW	CONTACT CODE MOD. I						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X99 SEE NOTE 9 LEAD FREE OPTION	E	3	3	3	3	3	3	3	3	3	1	13	
	D	3	3	3	3	3	3	3	3	3	3	13	
	C	3	3	3	3	3	3	3	3	3	3	13	
	B	3	3	3	3	3	3	3	3	3	3	13	
	A	1	3	3	3	3	3	3	3	3	3	13	

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

mat'l code	--	tolerances unless otherwise specified			CUSTOMER	FCI www.fciconnect.com
ltr	ecn no. / dr / date	linear	0.X ±0.3		COPY	
L			0.XX ±0.13		projection	title: METRAL SIGNAL HEADER 2 MOD, 5 ROW STB
			.XXX ±.051			
		angles	0° ±2°			
		dr	T.BRUNGARD	11/19/99	MM	product family: METRAL; code: 213
		engr	M.STRAWSER	11/19/99		size: A; dwg no: 74742; sheet: 4
		chr	M.STRAWSER	11/19/99	scale: 1:1	
		appd	M.STRAWSER	2/29/00		
sheet index	revision / sheet					cage code: 22526

REV E - 2006-04-18

Pro/E

PDM: Rev:L STATUS:Released Printed: Dec 01, 2009

PRODUCT NUMBER
74742-XYY
74742-XYYLF

NOTES:
1. FOR DIM A, AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL
   POLYMER 30 % GLASS.
   FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL
   PHOSPHOR BRONZE:
4. PLATING ON PRESS FIT TAIL:
   74742-XYY IS SnPb.
   74742-XYYLF IS Sn (LEAD FREE)
   PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.
5. PRODUCT MARKING:
   PART NUMBER DESIGNATION & BATCH I.D.
6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
   IF TRAY PACKAGING IS REQUIRED, SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: 74742-XXXP OR 74742-XXXPLF
7. PRODUCT SPECIFICATION GS-12-180
   APPLICATION SPECIFICATION BUS-20-074
(8) THE PRODUCTS WHERE THE PART NUMBERS ENDS IN "LF" MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

   ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.) -N1--- OR (DRAWING NO.) -N5--- WILL WITHSTAND EXPOSURE TO 260° C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS(DRAWING NO.) -N1--- AND (DRAWINGS NO.) -N5--- WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM OF 140° C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.
(9) FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.
   EXAMPLE:74742-X01LF

PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS 1	-
-5YY	TELCORDIA UE	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS 1	SEE NOTE 8
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 8
-1YYLF	TELCORDIA CO IEC CLASS 1	SEE NOTE 8
-2YYLF	TELECOM CLASS	SEE NOTE 8
-5YYLF	TELCORDIA UE	SEE NOTE 8

mat'l code	--			tolerances unless otherwise specified			CUSTOMER	FCI www.fciconnect.com
ltr	ecn no.	dr	date	linear	0.X ±0.3		COPY	
L					0.XX ±0.13		projection	title METRAL SIGNAL HEADER 2 MOD, 5 ROW STB
					.XXX ±.051			
				angles	0° ±2°			
				dr	T.BRUNGARD	11/19/99	MM	product family METRAL code 213
				engr	M.STRAWSER	11/19/99		size A dwg no 74742 sheet 5
				chr	M.STRAWSER	11/19/99	scale 1:1	
				appd	M.STRAWSER	2/29/00		
sheet index	revision sheet							cage code 22526

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

REV E - 2006-04-18

Pro/E

PDM: Rev:L STATUS:Released Printed: Dec 01, 2009


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.