



Grove - Serial Camera Kit User Manual

Release date: 2015/9/22

Version: 1.0

Wiki: http://www.seeedstudio.com/wiki/Grove_-_Serial_Camera_Kit

Bazaar:

http://www.seeedstudio.com/depot/s/Grove%2520-%2520Serial%2520Camera%2520Kit.html?search_in_description=0

Document Revision History

| Revision | Date | Author | Description |
|----------|--------------|--------|-------------|
| 1.0 | Sep 22, 2015 | Loovee | Create file |
| | | | |

Contents

| | |
|------------------------------------|---|
| Document Revision History | 2 |
| 1. Introduction | 2 |
| 2. Specifications | 3 |
| 3. Demonstration | 4 |
| 3.1 Hardware Installation | 4 |
| 3.2 Download Code and Upload | 4 |
| 3.3 Take a Photo | 4 |
| 3.4 Replacing a Lens | 5 |
| 3.5 How To Focus | 6 |
| 4. Resources | 7 |

Disclaimer

For physical injuries and possessions loss caused by those reasons which are not related to product quality, such as operating without following manual guide, natural disasters or force majeure, we take no responsibility for that.

Under the supervision of Seeed Technology Inc., this manual has been compiled and published which covered the latest product description and specification. The content of this manual is subject to change without notice.

Copyright

The design of this product (including software) and its accessories is under tutelage of laws. Any action to violate relevant right of our product will be penalized through law. Please consciously observe relevant local laws in the use of this product.

1. Introduction

Grove - Serial Camera Kit includes one control board and two interchangeable lenses, one is standard lens and the other is wide-angle lens. It's a great camera for Arduino centered image recognition projects, because 30W pixel wouldn't be overwhelming for Arduino, so that real-time image recognition is possible. To make it more fun and playable, lenses of two specs are shipped in this kit. The standard one is for common photo shots and the wide-angle one is specially suitable for monitoring projects.



2. Specifications


- Input Voltage: 5V
- Pixel: 300,000
- Resolution: 640*480, 320*240, 160*120
- Uart Baud Rate: 9600~115200
- Communication: RS485 and RS232
- Photo JPEG compression, high, medium and low grades Optional
- AGC
- Auto Exposure Event Control
- Automatic White Balance Control
- Focus adjustable

3. Demonstration

This demo will show you how to use Grove - Serial Camera Kit. We need a [Seeeduino](#), an [SD Card Shield](#) and a [Grove - Button](#). When the button pressed, we take a photo and save it to SD Card. Follow the below steps step by step, you can easily run your Grove - Serial Camera Kit. Then let's go.

3.1 Hardware Installation

We can find that there are two Grove interfaces on SD Card Shield V4.0, so we needn't a Base Shield, just plug Button to I2C Grove and plug Camera to Uart Grove.



3.2 Download Code and Upload

You can download demo code in github, click [here](#) Then upload the code, and it works.

3.3 Take a Photo

After finish uploading demo code, we can take a photo now, just press the button, then wait for a few seconds, a photo will be saved to SD card.

The following image is the ceiling of my office use straight angle lens.




3.4 Replacing a Lens

There is another wide-angle lens, I will show you how to replace it.


Firstly you should have a screwdriver



Then, unscrew the screws on the side of lens:



Try rotating the lens, it can be screwed out:



We use the wide-angle lens to take a photo, also, it's the ceiling of my office!
Find anything different from the ceiling image previous?



3.5 How To Focus

Lens screwed different depths represent different focal length, you can have a try.

4. Resources

- [Demo Code](#)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.