





LOC		DIST		REVISIONS						
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD	
					C	REVISED PER ECO-10-004036	01MAR2010	CJV	MRS	
					D	REVISED PER ECO-12-014021	29SEP2012	TD	AC	
					D1	REVISED PER ECO-14-003229	05MAR2014	PP	SH	

- 1 MATERIAL:
CAGE ASSEMBLY - 0.25mm THICK NICKEL SILVER ALLOY
GASKET RETENTION PLATE - STAINLESS STEEL
GASKET - PLATED FILLED SILICONE
LIGHT PIPE BRACKET - STAINLESS STEEL
LIGHT PIPE - POLYCARBONATE, CLEAR
- 2 MINIMUM PC BOARD THICKNESS = 1.50mm.
- 3 PADS AND VIAS CHASSIS GROUND.
- 4 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
5. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
6. INTERPRETATION OF DATUM REFERENCE FRAME IN ACCORDANCE WITH SECT 4.4.1.1 OF ASME Y14.5M-1994.

- 7 REFERENCE APPLICATION SPEC. 114-13120, HOLE A, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 8 REFERENCE APPLICATION SPEC. 114-13120, HOLE B, FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- 9 HOLE PATTERN REPEATS FOR EACH PORT. SPACING BETWEEN PORTS IS 14.25mm.
- 10 LIGHT PIPE ASSEMBLY SHIPPED UNASSEMBLED TO CAGE ASSEMBLY. CAGE ASSEMBLY TO BE PRESSED INTO THE PCB PRIOR TO ATTACHING THE LIGHT PIPE ASSEMBLY TO THE CAGE.
11. PRODUCT COMPLIES WITH SPECIFICATION SFF-8433 IMPROVED PLUGGABLE FORM FACTOR FOR SFP+ GANGED CAGES.





2007093-1
SCALE 3:1

51.30	2007093-2
53.10	2007093-1
LIGHT PIPE LENGTH	PART NUMBER


P/N:2007093-1 AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SCHMITT 21JUN2007	TE Connectivity	
DIMENSIONS:		CHK M. SCHMITT 21JUN2007		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD B. WERTZ 21JUN2007	NAME	
	0 PLC ±0.1	PRODUCT SPEC	SFP+ 1X4 CAGE ASSEMBLY PRESS FIT, EMI GASKET WITH LIGHT PIPES	
	1 PLC ±0.1	108-2364		
	2 PLC ±0.1	APPLICATION SPEC		
	3 PLC ±0.1	114-13120		
MATERIAL	FINISH	WEIGHT	SIZE	RESTRICTED TO
			A100779C=2007093	
		Customer Drawing	SCALE 5:1	SHEET 1 OF 3


LOC		DIST		REVISIONS					
GP	00	P	LTR	DESCRIPTION			DATE	DWN	APVD
		-		SEE SHEET 1			-	-	-



2007093-1
MOUNTED ON PC BOARD SHOWN
THRU RECOMMENDED BEZEL




2007093-1
MOUNTED ON PC BOARD SHOWN
THRU RECOMMENDED BEZEL



P/N:2007093-2 AS SHOWN
UNSPECIFIED DIMENSIONS REFER TO PN 2007093-1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SCHMITT 21JUN2007	TE Connectivity	
DIMENSIONS:		CHK M. SCHMITT 21JUN2007		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD B. WERTZ 21JUN2007	NAME	
	0 PLC ± 0.1	PRODUCT SPEC	SFP+ 1X4 CAGE ASSEMBLY PRESS FIT, EMI GASKET WITH LIGHT PIPES	
	1 PLC ± 0.1	108-2364		
	2 PLC ± 0.1	APPLICATION SPEC		
	3 PLC ± 0.1	114-13120		
MATERIAL		WEIGHT	SIZE CAGE CODE DRAWING NO	RESTRICTED TO
			A100779C=2007093	-
		Customer Drawing	SCALE 5:1	SHEET 2 OF 3 REV D1





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.