TECHNICAL DATA SHEET



Series: Gemini

Description: 3x3 MiMo dual band WiFi/BT


FPC antenna

PART NUMBER: W6103B0100



Features:

- · WiFi Bluetooth, BLE, ZigBee
- One antenna 3 x dual band 2400-2500MHz, 4900-5900MHz
- · Flexible to fit tight spaces
- High Efficiency over 70%
- Standard and customized cable lengths and connectors



Applications:

- 802.11a/b/g/n/ac
- · Challenging RF environments
- IoT including security, video, graphics,bluetooth
- IoT SmartGrid, Meters, Sensor Networks
- Tansportation
- · Bluetooth connections
- 2x2, 3x3 MiMo WiFi devices

All dimensions are in mm / inches

Issue: 1616

In the effort to improve our products, we reserve the right to make changes judged to be necessary. $\texttt{CONFIDENTIAL} \ \texttt{AND} \ \texttt{PROPRIETARY} \ \texttt{INFORMATION}$

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 12220 World Trade Drive San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 3611 NE 112th Ave Vancouver, WA 98682 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998





Description: 3x3 MiMo dual band WiFi/BT

FPC antenna

PART NUMBER: W6103B0100

ELECTRICAL SPECIFICATIONS

Frequency 2.4-2.5/4.9-5.9 GHz

Nominal Impedance 50Ω

VSWR < 2

Max Gain frequency 4.5 +/-1 dBi

Avg Gain frequency -2 +/-0.5dBi

Efficiency 70%

Radiation Pattern Omni

Polarization Linear

Power withstanding 3 W

Connector type IPEX 20278-112R-13 or equivalent

Cable type Low loss Φ1.13mm Coaxial Cable

Cable length 100mm

* All RF parameters measured on 2mm thick PC plate



TECHNICAL DATA SHEET

Description: 3x3 MiMo dual band WiFi/BT

FPC antenna

PART NUMBER: W6103B0100

Series: Gemini

MECHANICAL SPECIFICATIONS

Color Black

Weight 1.8 g

Thickness of FPC with adhesive 0.15mm

Overall Length 3.15 INCHES

Fixing system Adhesive Tape, 3M6677 PC

ENVIRONMENTAL SPECIFICATIONS

Operating temperature

-40~85° C









Description: 3x3 MiMo dual band WiFi/BT

FPC antenna

PART NUMBER: W6103B0100

MECHANICAL DRAWING














Description: 3x3 MiMo dual band WiFi/BT

FPC antenna

PART NUMBER: W6103B0100

CHARTS

Return Loss










Description: 3x3 MiMo dual band WiFi/BT

FPC antenna

PART NUMBER: W6103B0100

CHARTS

Port to port isolation












Description: 3x3 MiMo dual band WiFi/BT

FPC antenna

PART NUMBER: W6103B0100

CHARTS

Peak Gain(dBi)











Description: 3x3 MiMo dual band WiFi/BT

FPC antenna

PART NUMBER: W6103B0100

CHARTS

Average Gain(dBi)









Description: 3x3 MiMo dual band WiFi/BT

FPC antenna

PART NUMBER: W6103B0100

CHARTS

Efficiency(%)











Description: 3x3 MiMo dual band WiFi/BT

FPC antenna


PART NUMBER: W6103B0100

CHARTS


Typical free space radiation pattern—port1: 2.4-2.5GHz

Vertical plane, Phi0

Vertical plane, Phi90



horizontal plane







Description: 3x3 MiMo dual band WiFi/BT


FPC antenna


PART NUMBER: W6103B0100

CHARTS

Typical free space radiation pattern—port1: 4.9-5.9GHz

Vertical plane, Phi0 Vertical plane, Phi90









Description: 3x3 MiMo dual band WiFi/BT

FPC antenna


PART NUMBER: W6103B0100


CHARTS

Typical free space radiation pattern—port2: 2.4-2.5GHz

Vertical plane, Phi0

Vertical plane, Phi90









Description: 3x3 MiMo dual band WiFi/BT


FPC antenna


PART NUMBER: W6103B0100

CHARTS

Typical free space radiation pattern—port2: 4.9-5.9GHz Vertical plane, Phi0

Vertical plane, Phi90









Description: 3x3 MiMo dual band WiFi/BT

FPC antenna


PART NUMBER: W6103B0100


CHARTS

Typical free space radiation pattern—port3: 2.4-2.5GHz

Vertical plane, Phi0

Vertical plane, Phi90









Description: 3x3 MiMo dual band WiFi/BT


FPC antenna


PART NUMBER: W6103B0100

CHARTS

Typical free space radiation pattern—port3: 4.9-5.9GHz Vertical plane, Phi0

Vertical plane, Phi90







TECHNICAL DATA SHEET

Description: 3x3 MiMo dual band WiFi/BT

FPC antenna

PART NUMBER: W6103B0100

Series: Gemini

PACKAGING

5 antennas packed in one plastic bag

100 bags(TBD) of antennas packed in a cardboard box

1 label on each box with qty, part number, date code.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов:
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001:
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина,

дом 2, корпус 4, литера А.