



LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
A		INITIAL RELEASE		14JUN2019	AJ	SH	
B		REVISED PER ECO-19-012481		07AUG2019	AJ	SH	



2342934-1 AS SHOWN
SCALE 3:1



1. MATERIAL:
CAGE MATERIAL : 0.25 THICK STAINLESS STEEL.
SPRING MATERIAL: COPPER ALLOY
CLIP MATERIAL: STAINLESS STEEL
HEAT SINK: ALUMINUM

2. FINISH:
SPRING: NICKEL PLATING
HEAT SINK: NICKEL PLATING

3. DIMENSION APPLIES WITH MODULE INSTALLED IN THE CAGE TO TOP OF HEAT SINK.

4. REFERENCE APPLICATION SPEC 114-60025 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.



5. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMERS.

6. MINIMUM PC BOARD THICKNESS : SINGLES SIDED: 1.57 MIN
DOUBLE SIDED: 3.00 MIN



7. DATUM -A- IS TOP SURFACE OF THE HOST BOARD.

8. DATE CODE (YYWWD) MARKED APPROXIMATELY AS SHOWN

9. MATES WITH QSFP DD MSA COMPATIBLE TRANSCEIVER.




2342934-1 AS SHOWN
SCALE 4:1




23.00	0	NETWORKING	1-2342934-3
16.00	0	SAN	1-2342934-2
13.70	0	PCI	1-2342934-1
23.00	2	NETWORKING	2342934-3
16.00	2	SAN	2342934-2
13.70	2	PCI	2342934-1
DIM A	# REAR PINS	APPLICATION (HEAT SINK OPTION)	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: ARTHUR JIN 30AUG2018	TE Connectivity	
		CHK: SEAN HAN 29AUG2018		
DIMENSIONS:		APVD: SEAN HAN 30AUG2018	NAME: CAGE ASSEMBLY, QSFP-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK	
mm		PRODUCT SPEC		
		108-60122	SIZE: A1	
		APPLICATION SPEC		
		114-60025	SCALE: 2:1	
		FINISH		
MATERIAL: -		WEIGHT: -	SHEET 1 OF 5	
		CUSTOMER DRAWING		
			REV B	


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-




2342934-1 AS SHOWN
WITH PCI HEAT SINK
SCALE 4:1




2342934-2 AS SHOWN
WITH SAN HEAT SINK
SCALE 4:1




2342934-3 AS SHOWN
WITH NETWORKING HEAT SINK
SCALE 4:1




1-2342934-1 AS SHOWN
SAME AS -1 EXCEPT W/O REAR PINS
SCALE 4:1






1-2342934-2 AS SHOWN
SAME AS -2 EXCEPT W/O REAR PINS
SCALE 4:1



1-2342934-3 AS SHOWN
SAME AS -3 EXCEPT W/O REAR PINS
SCALE 4:1


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: ARTHUR JIN 30AUG2018	 TE Connectivity	
		CHK: SEAN HAN 29AUG2018		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME
		0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.20 3 PLC ±0.10 4 PLC ± ANGLES ±°		CAGE ASSEMBLY, QSFP-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK
MATERIAL		PRODUCT SPEC		SIZE
		108-60122 APPLICATION SPEC		CAGE CODE
114-60025		DRAWING NO		
WEIGHT		RESTRICTED TO		
CUSTOMER DRAWING		A1		
SCALE 2:1		SHEET 2 OF 5		
REV B				

4805 (3/11)



LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	30AUG2018	TE Connectivity			
		CHK	29AUG2018				
DIMENSIONS:		APVD	30AUG2018	NAME			
mm		PRODUCT SPEC		CAGE ASSEMBLY, QSPF-DD STANDARD			
		108-60122		WITH EMI SPRING FINGER			
		APPLICATION SPEC		ZIPPER FIN HEAT SINK			
		114-60025		SIZE			
		WEIGHT		A1			
		CUSTOMER DRAWING		SCALE 2:1 SHEET 4 OF 5 REV B			



LOC		DIST		REVISES			
P		LYR		DESCRIPTION		DATE	APVD
-		-		SEE SHEET 1		-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN: ARTHUR JIN 30AUG2018		 TE Connectivity	
				CHK: SEAN HAN 29AUG2018			
				APVD: SEAN HAN 30AUG2018		NAME	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		CAGE ASSEMBLY, QSPF-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK	
mm				108-60122			
		0 PL/C ±0.25		APPLICATION SPEC			
		1 PL/C ±0.25					
		2 PL/C ±0.20					
		3 PL/C ±0.10					
ANGLES		°		114-60025		SIZE	
MATERIAL		FINISH		WEIGHT		CAGE CODE	
-		-		-		DRAWING NO	
				CUSTOMER DRAWING		C=2342934	
						RESTRICTED TO	
						A1	
						SCALE	
						2:1	
						SHEET	
						5 of 5	
						REV	
						B	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.