







LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	A		INITIAL RELEASE	14JUN2019	AJ	SH
		B		REVISED PER ECO-19-012481	07AUG2019	AJ	SH



2342934-1 AS SHOWN
SCALE 3:1




2342934-1 AS SHOWN
SCALE 4:1




23.00	0	NETWORKING	1-2342934-3
16.00	0	SAN	1-2342934-2
13.70	0	PCI	1-2342934-1
23.00	2	NETWORKING	2342934-3
16.00	2	SAN	2342934-2
13.70	2	PCI	2342934-1
DIM A	# REAR PINS	APPLICATION (HEAT SINK OPTION)	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: ARTHUR JIN 30AUG2018	TE Connectivity	
		CHK: SEAN HAN 29AUG2018		
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD: SEAN HAN 30AUG2018	NAME: CAGE ASSEMBLY, QSFP-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK	
		PRODUCT SPEC: 108-60122		
mm	0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.20 3 PLC ±0.10 4 PLC ± ANGLES ±°	APPLICATION SPEC: 114-60025	SIZE: A1 CAGE CODE: - DRAWING NO: 2342934	
		FINISH: -		
MATERIAL: -	-	WEIGHT: -	CUSTOMER DRAWING	
		SCALE: 2:1	SHEET: 1 OF 5	REV: B


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-




2342934-1 AS SHOWN
WITH PCI HEAT SINK
SCALE 4:1




2342934-2 AS SHOWN
WITH SAN HEAT SINK
SCALE 4:1




2342934-3 AS SHOWN
WITH NETWORKING HEAT SINK
SCALE 4:1



1-2342934-1 AS SHOWN
SAME AS -1 EXCEPT W/O REAR PINS
SCALE 4:1







1-2342934-2 AS SHOWN
SAME AS -2 EXCEPT W/O REAR PINS
SCALE 4:1




1-2342934-3 AS SHOWN
SAME AS -3 EXCEPT W/O REAR PINS
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: ARTHUR JIN 30AUG2018	TE Connectivity	
		CHK: SEAN HAN 29AUG2018		
		APVD: SEAN HAN 30AUG2018	NAME: CAGE ASSEMBLY, QSFP-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK	
DIMENSIONS:		PRODUCT SPEC	SIZE: A1	
mm		108-60122	CAGE CODE: -	
		APPLICATION SPEC	DRAWING NO: C=2342934	
		114-60025	RESTRICTED TO: -	
MATERIAL: -		WEIGHT: -	SCALE: 2:1	
		CUSTOMER DRAWING	SHEET 2 OF 5	
			REV B	


LOC		DIST		REVISIONS				
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-		SEE SHEET 1	-	-	-	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ARTHUR JIN 30AUG2018	TE Connectivity	
DIMENSIONS:		CHK SEAN HAN 29AUG2018		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD SEAN HAN 30AUG2018	NAME	
	0 PLC ±0.25	PRODUCT SPEC	CAGE ASSEMBLY, QSFP-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK	
	1 PLC ±0.25	108-60122		
	2 PLC ±0.20	APPLICATION SPEC		
	3 PLC ±0.10	114-60025		
MATERIAL	FINISH	WEIGHT	SIZE	RESTRICTED TO
-	-	-	A1	-
CUSTOMER DRAWING		SCALE	2:1	SHEET 3 OF 5
		REV	B	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 30AUG2018 ARTHUR JIN CHR 29AUG2018 SEAN HAN APVD 30AUG2018 SEAN HAN		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.20 3 PLC ±0.10 4 PLC ± ANGLES ±		NAME CAGE ASSEMBLY, QSFP-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK	
MATERIAL -		FINISH -		WEIGHT -	
CUSTOMER DRAWING		SIZE A1		CAGE CODE -	
DRAWING NO C=2342934		RESTRICTED TO -		SCALE 2:1	
SHEET 4 of 5		REV B			



LOC		DIST		REVISES			
				P		LTH	
						DESCRIPTION	
						DATE	
						DWN	
						APVD	

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN: ARTHUR JIN 30AUG2018		 TE Connectivity	
				CHK: SEAN HAN 29AUG2018			
				APVD: SEAN HAN 30AUG2018			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME		CAGE ASSEMBLY, QSPF-DD STANDARD WITH EMI SPRING FINGER ZIPPER FIN HEAT SINK	
mm				PRODUCT SPEC			
		0 PLC ±0.25		APPLICATION SPEC			
		1 PLC ±0.25					
		2 PLC ±0.20					
		3 PLC ±0.10					
ANGLES		°		WEIGHT		SIZE	
				114-60025		CAGE CODE	
MATERIAL		FINISH				DRAWING NO	
-		-		-		A1	
CUSTOMER DRAWING				SCALE		RESTRICTED TO	
				2:1		-	
				SHEET		5 OF 5	
				REV		B	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.