





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	15NOV2017	LL	SH


- 1 MATERIALS:
HOUSING: GLASS FILLED THERMOPLASTIC, 94V-0
CONTACTS: HIGH PERFORMANCE COPPER ALLOY
SHIELD: STAINLESS STEEL.
- 2 FINISH:
CONTACTS: 0.00076 MIN GOLD ON CONTACT AREA, 0.00254 MIN
TIN ON SOLDER TAILS, ALL OVER 0.002 MIN NICKEL UNDERPLATE
ON ENTIRE CONTACT.
SHIELD: MATTE TIN OVER 0.00127 MIN. NICKEL.
- 3

 PART NUMBER AND DATE CODE MARKED IN APPROXIMATE AREA AS SHOWN.
- 4 SOLDER TAIL COPLANARITY IS 0.10 MAX.




80 CIRCUIT TH ASSEMBLY

PART NUMBER: 2308577-1

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN: VINDY LIU 08FEB2017		PART NUMBER 2308577-1	
DIMENSIONS: mm			CHK: SEAN HAN 08FEB2017		 TE Connectivity	
			APVD: SEAN HAN 08FEB2017			
			TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME: NANO PITCH I/O FIXED RIGHT ANGLE, 8X	
			0 PLC ±0.25			
			1 PLC ±0.13			
			2 PLC ±			
MATERIAL: SEE NOTES			PRODUCT SPEC		SIZE: A1 CAGE CODE: - DRAWING NO: C=2308577	
			108-60018			
			APPLICATION SPEC			
			114-60024			
SEE NOTES			WEIGHT: -		RESTRICTED TO: -	
			CUSTOMER DRAWING		SCALE: 4:1 SHEET 1 OF 5 REV A	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

80 CIRCUIT TAIL RECOMMENDED FOOTPRINT




- NOTES:
1. MINIMUM RECOMMENDED SPACING IS 26.75MM.
 2. MINIMUM RECOMMENDED PCB THICKNESS: 1.57MM
 3. CONNECTOR KEEP OUT AREA.
 4. DATUM -A- ESTABLISHED FROM TOP SURFACE OF PCB.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: VINDY LIU 08FEB2017		
DIMENSIONS:		CHK: SEAN HAN 08FEB2017		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD: SEAN HAN 08FEB2017	NAME: NANO PITCH I/O FIXED RIGHT ANGLE, 8X	
	0 PLC	±	PRODUCT SPEC: 108-60018	
	1 PLC	±0.25	APPLICATION SPEC: 114-60024	
	2 PLC	±0.13	SIZE: A1	
	3 PLC	±	CAGE CODE: -	
MATERIAL: SEE NOTES	SEE NOTES	WEIGHT: -	DRAWING NO: C=2308577	
CUSTOMER DRAWING		SCALE: 4:1		SHEET 3 OF 5

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

80 CIRCUIT SMT RECOMMENDED FOOTPRINT




- NOTES:
- 1, MINIMUM RECOMMENDED SPACING IS 26.75MM.
 - 2, MINIMUM RECOMMENDED PCB THICKNESS: 1.57MM
 - 3, CONNECTOR KEEP OUT AREA.
 - 4, DATUM -A- ESTABLISHED FROM TOP SURFACE OF PCB.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN VINDY LIU 08FEB2017	 TE Connectivity							
		CHK SEAN HAN 08FEB2017								
DIMENSIONS:	TOLERANCES, UNLESS OTHERWISE SPECIFIED:	APVD SEAN HAN 08FEB2017	NAME	NANO PITCH I/O FIXED RIGHT ANGLE, 8X						
		PRODUCT SPEC								
mm	0 PLC ±°	108-60018	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO				
	1 PLC ±°	114-60024								
MATERIAL	ANGLES	1 PLC ±°	WEIGHT	A1	-	C=2308577	-			
		2 PLC ±°								
SEE NOTES	SEE NOTES	CUSTOMER DRAWING	SCALE	4:1	SHEET	4	OF	5	REV	A
-	-									

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

80 CIRCUIT PANEL OPENING



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN VINDY LIU 08FEB2017	 TE Connectivity		
		CHK SEAN HAN 08FEB2017			
DIMENSIONS: mm		APVD SEAN HAN 08FEB2017		NAME NANO PITCH I/O FIXED RIGHT ANGLE, 8X	
		PRODUCT SPEC			
		108-60018		SIZE A 1	
		APPLICATION SPEC			
MATERIAL SEE NOTES		114-60024		CAGE CODE -	
		WEIGHT			
SEE NOTES		CUSTOMER DRAWING	RESTRICTED TO -		
-				SCALE 4:1	
		SHEET 5 OF 5			REV A



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.