









- 1 CIRCUIT IDENTIFICATION NUMBERS LOCATED AS SHOWN.
- 2 SPACER AND CPA (OPTIONAL) ARE SHIPPED IN PRE-ASSEMBLED POSITION.
- 3 PART NUMBER, DATE CODE AND WORK CENTER LOCATION .
- 4 CAVITY ID.
- 5 MATERIAL IDENTIFICATION.
- 6 KEYING OPTION B NOT PREFERRED FOR NEW APPLICATIONS.
7. PACKAGING: CONNECTOR ASSEMBLIES BULK PACKED IN CARDBOARD BOXES.
- 8 OPTIONAL CORE SLOTS FOR MOLD CONSTRUCTION.
9. SPACER IS SHIPPED IN PRE-LOADED POSITION. SOME SPACERS MAY BECOME FULLY SEATED DURING SHIPPING. USE TE INSTRUCTION SHEET 408-10104 TO REPOSITION SPACER BACK TO IT'S PRE-LOADED POSITION.
10. REFER TO TE INSTRUCTION SHEET 408-8599 FOR PROPER CONTACT ASSEMBLY/DISASSEMBLY AND CONNECTOR MATING/ UN-MATING PROCEDURE.



SCALE 4:1

<----- ASSEMBLY PN															
I-1456985-2	I	-	I	-	I	-	I	-	I	-	I	CPA	>PBT-GF20<	RED	3
I-1456985-1	I	I	I	I	I	I	I	I	I	I	I	SPACER	>PBT-GF30<	RED	2
I-1456985-0	I	I	-	-	-	-	-	-	-	-	-	HOUSING; KEY C	>PA66-GF35<	YELLOW	1
1456985-9	-	-	I	I	-	-	-	-	-	-	-	HOUSING; KEY F	>PA66-GF35<	BLACK	1
1456985-8	-	-	-	-	I	I	-	-	-	-	-	HOUSING; KEY E	>PA66-GF35<	BLACK	1
1456985-7	-	-	-	-	-	-	I	I	-	-	-	HOUSING; KEY D	>PA66-GF35<	BLACK	1
1456985-6	-	-	-	-	-	-	-	-	I	I	-	HOUSING; KEY C	>PA66-GF35<	BLACK	1
1456985-5	-	-	-	-	-	-	-	-	-	-	I	HOUSING; KEY B	>PA66-GF35<	BLACK	1
1456985-4	-	-	-	-	-	-	-	-	-	-	-	DESCRIPTION	MATERIAL	COLOR	ITEM NO
1456985-3	-	-	-	-	-	-	-	-	-	-	-	REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)			
1456985-2	-	-	-	-	-	-	-	-	-	-	-	WEIGHT OF EACH ASSY NO (g)			
1456985-1	-	-	-	-	-	-	-	-	-	-	-	PARTS LIST			


PARTS LIST

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL CHK D. STRAUSSER APVD D. STRAUSSER	14DEC2006 14DEC2006 14DEC2006	NAME	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.01 4 PLC ±.01 ANGLES ±.01 FINISH		PRODUCT SPEC APPLICATION SPEC	
MATERIAL SEE TABLE		WEIGHT -		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
		CUSTOMER DRAWING		SCALE 5:1 SHEET 1 OF 2 REV D4	

TE Connectivity

ASSEMBLY,
1X6 POSITION, GET, FEMALE,
UNSEALED


KEYING OPTION
B



(SHOWN WITH CPA)

6


KEYING OPTION
B



(SHOWN WITH CPA)

SCALE 2:1


KEYING OPTION
C



(SHOWN WITH CPA)

SCALE 2:1


KEYING OPTION
D



(SHOWN WITH CPA)

SCALE 2:1


KEYING OPTION
E



(SHOWN WITH CPA)

SCALE 2:1


KEYING OPTION
F



(SHOWN WITH CPA)

SCALE 2:1

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN. R. VESTAL 14DEC2006	 TE Connectivity		
DIMENSIONS:		CHK. D. STRAUSSER 14DEC2006			
mm		APVD. D. STRAUSSER 14DEC2006	NAME		
		PRODUCT SPEC	ASSEMBLY, 1X6 POSITION, GET, FEMALE, UNSEALED		
		APPLICATION SPEC			
MATERIAL		WEIGHT	SIZE	CAGE CODE	DRAWING NO.
SEE TABLE		CUSTOMER DRAWING	A1	00779	C=1456985
			SCALE	5:1	SHEET 2 OF 2
					REV D4



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.