

NOTES :

1- MATERIAL : POLYESTER FIBER GLASS FILED 94-V-0
COLOR BLACK .

TERMINAL : PHOSPHOR BRONZE .


PLATINGS : FINISH 2

POST PLATE (0.00127-0.00152)/.000050-.000060

GOLD IN CONTACT AREA .

(0.00190)/.000075 MIN. PURE TIN IN TAIL AREA BOTH

OVER (0.00127)/.000050 MIN. NICKEL OVERALL .



2- PC BOARD THICKNESS : (1.57) / .062 .

3- JACK FOR MATING WITH F.C.C. 68 PLUGS 90075 MOLEX SERIES .





4- PRODUCT SPECIFICATION PS-95009.

5- APPLICATION SPECIFICATION AS-95001.


6- PACKAGING SPECIFICATION PK-95029.

MOUNTING HOLE PATTERNS


(SEE FROM COMPONENT SIDE)




ENTER DESCRIPTION		QUALITY SYMBOLS		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE		DESIGN UNITS		THIRD ANGLE PROJECTION	
EC NO: MG2005-0155		DRAWN:CEBASTI 2004/11/12		mm		MM/IN		4:1		METRIC		⊙ □	
CHKD:FCARABET 2004/11/15		APPR:KNOLLER 2004/11/15		4 PLACES ± --- ± ---		DRAWN BY DATE		DP 86/10/23		TITLE		FLUSH MOUNT RIGHT ANGLE	
				3 PLACES ± --- ± .010		CHECKED BY DATE						MODULAR JACK ASSEMBLY	
				2 PLACES ± 0.25 ± .014		APPROVED BY DATE						THROUGH HOLE VERSION	
				1 PLACE ± 0.35 ± ---								MOLEX INCORPORATED	
				ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		1 OF 4	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE CHART SHT 2		SDA-95009-F					
						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							




PART NUMBERS FOR JACK I RIB .

	TYPE	POS. 4	TOOLED	POS. 6	TOOLED	POS. 6	TOOLED	POS. 6	TOOLED	POS. 8	TOOLED	POS. 8	TOOLED	POS. 8	TOOLED
		4 CKTS.		2 CKTS.		4 CKTS.		6 CKTS.		4 CKTS.		6 CKTS.		8 CKTS.	
	FINISH 2	MOLEX STANDARD	95009-244I	X	95009-262I		X	95009-264I	X	95009-266I	X	95009-284I		95009-286I	X

PART NUMBERS FOR JACK NO RIB.

	TYPE	POS. 4	TOOLED	POS. 6	TOOLED	POS. 6	TOOLED	POS. 6	TOOLED	POS. 8	TOOLED	POS. 8	TOOLED	POS. 8	TOOLED
		4 CKTS.		2 CKTS.		4 CKTS.		6 CKTS.		4 CKTS.		6 CKTS.		8 CKTS.	
	FINISH 2	MOLEX STANDARD	95009-2447	X	95009-2627		X	95009-2647	X	95009-2667	X	95009-2847		95009-2867	X

DIM.	TYPE	POS. 4	POS. 6				POS. 8		
		4 CKTS.	2 CKTS.	4 CKTS.	6 CKTS.		4 CKTS.	6 CKTS.	8 CKTS.
A		(11.18) / .440	(13.21) / .520	(13.21) / .520	(13.21) / .520		(15.24) / .600	(15.24) / .600	(15.24) / .600
B	(±0.10)/±.004	(7.62) / .300	(10.16) / .400	(10.16) / .400	(10.16) / .400		(11.43) / .450	(11.43) / .450	(11.43) / .450
C	(±0.10)/±.004	(3.81) / .150	(1.27) / .050	(3.81) / .150	(6.35) / .250		(3.81) / .150	(6.35) / .250	(8.89) / .350
D	(+0.38/-0)/±.015	(11.56) / .455	(13.59) / .535	(13.59) / .535	(13.59) / .535		(15.62) / .615	(15.62) / .615	(15.62) / .615





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.