
LEAD-FREE PART NUMBER	DIM A ø	DIM B ø	DIM C ø	DIM D ø	CABLE TYPE	IMPEDANCE
77427-X11LF	1.2	1.70	2.2	3.20	RG178 B/U RG196 A/U	50 Ohm
77427-X21LF	1.70	2.70	3.20	3.80	RG174 A/U RG188 A/U RG316 /U	50 Ohm
77427-X31LF	1.70	2.70	3.58	4.30	RG316/U2 SHIELDED	50 Ohm

PLATING CODE X	PLATING CONTACT AREA 1 AND 3	PLATING CONTACT AREA 2 AND 4
1	1.3um Au min.	1.3um Au min.



NOTES:
1. UNDERPLATING Ni
2. DIMENSIONS ACCORDING DIN 41626
3. THIS PRODUCT WITH "LF" SUFFIX MEETS EURPOEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS -22-008.
4. THE PRODUCT IS NOT INTENDED TO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS.
5. PACKAGING SPEC: SEE GS-14-920

rev	ecn no	dr	date
N	LS06-0022	LGO	2006/03/06
P	LS07-0214	LGO	2007/08/20
R	LS08-0057	LGO	2008/02/18
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

European Views

www.fciconnect.com

surface ISO 1302 | tolerance std ISO 406 ISO 1101

TOLERANCES UNLESS OTHERWISE SPECIFIED

Dr	GOISNARD	2006/03/06
Eng	GOISNARD	2006/03/06
Chr	LEGARE	2006/03/06
Appr	LEGARE	2006/03/06

ANGULAR 0.XX' ±2° | LINEAR 0.X ±0.1, 0.XX ±0.1, 0.XXX ±0.1

projection | mm | size A3 | Scale 10

ECN LS08-0057

Product family BACKPANEL | Spec ref -

title: MALE COAX
INSERT STRAIGHT CTW

dwg no 77427 | Rev. R


catalog no - | CUSTOMER | sheet 1 of 5

REV F - 2006-04-17

Copyright FCI.

PDM: Rev:R STATUS: Released Printed: Oct 01, 2010

LEAD-FREE PART NUMBER	DIM A ø	DIM B ø	DIM C ø	DIM D ø	CABLE TYPE	IMPEDANCE
77427-X12LF	1.05	1.70	2.25	3.20	RG178B/U RG196A/U	50 Ohm
77427-X22LF	1.70	2.70	3.20	3.80	RG174A/U RG179B/U RG187A/U RG188A/U RG316/U	50 Ohm
77427-X32LF	1.70	2.70	3.58	4.30	L910/9-/19	50 Ohm



NOTES:
1. UNDERPLATING Ni
2. DIMENSIONS ACCORDING DIN 41626
3. THIS PRODUCT WITH "LF" SUFFIX MEETS EURPOEAN UNIONDIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS -22-008.
4. THE PRODUCT IS NOT INTENDEDTO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS.
5. PACKAGING SPEC: SEE GS-14-920
6. CONTACT AREA PLATING: SEE SHEET 1

European Views


www.fciconnect.com			surface ISO 1302		tolerance std ISO 406 ISO 1101		projection	mm	
			TOLERANCES UNLESS OTHERWISE SPECIFIED						
Dr	GOISNARD	2006/03/06	ANGULAR	LINEAR	0.X	±0.1	size A3	Scale 10	
Eng	GOISNARD	2006/03/06			0.XX	±0.1			
Chr	LEGARE	2006/03/06	0.XX° ±2°		0.XXX	±0.1	ECN	LS08-0057	
Appr	LEGARE	2006/03/06	Product family		BACKPANEL		Spec ref	-	
title	COAX INSERT FEMALE STRAIGHT CTW						dwg no	77427	Rev. R
	catalog no	-					CUSTOMER	sheet 2 of 5	

Copyright FCI.

REV F - 2006-04-17

PDM: Rev:R STATUS: Released Printed: Oct 01, 2010

LEAD-FREE PART NUMBER	DIM A	DIM B	IMPEDANCE
77427-X03LF	9.6	3.2	50 Ohm
77427-X13LF	10.4	4.0	50 Ohm



NOTES:
1. UNDERPLATING Ni
2. DIMENSIONS ACCORDING TO DIN 41626
3. GENERAL TOLERANCE ±0.10
4. THIS PRODUCT WITH "LF" SUFFIX MEETS EURPOEAN UNIONDIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS -22-008.
5. THE PRODUCT WILL WITHSTAND 260 DEGREE PEAK TEMP--ERATURE FOR 30 SECONDS IN A WAVE SOLDER APPLICATION WITH 1.6mm MINIMUM THICK CIRCUIT BOARD. MANUFACTURING SOLDER PROCESS.
6. PACKAGING SPEC: SEE GS-14-920

Copyright FCI.


REV F - 2006-04-17

European Views

www.fciconnect.com			surface ISO 1302 ✓		tolerance std ISO 406 ISO 1101		projection	mm	
			TOLERANCES UNLESS OTHERWISE SPECIFIED						
Dr	GOISNARD	2006/03/06	ANGULAR	LINEAR	0.X	±0.1	size A3	Scale 10	
Eng	GOISNARD	2006/03/06			0.XX	±0.1			
Chr	LEGARE	2006/03/06	0.XX° ±2°		0.XXX	±0.1	ECN	LS08-0057	
Appr	LEGARE	2006/03/06	Product family		BACKPANEL		Spec ref	-	
FCI	title: MALE COAX INSERT R.A. STB				dwg no 77427		Rev. R		
	catalog no -						CUSTOMER	sheet 3 of 5	

PDM: Rev:R STATUS: Released Printed: Oct 01, 2010

LEAD-FREE P/N	IMPEDANCE
77427-X04LF	50 Ohm



NOTES:
1. UNDERPLATING Ni
2. DIMENSIONS ACCORDING TO DIN 41626
3. GENERAL TOLERANCE ±0.10
4. THIS PRODUCT WITH "LF" SUFFIX MEETS EURPOEAN UNIONDIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS -22-008.
5. THE PRODUCT IS NOT INTENDEDTO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS.
6. PACKAGING SPEC: SEE GS-14-920
7. CONTACT AREA PLATING: SEE SHEET 1

REV F - 2006-04-17


European Views

www.fciconnect.com			surface ISO 1302 ✓		tolerance std ISO 406 ISO 1101		projection	mm	
			TOLERANCES UNLESS OTHERWISE SPECIFIED						
Dr	GOISNARD	2006/03/06	ANGULAR	LINEAR	0.X	±0.1	size A3	Scale 10	
Eng	GOISNARD	2006/03/06			0.XX	±0.1			
Chr	LEGARE	2006/03/06	0.XX° ±2°		0.XXX	±0.1	ECN	LS08-0057	
Appr	LEGARE	2006/03/06	Product family		BACKPANEL		Spec ref	-	
FCI	title: COAX COUPLER FEMALE 50 SHORT				dwg no 77427		Rev. R		
	catalog no -						CUSTOMER	sheet 4 of 5	

Copyright FCI.

PDM: Rev:R STATUS: Released Printed: Oct 01, 2010

LEAD-FREE P/N	IMPEDANCE
77427-X05LF	50 Ohm



NOTES:
1. UNDERPLATING Ni
2. DIMENSIONS ACCORDING TO DIN 41626
3. GENERAL TOLERANCE ±0.10
4. THIS PRODUCT WITH "LF" SUFFIX MEETS EURPOEAN UNIONDIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS -22-008.
5. THE PRODUCT IS NOT INTENDEDTO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS.
6. PACKAGING SPEC: SEE GS-14-920
7. CONTACT AREA PLATING: SEE SHEET 1

REV F - 2006-04-17

European Views

www.fciconnect.com			surface ISO 1302 ✓		tolerance std ISO 406 ISO 1101		projection	mm	
			TOLERANCES UNLESS OTHERWISE SPECIFIED						
Dr	GOISNARD	2006/03/06	ANGULAR	LINEAR	0.X	±0.1	size A3	Scale 10	
Eng	GOISNARD	2006/03/06			0.XX	±0.1			
Chr	LEGARE	2006/03/06	0.XX' ±2'		0.XXX	±0.1	ECN	LS08-0057	
Appr	LEGARE	2006/03/06	Product family		BACKPANEL		Spec ref	-	
FCI	title	COAX COUPLER FEMALE 50 LONG			dwg no	77427		Rev. R	
	catalog no	-				CUSTOMER	sheet 5 of 5		

Copyright FCI.

PDM: Rev:R STATUS: Released Printed: Oct 01, 2010


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.