

## Accessories to TA45



See below:

### Approvals and Compliances

#### Description

- Covers for IP54 or IP65
- Locking device
- Flat gaskets
- Raised collar

#### Weblinks

[pdf data sheet](#), [html datasheet](#), [General Product Information](#), [Distributor-Stock-Check](#), [Detailed request for product](#), [Product News](#)

#### Approvals and Compliances

Detailed information on product approvals, code requirements, usage instructions and detailed test conditions can be looked up in [Details about Approvals](#)

SCHURTER products are designed for use in industrial environments. They have approvals from independent testing bodies according to national and international standards. Products with specific characteristics and requirements such as required in the automotive sector according to IATF 16949, medical technology according to ISO 13485 or in the aerospace industry can be offered exclusively with customer-specific, individual agreements by SCHURTER.

#### Application standards

Application standards where the product can be used


| Organization                                                                        | Design                         | Standard       | Description                                                                                                          |
|-------------------------------------------------------------------------------------|--------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------|
|  | Designed for applications acc. | IEC/UL 62368-1 | IEC 62368-1 includes the basic requirements for safety of audio, video, information technology and office equipment. |

#### Compliances


The product complies with following Guide Lines

| Identification                                                                      | Details               | Initiator   | Description                                                                                                                                                             |
|-------------------------------------------------------------------------------------|-----------------------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <a href="#">REACH</a> | SCHURTER AG | On 1 June 2007, Regulation (EC) No 1907/2006 on the Registration, Evaluation, Authorization and Restriction of Chemicals 1 (abbreviated as "REACH") entered into force. |


Dimension [mm]  
AZZ04



AZZ05




AZZ51




Snap-on fastener

AZZ71 / AZZ72



- 1) CBE switchable
- 2) CBE not switchable

AZZ81 / AZZ82



- 1) CBE switchable
- 2) CBE not switchable

## All Variants

| Suitable for                                                                   | Type           | Designation                             | Poles       | Degree of Protection | Mounting                  | Order Number |
|--------------------------------------------------------------------------------|----------------|-----------------------------------------|-------------|----------------------|---------------------------|--------------|
| TA45-2P, TA45-3P, TA45-2PU, TA45-3PU, TA45-2PA, TA45-3PA, TA45-2PAU, TA45-3PAU | CBE TA45-AZZ63 | Flat gasket for screw-on type           | 2 or 3 pole | IP54                 | -                         | 4430.0439    |
| TA45-2P, TA45-2PU                                                              | CBE TA45-AZZ61 | Flat gasket                             | 2-pole      | IP54                 | Snap-in version           | 4430.0499    |
| TA45-3P, TA45-3PU, TA45-2PA, TA45-3PA, TA45-2PAU, TA45-3PAU                    | CBE TA45-AZZ62 | Flat gasket                             | 2 or 3 pole | IP54                 | Snap-in version           | 4430.0502    |
| TA45-2P, TA45-2R, TA45-2PU, TA45-2RU                                           | CBE TA45-AZZ51 | Rear cover                              | 2-pole      | IP40                 | Snap-in or flange mounted | 4430.0519    |
| TA45-2R, TA45-2RU, TA45-2RA, TA45-2RAU                                         | CBE TA45-AZZ31 | Flat gasket                             | 2-pole      | IP54                 | -                         | 4430.0685    |
| TA45-2R, TA45-2RU, TA45-2RA, TA45-2RAU                                         | CBE TA45-AZZ04 | Screw-on collar with cover, 2 pole      | 2-pole      | IP65                 | -                         | 4430.0695    |
| TA45-2P, TA45-3P, TA45-2PU, TA45-3PU, TA45-2PA, TA45-3PA, TA45-2PAU, TA45-3PAU | CBE TA45-AZZ05 | Screw-on cover                          | 2 or 3 pole | IP65                 | Flange type               | 4430.0835    |
| TA45-2P, TA45-2PU                                                              | CBE TA45-AZZ71 | Locking device black, safety-lock type  | 2-pole      | -                    | Snap-in version           | 4430.1625    |
| TA45-2P, TA45-2PU                                                              | CBE TA45-AZZ72 | Locking device yellow, safety-lock type | 2-pole      | -                    | Snap-in version           | 4430.2074    |
| TA45-3P, TA45-3PU, TA45-2PA, TA45-3PA, TA45-2PAU, TA45-3PAU                    | CBE TA45-AZZ82 | Locking device yellow, safety-lock type | 2 or 3 pole | -                    | Snap-in version           | 4430.2075    |
| TA45-3R, TA45-3RU, TA45-3RA, TA45-3RAU                                         | CBE TA45-AZZ21 | Screw-on collar with cover, black       | 3-pole      | -                    | -                         | 4430.3371    |
| TA45-3R, TA45-3RU, TA45-3RA, TA45-3RAU                                         | CBE TA45-AZZ26 | Screw-on collar with cover, yellow      | 3-pole      | -                    | -                         | 4430.3372    |
| TA45-3P, TA45-3PU, TA45-2PA, TA45-3PA, TA45-2PAU, TA45-3PAU                    | CBE TA45-AZZ81 | Locking device black, safety-lock type  | 2 or 3 pole | -                    | Snap-in version           | 4430.3534    |

 Most Popular.

Availability for all products can be searched real-time: <https://www.schurter.com/en/Stock-Check/Stock-Check-SCHURTER>

**Packaging Unit** 1 Pcs



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.