






LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00				
	A	RELEASED	17MAR06	BM	SS
	A1	REVISED PER ECO-06-018770	04AUG06	BM	SS
	A2	REVISED PER ECO-06-029973	28DEC2006	CJV	SAS


- 1
- 2
- 3
- 4
- 5
- 6
- INSERT: LCP, UL 94V-0 RATED.
CONTACTS: COPPER ALLOY
SHELL: PHOSPHOR BRONZE.
- CONTACTS: 1.27µm MINIMUM GOLD OVER
3.81µm MINIMUM NICKEL ON MATING END.
3.81µm MINIMUM MATTE TIN OVER
1.27µm MINIMUM NICKEL ON SOLDER TAILS.
SHELL: 3µm MINIMUM TIN OVER
1.27µm MINIMUM NICKEL.
- DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- LOCATION OF STANDOFF CONTACTING THE BOARD.
- PACKAGED TAPE AND REEL
- TYCO LOGO, COUNTRY OF ORIGIN, MATERIAL CODE, BUILDING NUMBER AND MOLD CAVITY ID ARE FROSTED ON THIS SURFACE.



RECOMMENDED
SOLDER STENCIL
LAYOUT
SCALE 5:1





DETAIL J
SCALE 8:1




5	SOLDER TAIL WITH BOARDLOCK	1888372-1
PACKAGING	DESCRIPTION	PART NUMBER
DWN B MCMMASTER 17MAR06 CHK S SHUEY 17MAR06 APVD S SHUEY 17MAR06	tyco Tyco Electronics Harrisburg, PA 17105-3608	
PRODUCT SPEC 108-1965 APPLICATION SPEC 114-13028 WEIGHT 2.71	NAME RECEPTACLE ASSEMBLY, FIBRE CHANNEL, SURFACE MOUNT, SINGLE ROW, HSSDC2 SIZE A2 CAGE CODE 00779 DRAWING NO C-1888372	RESTRICTED TO -
CUSTOMER DRAWING	SCALE 4:1	SHEET 1 OF 3 REV A2

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APV
			-	SEE SHEET 1	-	-	-





RECOMMENDED PCB AND PANEL LAYOUT
CONNECTOR SIDE SHOWN



DETAIL K
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN B. MCMASTER 17MAR06 CHK S. SHUEY 17MAR06 APVD S. SHUEY 17MAR06		tyco Electronics		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RECEPTACLE ASSEMBLY, FIBRE CHANNEL, SURFACE MOUNT, SINGLE ROW, HSSDC2			
		0 PLC ±.1 1 PLC ±.1 2 PLC ±0.13 3 PLC ±.1 4 PLC ±.1 ANGLES ±3°		PRODUCT SPEC 108-1965 APPLICATION SPEC 114-13028			
MATERIAL		FINISH		SIZE A2		CAGE CODE 00779	
				DRAWING NO C-1888372		RESTRICTED -	
CUSTOMER DRAWING				SCALE 3:1		SHEET 2 OF 3	
				REV A2			

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00		-	SEE SHEET 1	-	-	-



—CONNECTOR MATING END
THIS SIDE

TAPE AND REEL
PACKAGING ORIENTATION 
SCALE: NTS

PIN ASSIGNMENTS
REFERENCE ONLY
SCALE: NTS

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TWO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN B. MCMASTER 17MAR06 CHR S. SHUEY 17MAR06 APVD S. SHUEY 17MAR06		tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±. 2 PLC ±0.13 3 PLC ±. 4 PLC ±. ANGLES ±3° FINISH		NAME RECEPTACLE ASSEMBLY, FIBRE CHANNEL, SURFACE MOUNT, SINGLE ROW, HSSDC2	
MATERIAL		APPLICATION SPEC 108-1965 114-13028		SIZE A2	
		WEIGHT 2.71		CAGE CODE 00779	
		CUSTOMER DRAWING		DRAWING NO C-1888372	
				RESTRICTED TO -	
				SCALE 3.1 SHEET 3 OF 3 REV A2	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.