





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	E	REVISED PER ECO-18-001882	13FEB2018	AP	DG

NOTE:

1. MATERIAL:
HOUSING: PBT WITH 20% GF UL 94 V-0, BLACK COLOR
CONTACTS: PHOSPHOR BRONZE.
SHELL:STEEL.
SCREW:BRASS.
SCREW LOCK:BRASS.
SCREW TORQUE:5kgf-cm MAX.
2. FINISH:
CONTACTS: GOLD PLATED ON CONTACT AREA,
0.375μm [15μ"] MIN. MATTE TIN ON SOLDER TAIL
2.54μm [100μ"],WITH ENTIRE CONTACT
UNDERPLATED 1.27μm [50μ"] MIN. NICKEL.
FRONT SHELL: 2.54μm [100μ"] MIN. NICKEL PLATED.
REAR SHELL: 1.27μm [50μ"'] MIN NICKEL UNDERPLATE.
2.54μm [100μ"'] MIN BRIGHT TIN PLATE
SCREW LOCK: 1.27μm [50μ"] MIN. NICKEL PLATED.
BOARDLOCK: 1.27μm [50μ"'] MIN NICKEL UNDERPLATE.
1.27μm [50μ"'] MIN MATTE TIN PLATE
3. WAVE SOLDER CAPABLE TO 265°C PER TE TEST SPEC.
109-202, CONDITION B.



RECOMMENDED PCB LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AJITH PAI 07FEB2017		 TE Connectivity					
		CHK DAN GORENC 07FEB2017							
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD — 07FEB2017		NAME D-SUB VERTICAL 25P SKT CONNECTOR —			
		0 PLC ± — 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC ± — 4 PLC ± — ANGLES ± 2°		PRODUCT SPEC 108-130013					
				APPLICATION SPEC —					
MATERIAL —		FINISH —		WEIGHT 0		SIZE A2	CAGE CODE 00779	DRAWING NO C=2301841	RESTRICTED TO —
CUSTOMER DRAWING						SCALE 3:1	SHEET 1 of 4	REV E	





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D

C

B

A



RECOMMENDED PCB LAYOUT

2301841

A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	AJITH PAI	07FEB2017
		CHK	DAN GORENC	07FEB2017
		APVD	-	07FEB2017
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		
mm		0 PLC ± -		
		1 PLC ± 0.25		
		2 PLC ± 0.15		
		3 PLC ± -		
		4 PLC ± -		
		ANGLES ± 2°		
MATERIAL		FINISH		
-		-		
		WEIGHT	0	
		CUSTOMER DRAWING		

25w D skt W B/L & 4-40 s/lock 15u" gold			2301841-2	
DESCRIPTION			TE PART NO	
			TE Connectivity	
NAME			D-SUB VERTICAL 25P SKT CONNECTOR	
SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
A2	00779	C=2301841	-	
SCALE		SHEET	2 of 4	REV
3:1				E

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

D

C

B






A

D


C

B

A




DETAIL A



SEE DETAIL A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AJITH PAI 07FEB2017		 TE Connectivity													
		CHK DAN GORENC 07FEB2017															
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD — 07FEB2017		NAME D-SUB VERTICAL 25P SKT CONNECTOR —											
		0 PLC ± —		PRODUCT SPEC													
		1 PLC ± 0.25		108-130013													
		2 PLC ± 0.15		APPLICATION SPEC													
		3 PLC ± —		—													
4 PLC ± —		ANGLES ± —		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO							
MATERIAL —		FINISH —		WEIGHT 0		A2		00779		C=2301841		—					
CUSTOMER DRAWING						SCALE		1:1		SHEET		3 of 4		REV		E	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



15.979	13.400	50	20	1000	2301841-2
14.479	11.900	50	20	1000	2301841-1
GROSS WEIGHT (Kg)	NET WEIGHT (Kg)	PCS/TRAY	TRAYS /CARTON	QUANTITY PCS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN AJITH PAI 07FEB2017	 TE Connectivity		
DIMENSIONS: mm		CHK DAN GORENC 07FEB2017			
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME D-SUB VERTICAL 25P SKT CONNECTOR —		
	0 PLC ± —				
	1 PLC ± 0.25				
	2 PLC ± 0.15				
	3 PLC ± —				
	4 PLC ± —		SIZE CAGE CODE DRAWING NO RESTRICTED TO		
	ANGLES ± —				
	—				
MATERIAL —	FINISH —	WEIGHT 0	A200779C=2301841—		
CUSTOMER DRAWING			SCALE 1:1	SHEET 4 of 4	REV E



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.