



	10	9	8	7	6	5	4	3	2	1		
	MATERIAL NO. LOOSE PIECE	ENG. NO.	MATERIAL NO. TAPE MOUNTED	ENG. NO.	STUD SIZE	"S" C2 ±.005/0.13	"W" MAX.	"C" MIN.	"L" MAX.	"ID" MIN.	STOCK THICKNESS	"H" ±.020/0.51
F	190690027	AA-120-02	190690028	AA-120-02T	2	.094/(2.39)	.235/(6.00)	.157/(3.99)	.484/(12.29)	.062/(1.57)	.028/(0.71)	1.155/(29.34)
	190690029	AA-120-04	190690030	AA-120-04T	4	.119/(3.02)						
	190690031	AA-120-06	190690032	AA-120-06T	6	.146/(3.71)						
	190690033	AA-121-06	190690034	AA-121-06T	6	.146/(3.71)						
	190690035	AA-121-08	190690036	AA-121-08T	8	.173/(4.39)						
E	190690037	AA-121-10	190690038	AA-121-10T	10	.198/(5.03)	.322/(8.18)	.270/(6.86)	.641/(16.28)	.062/(1.57)	.028/(0.71)	1.155/(29.34)
	190690039	AA-121-209	190690475	AA-121-209T	209	.209/(5.18)						
	190690040	AA-122-10	190690041	AA-122-10T	10	.198/(5.03)						
	190690042	AA-122-14	190690044	AA-122-14T	14	.265/(6.71)	.477/(12.11)	.386/(9.80)	.835/(21.21)	.062/(1.57)	.028/(0.71)	
	190690045	AA-122-56	190690046	AA-122-56T	56	.328/(8.33)						
D	190690047	AA-126-10	-----	-----	10	.198/(5.03)						.544/(13.82)
	190690048	AA-126-14	190690128	AA-126-14T	14	.265/(6.71)						
	190690051	AA-126-56	-----	-----	56	.328/(8.33)						
	190690049	AA-126-38	190690050	AA-126-38T	38	.390/(9.91)	.264/(6.70)	.240/(6.10)	.582/(14.78)	.062/(1.57)	.028/(0.71)	
	190690052	AA-132-04	190690053	AA-132-04T	4	.119/(3.02)						
190690054	AA-132-06	190690055	AA-132-06T	6	.146/(3.71)							
	190690056	AA-132-08	190690057	AA-132-08T	8	.173/(4.39)	.283/(7.20)	.240/(6.10)	.591/(15.00)	.062/(1.57)	.028/(0.71)	1.155/(29.34)
	190690061	AA-133-10	190690062	AA-133-10T	10	.198/(5.03)						
	190690024	AA-1111-02	190690191	AA-1111-02T	2	.094/(2.39)						
	190690025	AA-1111-04	190690026	AA-1111-04T	4	.119/(3.02)	.197/(5.00)	.173/(4.40)	.490/(12.40)	.055/(1.40)	.031/(0.79)	



SALES DRAWING


- NOTE(S):**
1. MATERIAL: COPPER.
 2. PLATING: ELECTRO-TIN.
 3. ALL DIMENSIONS IN INCHES/(MM).

WIRE SIZE:
22-18 AWG
0.25-1.5 MM²

4. PARTS ARE ROHS COMPLIANT.

STDIZE STUD TOL EC NO: WNA2011-0225 DRAWN BY: DRWINETHRODAHL 2010/10/29 CHKD: JMACNEIL 2010/11/17 APPR: JMACNEIL 2010/11/17 C2	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION			
				IN/MM		---	INCH				
					mm	INCH	DRAWN BY		DATE	TITLE RING TONGUE TERMINAL KRIMPTITE, 100 SERIES 22-18 AWG MOLEX INCORPORATED	
				4 PLACES	± ---	± ---	BDEROSS		2000/6/13		
				3 PLACES	± ---	± ---	CHECKED BY		DATE		
				2 PLACES	± ---	± ---	JHACKNEY		2000/6/13		
				1 PLACE	± ---	± ---	APPROVED BY		DATE		
				ANGULAR ± ---°		JMACNEIL			2010/11/17	MOLEX INCORPORATED	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO.		DOCUMENT NO.		SHEET NO. 1 OF 1		
					SEE CHART		SD-19069-004				
SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									

10	9	8	7	6	5		
MATERIAL NO. LOOSE PIECE	ENG. NO.	MATERIAL NO. TAPE MOUNTED	ENG. NO.	STUD SIZE	"S" ±.005/0.13	STOCK THICKNESS	FINISH
190690200	C-128-04	190690147	C-128-04T	4	.119/(3.02)	.040/(1.02)	SEE NOTE 2
190690202	C-128-06	190690148	C-128-06T	6	.146/(3.71)		
190690205	C-128-08	190690208	C-128-08T	8	.173/(4.39)		
190690209	C-128-10	190690212	C-128-10T	10	.198/(5.03)		
190690215	C-128-209	---	---	209	.209/(5.18)		
192030159	C-U-128-06	192030111	C-U-128-06T	6	.146/(3.71)	.038/(0.97)	
192030160	C-U-128-08	192030112	C-U-128-08T	8	.173/(4.39)		
192030113	C-U-128-10	192030114	C-U-128-10T	10	.198/(5.03)		
190690682	C-128-10-AU	---	---	10	.198/(5.03)	.040/(1.02)	SEE NOTE 3



SALES DRAWING

- NOTES:
- 1. MATERIAL: COPPER.
 - 2. FINISH: TIN PLATING, 100(2.5)µin(µm) MIN
 - 3. FINISH: GOLD, 50(1.25)µin(µm) MIN. OVER NICKEL, 50(1.25)µin(µm) MIN. PLATING.
 - 4. WIRE SIZE: 12-10 AWG, 4.0-6.0 MM²
 - 5. PARTS ARE ROHS COMPLIANT.

RELEASED EC NO: IFC2015-0823 DRAWING: JAS01 2014/10/30 CHKD: JMACNEIL 2014/10/30 APPR: JMACNEIL 2014/11/19 A	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY BDEROSS	DATE 2000/6/13	TITLE RING TONGUE TERMINAL KRIMPTITE, 128 SERIES 12-10 AWG				
			4 PLACES	± ---	± ---	CHECKED BY JMACNEIL	DATE 2014/10/30					
			3 PLACES	± ---	± ---	APPROVED BY JMACNEIL	DATE 2014/11/19					
			2 PLACES	± ---	± ---	MATERIAL NO. SEE CHART		DOCUMENT NO. SD-19069-020		SHEET NO. 1 OF 1		
			1 PLACE	± ---	± ---							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			MOLEX INCORPORATED									
			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.