


**Description:** In Building Public Safety  
Antenna 132-174 / 380-570 / 700-960 MHz

**Series:** V-Thinity V/H/7/8

**PART NUMBER:** PSIBVU78 / PSIBVU78IP



Installed Antenna

**Features:**

- Wide Bandwidth VHF, UHF, 7/800
  - 132-174 MHz
  - 380-570 MHz
  - 700-960 MHz
- Aesthetically pleasing:
  - 1.5mm (0.060 inch) thickness to ceiling.
- VSWR < 2:1
- Optimized to low frequency in-building environments.
- Weatherproof IP65 model available

**Applications:**

- In Building Repeater Systems
  - Bi-Directional Amplifiers
- Police, Fire, Government critical communication enhancement
- Low-profile ceiling mounting
- Enhanced for In-building:
  - Modest Gain
  - Multi-Floor coverage
  - Avoid nulls of traditional dipoles.

All dimensions are in mm / inches

Issue: 1907

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

For more information:

Pulse Worldwide Headquarters  
12220 World Trade Drive  
San Diego, CA 92128  
USA  
Tel: 1-858-674-8100

Pulse/Larsen Antennas  
18110 SE 34<sup>th</sup> St Bldg 2 Suite 250  
Vancouver, WA 98683  
USA  
Tel: 1-360-944-7551

Europe Headquarters  
Pulse GmbH & Do, KG  
Zeppelinstrasse 15  
Herrenberg, Germany  
Tel: 49 7032 7806 0

Pulse (Suzhou) Wireless Products Co, Inc.  
99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase  
Suzhou New District  
Jiangsu Province, Suzhou 215009 PR China  
Tel: 86 512 6807 9998



**Description:** In Building Public Safety  
Antenna 132-174 / 380-570 / 700-960 MHz

**Series:** V-Thinity V/H/7/8

**PART NUMBER:** PSIBVU78 / PSIBVU78IP

This document covers all product variants of the following product family

Product	Ingress Protection
PSIBVU78	N.A
PSIBVU78IP	IP65

**Note:**

PSIBVU78IP is same as PSIBVU78 except applying additional epoxy to seal the antenna (PSIBVU78IP) cover to meet the IP65 rated ingress protection requirement.

Both of these 2 antennas have the same antenna performance and form factor.



**Description:** In Building Public Safety  
Antenna 132-174 / 380-570 / 700-960 MHz

**Series:** V-Thinity V/H/7/8

**PART NUMBER:** PSIBVU78 / PSIBVU78IP

## ELECTRICAL SPECIFICATIONS.

Frequency	132-174 / 380-570 / 700-960 MHz
Nominal Impedance	50 $\Omega$
VSWR	2:1*
Power Withstand	25 watts
Connector Type	N Female
Cable Type	$\varnothing$ 4mm / 0.16"
Cable length	500mm / 19.7"

\*antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame

This antenna cannot be mounted directly on metal surface. Contact *PulseLarsen* at [antennas.us@pulseelectronics.com](mailto:antennas.us@pulseelectronics.com) for any needed technical installation supportc

**Description:** In Building Public Safety  
Antenna 132-174 / 380-570 / 700-960 MHz

**Series:** V-Thinity V/H/7/8

**PART NUMBER:** PSIBVU78 / PSIBVU78IP

### MECHANICAL SPECIFICATIONS.

Color	White
Weight:	675 grams
Cable retention: Pull off	30 N
Fixing system	4pcs M6 hex slot bolt & nut

### ENVIRONMENTAL SPECIFICATIONS

Operating temperature	-40 - 85° C
Storage temperature	MIL STD 801G: 24h at 85C and 24h at -40C
Temperature shock	MIL STD 810G: Method 503.5, -40 for 1 hr to +85 C for 1 hr @ 15 deg.C/min rate of change; 3 cycles
Humidity	MIL STD 810G: 24h at 60C and 95%RH
Vibration	MIL STD 810G: 514.6 C-II
Chemical resistance	MIL STD 810G
Drop test	Top, bottom, side. 3 times/orientation, 40"
Package drop	All faces & corners, 40"

Issue: 1907

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION


This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

**Description:** In Building Public Safety  
Antenna 132-174 / 380-570 / 700-960 MHz

**Series:** V-Thinity V/H/7/8

**PART NUMBER:** PSIBVU78 / PSIBVU78IP

**MECHANICAL DRAWING**



Issue: 1907

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

**Description:** In Building Public Safety  
Antenna 132-174 / 380-570 / 700-960 MHz

**Series:** V-Thinity V/H/7/8

**PART NUMBER:** PSIBVU78 / PSIBVU78IP

**CHARTS – antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame**



Issue: 1907

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.


**Description:** In Building Public Safety  
Antenna 132-174 / 380-570 / 700-960 MHz

**Series:** V-Thinity V/H/7/8


**PART NUMBER:** PSIBVU78 / PSIBVU78IP

**CHARTS – antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame**

**Total efficiency, % - 380-570MHz**



**Total efficiency, % - 700-960MHz**



Issue: 1907

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.


**Description:** In Building Public Safety  
Antenna 132-174 / 380-570 / 700-960 MHz

**Series:** V-Thinity V/H/7/8


**PART NUMBER:** PSIBVU78 / PSIBVU78IP

**CHARTS – antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame**

Vertical plane 132-174MHz



Horizontal plane 132-174MHz



Issue: 1907

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.




**Description:** In Building Public Safety  
Antenna 132-174 / 380-570 / 700-960 MHz

**Series:** V-Thinity V/H/7/8


**PART NUMBER:** PSIBVU78 / PSIBVU78IP

**CHARTS – antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame**

Vertical plane 380-570MHz



Horizontal plane 380-570MHz



Issue: 1907

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.


**Description:** In Building Public Safety  
 Antenna 132-174 / 380-570 / 700-960 MHz

**Series:** V-Thinity V/H/7/8


**PART NUMBER:** PSIBVU78 / PSIBVU78IP

**CHARTS – antenna mounted against ceiling tile with 2ft x 2ft metal suspension frame**

Vertical plane 700-960MHz



Horizontal plane 700-960MHz



Issue: 1907

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION


This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

**Description:** In Building Public Safety  
Antenna 132-174 / 380-570 / 700-960 MHz

**Series:** V-Thinity V/H/7/8

**PART NUMBER:** PSIBVU78 / PSIBVU78IP

**ASSEMBLY**



\* Spacer to be used in gypsum & concrete installations

Issue: 1907

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.


**Description:** In Building Public Safety  
Antenna 132-174 / 380-570 / 700-960 MHz

**Series:** V-Thinity V/H/7/8

**PART NUMBER:** PSIBVU78 / PSIBVU78IP

**Packaging**

- Each antenna packed in a plastic bag and a single box
- 1 label on each antenna with Part number, Description, Serial number, date code
- 34 single boxes of antennas packed in a master carton.
- 1 label on each carton with Qty, Part number, Date code.



Issue: 1907

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.