





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	07NOV2016	DW	CW



TYPE I




TYPE I: H16B HOOD, TOP ENTRY, HIGH CONSTRUCTION
SCREW CONNECTION, POWDER COATED, GREY
类型 I: H16B 上壳, 顶出, 高结构, 螺丝连接, 灰色粉末喷涂

NOTES:

- I. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: POWDER COATED, GREY
DEGREE OF PROTECTION: IP67 (MATED)


注释:

- I. 技术参数:
上壳材料: 铝合金
表面处理: 灰色粉末喷涂
防护等级: IP67 (配合)



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 07NOV2016 DAVID WANG	 TE Connectivity			
DIMENSIONS:		CHK 07NOV2016 CHRIS WANG				
mm		APVD 07NOV2016 XIANG XU	NAME H16B-TSH/TGH-S-PG/M			
		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO			
		108-137015	RESTRICTED TO			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	A200779C-T11X01601XX000			
0 PLC ±-		114-137015	SCALE 1:1 SHEET 1 OF 3 REV A			
1 PLC ±-		WEIGHT -				
2 PLC ±-		CUSTOMER DRAWING				
3 PLC ±-						
4 PLC ±-						
ANGLES ±-						
FINISH						
-						
-						

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		20
©	COPYRIGHT 20	BY -	ALL RIGHTS RESERVED.	


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



TYPE 2



NOTES:
SEE SHEET 1



TYPE 2: HI6B HOOD, SIDE ENTRY, HIGH CONSTRUCTION
SCREW CONNECTION, POWDER COATED, GREY
类型2: HI6B上壳, 侧出, 高结构, 螺丝连接, 灰色粉末喷涂

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 07NOV2016 DAVID WANG	TE Connectivity			
		CHK 07NOV2016 CHRIS WANG				
		APVD 07NOV2016 XIANG XU	NAME H16B-TSH/TGH-S-PG/M			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		
mm				108-137015		
				APPLICATION SPEC		
				114-137015		
MATERIAL		FINISH		WEIGHT		
-		-		-		
				CUSTOMER DRAWING		
				SCALE 1:1	SHEET 2 OF 3	REV A

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:
SEE SHEET 1

T1120160121-000	HI6B-TSH-S-PG21	HI6B HOOD,SIDE ENTRY PG21,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,侧出PG21,高结构,螺丝连接,灰色粉末喷涂	-	PG21	TYPE 2 类型2
T1120160129-000	HI6B-TSH-S-PG29	HI6B HOOD,SIDE ENTRY PG29,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,侧出PG29,高结构,螺丝连接,灰色粉末喷涂	-	PG29	
T1120160125-000	HI6B-TSH-S-M25	HI6B HOOD,SIDE ENTRY M25,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,侧出M25,高结构,螺丝连接,灰色粉末喷涂	-	M25	
T1120160132-000	HI6B-TSH-S-M32	HI6B HOOD,SIDE ENTRY M32,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,侧出M32,高结构,螺丝连接,灰色粉末喷涂	-	M32	
T1120160140-000	HI6B-TSH-S-M40	HI6B HOOD,SIDE ENTRY M40,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,侧出M40,高结构,螺丝连接,灰色粉末喷涂	-	M40	
T1130160121-000	HI6B-TGH-S-PG21	HI6B HOOD,TOP ENTRY PG21,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,顶出PG21,高结构,螺丝连接,灰色粉末喷涂	PG21	-	TYPE 1 类型1
T1130160129-000	HI6B-TGH-S-PG29	HI6B HOOD,TOP ENTRY PG29,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,顶出PG29,高结构,螺丝连接,灰色粉末喷涂	PG29	-	
T1130160125-000	HI6B-TGH-S-M25	HI6B HOOD,TOP ENTRY M25,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,顶出M25,高结构,螺丝连接,灰色粉末喷涂	M25	-	
T1130160132-000	HI6B-TGH-S-M32	HI6B HOOD,TOP ENTRY M32,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,顶出M32,高结构,螺丝连接,灰色粉末喷涂	M32	-	
T1130160140-000	HI6B-TGH-S-M40	HI6B HOOD,TOP ENTRY M40,HIGH CONSTRUCTION,SCREW CONNECTION,POWDER COATED,GREY HI6B上壳,顶出M40,高结构,螺丝连接,灰色粉末喷涂	M40	-	
PART NUMBER 料号	PART DESCRIPTION 描述		PG/M THREAD-1 PG/M 螺纹孔1	PG/M THREAD-2 PG/M 螺纹孔2	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-
FINISH -
-

DWN
DAVID WANG
07NOV2016

CHK
CHRIS WANG
07NOV2016

APVD
XIANG XU
07NOV2016

PRODUCT SPEC
108-137015

APPLICATION SPEC
114-137015

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
H16B-TSH/TGH-S-PG/M

SIZE
A200779

CAGE CODE
C

DRAWING NO
T11X01601XX000

RESTRICTED TO
-

SCALE
1:1

SHEET
3

OF
3

REV
A

1471-9 (3/13)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.