





LOC		DIST		REVISIONS					
GP	00	P	CTR	DESCRIPTION			DATE	DWN	APVD
			A	RELEASED PER ECO-10-025263			22FEB2011	CJV	JTL


DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN J. LIPPERT 15OCT2010		Tyco Electronics Harrisburg, PA 17105-3608	
mm		9 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±0.1 ANGLES ±0.1 FINISH		CHK M. SCHMITT 15OCT2010		NAME SFP+ 1X4 ENHANCED CAGE ASSEMBLY, PRESS FIT, EMI GASKET WITH LIGHT PIPE	
MATERIAL		-		APVD M. SCHMITT 15OCT2010		SIZE CAGE CODE DRAWING NO	
				PRODUCT SPEC		A100779C=2057161	
				APPLICATION SPEC		RESTRICTED TO	
				114-13120		SCALE 4:1 SHEET 1 OF 4 REV A	
				WEIGHT			
				CUSTOMER DRAWING			

LOC		DIST		REVISIONS			
GP	00	P	LYR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-




RECOMMENDED BEZEL CUT-OUT
SINGLE SIDED APPLICATIONS
SCALE 3:1

0.23^{+0.10}_{-0.14}
TOP OF PCB
TO INSIDE OF
BEZEL CUT-OUT




2057161-1
MOUNTED ON PCB
SHOWN THRU RECOMMENDED BEZEL




2057161-1
MOUNTED ON PCB
SHOWN THRU RECOMENDED BEZEL

TYP. DRAWING: IF A CONTINUED TO DRAWING FOR THIS ALTERNATE, COOPERATION IN REWORKING THIS DRAWING FOR THIS ALTERNATE, COOPERATION SHOULD BE CONTACTED FOR THIS ALTERNATE.		DWN J. LIPPERT 15OCT2010	 Tyco Electronics Harrisburg, PA 17105-3608		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK M. SCHMITT 15OCT2010	NAME SFP+ 1X4 ENHANCED CAGE ASSEMBLY, PRESS FIT, EMI GASKET WITH LIGHT PIPE		
DIMENSIONS:		APVD M. SCHMITT 15OCT2010			
mm		PRODUCT SPEC		SIZE CAGE CODE DRAWING NO	RESTRICTED TO
		APPLICATION SPEC			
MATERIAL		WEIGHT		A100779C=2057161	
FINISH		CUSTOMER DRAWING		SCALE 4:1 SHEET 2 OF 4 REV A	




THIS IS PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE KEPT UNPUBLISHED AND NOT REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. WITHOUT PERMISSION IN WRITING FROM TYCO ELECTRONICS CORPORATION, NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. SHOULD BE CONTACTED FOR THE LATEST EDITION.		DWN J. LIPPERT 15OCT2010	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CHK M. SCHMITT 15OCT2010	NAME SFP+ 1X4 ENHANCED CAGE ASSEMBLY, PRESS FIT, EMI GASKET WITH LIGHT PIPE	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 9 PLC ±0.1 1 PLC ±0.1 2 PLC ±0.1 3 PLC ±0.1 4 PLC ±0.1 5 PLC ±0.1 6 PLC ±0.1 7 PLC ±0.1 8 PLC ±0.1 9 PLC ±0.1 10 PLC ±0.1 11 PLC ±0.1 12 PLC ±0.1 13 PLC ±0.1 14 PLC ±0.1 15 PLC ±0.1 16 PLC ±0.1 17 PLC ±0.1 18 PLC ±0.1 19 PLC ±0.1 20 PLC ±0.1 21 PLC ±0.1 22 PLC ±0.1 23 PLC ±0.1 24 PLC ±0.1 25 PLC ±0.1 26 PLC ±0.1 27 PLC ±0.1 28 PLC ±0.1 29 PLC ±0.1 30 PLC ±0.1 31 PLC ±0.1 32 PLC ±0.1 33 PLC ±0.1 34 PLC ±0.1 35 PLC ±0.1 36 PLC ±0.1 37 PLC ±0.1 38 PLC ±0.1 39 PLC ±0.1 40 PLC ±0.1 41 PLC ±0.1 42 PLC ±0.1 43 PLC ±0.1 44 PLC ±0.1 45 PLC ±0.1 46 PLC ±0.1 47 PLC ±0.1 48 PLC ±0.1 49 PLC ±0.1 50 PLC ±0.1 51 PLC ±0.1 52 PLC ±0.1 53 PLC ±0.1 54 PLC ±0.1 55 PLC ±0.1 56 PLC ±0.1 57 PLC ±0.1 58 PLC ±0.1 59 PLC ±0.1 60 PLC ±0.1 61 PLC ±0.1 62 PLC ±0.1 63 PLC ±0.1 64 PLC ±0.1 65 PLC ±0.1 66 PLC ±0.1 67 PLC ±0.1 68 PLC ±0.1 69 PLC ±0.1 70 PLC ±0.1 71 PLC ±0.1 72 PLC ±0.1 73 PLC ±0.1 74 PLC ±0.1 75 PLC ±0.1 76 PLC ±0.1 77 PLC ±0.1 78 PLC ±0.1 79 PLC ±0.1 80 PLC ±0.1 81 PLC ±0.1 82 PLC ±0.1 83 PLC ±0.1 84 PLC ±0.1 85 PLC ±0.1 86 PLC ±0.1 87 PLC ±0.1 88 PLC ±0.1 89 PLC ±0.1 90 PLC ±0.1 91 PLC ±0.1 92 PLC ±0.1 93 PLC ±0.1 94 PLC ±0.1 95 PLC ±0.1 96 PLC ±0.1 97 PLC ±0.1 98 PLC ±0.1 99 PLC ±0.1 100 PLC ±0.1		APVD M. SCHMITT 15OCT2010	SIZE 114-13120	
MATERIAL -		PRODUCT SPEC	RESTRICTED TO	
FINISH -		APPLICATION SPEC	SCALE 4:1 SHEET 3 OF 4 REV A	
CUSTOMER DRAWING		WEIGHT -	A100779C=2057161	

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-



DETAIL Z
RECOMMENDED PT CONNECTOR LAYOUT
4X INDIVIDUALLY
SCALE 10:1



DETAIL X
SCALE 10:1

THIS DRAWING IS UNPUBLISHED. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED. IT IS TO BE KEPT IN THE COMPANY'S FILES AND NOT BE LOANED, REPRODUCED, COPIED, OR IN ANY MANNER DISCLOSED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF TYCO ELECTRONICS CORPORATION. SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN J. LIPPERT 15OCT2010	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		CHK M. SCHMITT 15OCT2010		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M. SCHMITT 15OCT2010	NAME SFP+ 1X4 ENHANCED CAGE ASSEMBLY, PRESS FIT, EMI GASKET WITH LIGHT PIPE	
mm		PRODUCT SPEC	SIZE A100779	
9 PLC ±0.1		APPLICATION SPEC	CAGE CODE C=2057161	
1 PLC ±0.1		114-13120	DRAWING NO	
2 PLC ±0.1		WEIGHT	RESTRICTED TO	
3 PLC ±0.1		CUSTOMER DRAWING	SCALE 4:1 SHEET 4 OF 4 REV A	
4 PLC ±0.1				
ANGLES ±0.1				
FINISH				
MATERIAL				



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.