

# PCIe-7350

## 50 MHz 32-CH High-Speed Digital I/O Card



### Features

- x1 lane PCI Express® Interface
- Maximum 50 MHz clock rate from internal timer or 100 MHz from external clock
- 200 MB/s maximum throughput
- Software selectable voltage level of 1.8 V, 2.5 V, and 3.3 V
- 16-steps phase shift in external clock mode
- Per group (8-Bit) input/output direction selectable
- Supports I<sup>2</sup>C and SPI programmable serial interfaces for external device communication
- Scatter-gather DMA support
- Flexible handshaking and external digital trigger modes
- 8-channel auxiliary programmable I/O
- Supported Operating System
  - Windows 7/8 x64/x86, Linux
- Driver and SDK
  - LabVIEW, MATLAB, C/C++, Visual Basic, Visual Studio.NET

### Specifications

#### Digital I/O

- Number of channels: 32, per group (8-channel) input/output direction selectable
- Logic levels: 1.8 V, 2.5 V, 3.3 V (software selectable)
- Power-up status: All digital inputs
- Impedance:
  - Input: 10 k $\Omega$
  - Output: 50  $\Omega$
- Input protection: -1 to 6 V
- Data transfer: Programmable I/O, bus-mastering DMA with scatter-gather
- Maximum data transfer rate: 200 MB/s
- Digital logic levels:

Logic Levels		1.8 V	2.5 V	3.3 V
Digital Input	Min. input high voltage	1.2 V	1.6 V	2 V
	Max. input low voltage	0.63 V	0.7 V	0.8 V
Digital Output	Min. output high voltage	1.6 V	2.3 V	3.1 V
	Max. output low voltage	0.2 V	0.2 V	0.2 V
	Max. output driving current	8 mA	16 mA	32 mA

#### Clocking mode

- Internal clock: Max. 50 MHz (100 MHz / N; 2 < N < 65535)
- External clock: Max. 100 MHz (support 8/16-Bit data width only, data throughput must be less than 200 MB/s)
- Handshaking
- Burst handshaking

#### Trigger sources

- Software trigger
- External digital trigger: AFI[0...7]

#### Trigger modes

- Post trigger, Retrigger, Pattern match, Handshaking

#### Change of State Interrupt

- Interrupt sources: Any of 32 channels or a pre-define channel Change-of-State

#### Application Function I/O

- Number of channels: 8
- Supporting modes: static I/O, I<sup>2</sup>C or SPI master node, external clock input/output, external digital trigger input, handshaking

### Terminal Boards & Cables

#### DIN-68H-01

Terminal Board with One 68-pin SCSI-VHDCI Connector and 0 or 50  $\Omega$  Jumper Selectable Impedance (Cables are not included).

#### ACL-10279

68-pin SCSI-VHDCI Cable with 50  $\Omega$  Impedance

#### SMB-SMB-1M

SMB to SMB Cable, 1M

\* For more information about mating cables, please refer to P3-48/49.

### Ordering Information

#### PCIe-7350

50 MHz 32-CH High-Speed Digital I/O PCI Express® Card



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.