





PRODUCT NUMBER SEE SHEET 2




spec ref	*	dr	Rainbow Zhan	2015/04/14	projection	MM	size	A3	scale	3:2																		
tolerance std	ASME Y14.5	eng	Zhen-Hua Liu	2015/05/26			ecn no	-	rel level	Released																		
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2015/05/25			product family	PwrBlade+	rel level	Released																		
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.5</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.25</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.10</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table>	linear	0.X	±0.5		0.XX	±0.25		0.XXX	±0.10	angular	0°	±2°	appr	Pei-Ming Zheng	2015/05/26	product family	PwrBlade+	rel level	Released								
linear	0.X	±0.5																										
	0.XX	±0.25																										
	0.XXX	±0.10																										
angular	0°	±2°																										
ASME Y14.5	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.5</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.25</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.10</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table>	linear	0.X	±0.5		0.XX	±0.25		0.XXX	±0.10	angular	0°	±2°			<table border="1"> <tr> <td>title</td> <td>IHP + 24S + IHP</td> <td>dwg no</td> <td>10106265-2006003</td> <td>rev</td> <td>A</td> </tr> <tr> <td>www.fci.com</td> <td>cat. no.</td> <td>Product - Customer Drw</td> <td>sheet 1 of 3</td> <td></td> <td></td> </tr> </table>	title	IHP + 24S + IHP	dwg no	10106265-2006003	rev	A	www.fci.com	cat. no.	Product - Customer Drw	sheet 1 of 3		
linear	0.X	±0.5																										
	0.XX	±0.25																										
	0.XXX	±0.10																										
angular	0°	±2°																										
title	IHP + 24S + IHP	dwg no	10106265-2006003	rev	A																							
www.fci.com	cat. no.	Product - Customer Drw	sheet 1 of 3																									



Copyright FCI.

PRODUCT NO.	ROWS	HP		SIGNAL						HP																	
		E1	P2	6	5	4	3	2	1	P1	E2																
10106265-2006003LF	DCBA	H7	H7	S	S	S	S	S	S	R	R	R	R	R	R	P	P	P	P	P	P	N	N	N	N	N	N

CODE	DESCRIPTION
H7	STD HIGH POWER CONTACT(3.02)
N	STD SIGNAL CONTACT, ROW A
P	STD SIGNAL CONTACT, ROW B
R	STD SIGNAL CONTACT, ROW C
S	STD SIGNAL CONTACT, ROW D



Copyright FCI.



dr	Rainbow Zhan	2015/04/14	projection	MM	size	A3	scale	3:2
eng	Zhen-Hua Liu	2015/05/26			ecn no		-	
chr	Fancy Zhang	2015/05/25			rel level		Released	
appr	Pei-Ming Zheng	2015/05/26	product family		PwrBlade+			
			IHP + 24S + IHP			dwg no		10106265-2006003
www.fci.com			RA PF RECEPTACLE			rev		A
cat. no.			Product - Customer Drw			sheet 2 of 3		

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION :GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.
- 9) THE VOID CORING IN BETWEEN POWER MODULES, SIGNAL
MODULES AND END MODULES ARE OPTIONAL AND THE SHAPE
MAY BE DIFFERENT FOR OPTIMIZE THE MOLDING PROCESS. THE
VOID CORING WILL NOT EFFECT TO PRODUCT FUNCTION.



Copyright FCI.

dr	Rainbow Zhan	2015/04/14	projection 	MM 	size	A3	scale	3:2
eng	Zhen-Hua Liu	2015/05/26			ecn no	-		
chr	Fancy Zhang	2015/05/25			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2015/05/26			title IHP + 24S + IHP RA PF RECEPTACLE		dwg no 10106265-2006003	rev A
www.fci.com			cat. no.	Product - Customer Drw		sheet 3 of 3		



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.