



ONLY FOR 3-927833-1 & 3-927833-2

OTHER DIMENSIONS SEE SHEET 1



INSUL. RANGE Ø2.7-3.7 mm	WIRE RANGE >1-2.5 mm ²	2.3±0.15	-	PRETINNED	CuSn4	3-927833-2	A
		2.3±0.15	-	PRETINNED	CuFe2	3-927833-1	A
		A	LP NO	FINISH	MATERIAL	PART NO.	REV
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ATZMANN CHK BARTOSCH APVD Bleicher, M.	06.01.94 18.01.94 28.11.07	TE TE Connectivity			
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME STANDARD POWER TIMER KONTAKT (Gerade Tulpe) -					
	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±1° ±0.2 ±1°	PRODUCT SPEC 108-18025					
		APPLICATION SPEC 114-18037					
	MATERIAL -	FINISH -	WEIGHT = 0.82 g =	SIZE A3	CAGE CODE 00779	DRAWING NO C=964203	RESTRICTED TO -
Customer Drawing					SCALE 5:1	SHEET 2 OF 9	REV C8

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

-

SEE SHEET 1






-

-



-

ONLY FOR 3-927837-1, 3-927837-2,
3-927837-4 & 3-927837-5

OTHER DIMENSIONS SEE SHEET 1



2:1

INSUL. RANGE Ø2.2-3.0 mm	WIRE RANGE >1-2.5 mm ²	2.3±0.15	-	PRETINNED	CuFe2	3-927837-1	A		
		A	LP NO	FINISH	MATERIAL	PART NO.	REV		
THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN ATZMANN 06.01.94	TE Connectivity					
DIMENSIONS: mm			CHK BARTOSCH 18.01.94						
			APVD Bleicher, M. 28.11.07						
			NAME STANDARD POWER TIMER KONTAKT (Gerade Tulpe) -						
 ±0.2			PRODUCT SPEC 108-18025	SIZE CAGE CODE DRAWING NO RESTRICTED TO					
			APPLICATION SPEC 114-18037						
MATERIAL -			WEIGHT 0.82 g	A3 00779 C-964203			-		
FINISH -			Customer Drawing				SCALE 5:1	SHEET 3 OF 9	REV C8

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

ALL RIGHTS RESERVED.

LOC

	DIST
--	------

REVISIONS

P

LTR

DESCRIPTION

DATE _____

	DWN
--	-----





APVD

ONLY FOR 3-927824-1 & 3-927824-2


OTHER DIMENSIONS SEE SHEET 1

SEE SHEET 1





—



2:1

INSUL. RANGE Ø3.3-4.5 mm	WIRE RANGE >2.5-4.0 >mm ²	2.3±0.15	-	PRETINNED	CuSn4	3-927824-2	A
		2.3±0.15	-	PRETINNED	CuFe2	3-927824-1	A
		A	LP NO	FINISH	MATERIAL	PART NO.	REV
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ATZMANN 06.01.94	TE Connectivity				
DIMENSIONS: mm		CHK BARTOSCH 18.01.94					
		APVD Bleicher M. 28.11.07	NAME STANDARD POWER TIMER KONTAKT (Gerade Tulpe) -				
		PRODUCT SPEC 108-18025					
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC 114-18037	SIZE	CAGE CODE	DRAWING NO
MATERIAL -	FINISH -	WEIGHT 0.82 g	A3 00779		C-964203		-
Customer Drawing					SCALE 5:1	SHEET 4 OF 9	REV 8

ONLY FOR 3-927829-1 & 3-927829-5 ,
OTHER DIMENSIONS SEE SHEET 1







2:1

INSUL. RANGE Ø2.7-3.7 mm	WIRE RANGE >2.5-4.0 mm ²	2.3±0.15	-	PRESILVERED	3	CuFe2	3-927829-5	A
		2.3±0.15	-	PRETINNED		CuFe2	3-927829-1	A
		A	LP NO	FINISH	MATERIAL	PART NO.	REV	


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ATZMANN 06.01.94	TE TE Connectivity					
		CHK BARTOSCH 18.01.94						
		APVD Bleicher, M. 28.11.07						
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC 108-18025	NAME STANDARD POWER TIMER KONTAKT (Gerade Tulpe)					
	0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±1° ±0.2	APPLICATION SPEC 114-18037						
MATERIAL -	FINISH -	WEIGHT 0.82 g	SIZE A3	CAGE CODE 00779	DRAWING NO C-964203	RESTRICTED TO -		
Customer Drawing			SCALE 5:1	SHEET 5 OF 9		REV C8		

ONLY FOR 3-963709-1

OTHER DIMENSIONS SEE SHEET 1



2:1

INSUL. RANGE Ø4.0-5.2 mm	WIRE RANGE 4.0-6.0 mm ²	2.3±0.15	-	PRETINNED	CuFe2	3-963709-1	A
		A	LP NO	FINISH	MATERIAL	PART NO.	REV
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN ATZMANN	06.01.94	TE Connectivity			
		CHK BARTOSCH	18.01.94				
DIMENSIONS: mm		APVD Bleicher, M.	28.11.07	NAME STANDARD POWER TIMER KONTAKT (Gerade Tulpe)			
		PRODUCT SPEC 108-18025		SIZE A3			
		APPLICATION SPEC 114-18037					
MATERIAL -		FINISH -		CAGE CODE 00779		DRAWING NO C-964203	
		WEIGHT 0.82 g		RESTRICTED TO -			
Customer Drawing				SCALE 5:1		SHEET 6 OF 9	
				REV 8			

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

(C) COPYRIGHT -

ALL RIGHTS RESERVED.

LOC

	DIST
--	------

REVISIONS

	P
--	---

LTR

DESCRIPTION

DATE _____

	DWN
--	-----

APVD

[illegible]


SEE SHEET 1

--	--

--	--

ONLY FOR 3-964326-1


OTHER DIMENSIONS SEE SHEET 1



INSUL. RANGE Ø2.2-3.0 mm	WIRE RANGE >1.0-2.5 mm ²
--------------------------------	---

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:



TOLERANCES UNLESS
OTHERWISE SPECIFIED:

10

0 PLC

1	PLC
2	PLC

2	FLC
3	PLC

4 PLC

 ± 0.2

140

MATERIAL

ANGLES
FINISH

-	PRETINNED	CuFe2	3-964326-1	A
LP NO	FINISH	MATERIAL	PART NO.	REV
DWN ATZMANN	06.01.94	 TE Connectivity		
CHK BARTOSCH	18.01.94			
APVD Bleicher, M.	28.11.07	NAME		
PRODUCT SPEC 108-18025	STANDARD POWER TIMER KONTAKT (Gerade Tulpe)			
APPLICATION SPEC 114-18037	-			
WEIGHT <u>0.82 g</u>	SIZE A3	CAGE CODE 00779	DRAWING NO G-964203	RESTRICTED T -
Customer Drawing		SCALE 5:1	SHEET 7 OF 9	REV 18

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

-

SEE SHEET 1





-

-

-

ONLY FOR 3-964328-1

OTHER DIMENSIONS SEE SHEET 1




2:1

INSUL. RANGE
Ø3.3-4.5
mm

WIRE RANGE
>2.5-4.0
mm²

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL

-

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±0.2
3 PLC ±
4 PLC ±
ANGLES ±1°

FINISH

-

-	PRETINNED	CuFe2	3-964328-1	A	
LP NO	FINISH	MATERIAL	PART NO.	REV	
DWN ATZMANN	06.01.94	 TE Connectivity			
CHK BARTOSCH	18.01.94				
APVD Bleicher, M.	28.11.07	NAME STANDARD POWER TIMER KONTAKT (Gerade Tulpe) -			
PRODUCT SPEC 108-18025					
APPLICATION SPEC 114-18037		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
WEIGHT 0.82 g	A3	00779	C-964203		-
Customer Drawing			SCALE 5:1	SHEET 8 OF 9	REV C8

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT -

ALL RIGHTS RESERVED.

LOC





DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

ONLY FOR 3-968037-2

OTHER DIMENSIONS SEE SHEET 1




2:1

INSUL. RANGE
Ø3.4-3.7
mm

WIRE RANGE
>2.5-4.0
mm²

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL

-

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±0.2
3 PLC ±
4 PLC ±
ANGLES ±1°

FINISH

-

-	PRETINNED	CuSn4	3-968037-2	A			
LP NO	FINISH	MATERIAL	PART NO.	REV			
DWN ATZMANN	06.01.94	 TE Connectivity					
CHK BARTOSCH	18.01.94						
APVD Bleicher, M.	28.11.07	NAME STANDARD POWER TIMER KONTAKT (Gerade Tulpe) -					
PRODUCT SPEC 108-18025							
APPLICATION SPEC 114-18037		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
WEIGHT 0.82 g	A3	00779	C-964203		-		
Customer Drawing		SCALE	5:1	SHEET	9 OF 9	REV	C8



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.