




THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		20	
© COPYRIGHT 20		BY -		ALL RIGHTS RESERVED.	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
1		INITIAL RELEASE	22AUG2018	SH	SH
2		ADDED APPLICATION SPEC	18DEC2018	SH	SH
A		INITIAL RELEASE	12JUN2019	SH	SH

1 CAGE ASSEMBLY: STAINLESS STEEL
HEAT SINK: ALUMINUM/ANODIZED BLACK
HEAT SINK CLIP: STAINLESS STEEL
EMI SPRING: COPPER ALLOY/ NICKEL PLATED

2 REFERENCE APPLICATION SPECIFICATION 114-60025
FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING
THICKNESS. BOARD LAYOUT PER THIS PRINT.

3 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER

4 DATE CODE (YYWW) MARKED APPROXIMATELY AS SHOWN.


5. MATES WIHT QSFP-DD MSA COMPATIBLE TRANSCEIVER.

6. MINIMUM PC BOARD THICKNESS:
SINGLE SIDED: 1.57 MIN
DOUBLE SIDED: 3.0 MIN

NET	23.00	2342886-3	CAGE ASSY WITH NET HS	3
SAN	16.00	2342886-2	CAGE ASSY WITH SAN HS	2
PCI	13.70	2342886-1	CAGE ASSY WITH PCI HS	1
HS SPECIFICATION	DIM A	PART NUMBER	DESCRIPTION	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22AUG2018 CHK STEPHEN HE SEAN HAN 05JUL2018 APVD SEAN HAN 22AUG2018	TE Connectivity	
DIMENSIONS: mm		PRODUCT SPEC -	PRELIMINARY	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC -		
0 PLC ± 0.25 1 PLC ± 0.25 2 PLC ± 0.25 3 PLC ± - 4 PLC ± - ANGLES ± 1		WEIGHT -	SIZE A2	CAGE CODE -
MATERIAL -		CUSTOMER DRAWING	DRAWING NO 2342886	RESTRICTED TO -
		SCALE 1:1	SHEET 1 OF 4	REV A

REV A




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22AUG2018 CHK 05JUL2018 APVD 22AUG2018	TE Connectivity		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.25 1 PLC ± 0.25 2 PLC ± 0.25 3 PLC ± - 4 PLC ± - ANGLES ± 1 FINISH -	NAME CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION		
MATERIAL -		PRODUCT SPEC -	SIZE A2	CAGE CODE -	DRAWING NO C- 2342886
		APPLICATION SPEC -	RESTRICTED TO -		
		WEIGHT -	SCALE 1:1 SHEET 3 OF 4 REV A		
		CUSTOMER DRAWING			

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22AUG2018 CHK STEPHEN HE SEAN HAN 05JUL2018 APVD SEAN HAN 22AUG2018		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.25 1 PLC ± 0.25 2 PLC ± 0.25 3 PLC ± 0.25 4 PLC ± 0.25 ANGLES ± 1		NAME CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION	
MATERIAL		PRODUCT SPEC - APPLICATION SPEC - WEIGHT -		SIZE A2 CAGE CODE - DRAWING NO. C- 2342886	RESTRICTED TO -
		CUSTOMER DRAWING		SCALE 1:1	SHEET 4 OF 4 REV A



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.