

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


LOC	DIST
DY	-

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	A2	REVISED PER ECR-14-010370	10JUL2014	I.T	W.H








DETAIL A
(SCALE 4-1)






DETAIL B

NOTES:

1. MATERIALS:
   HOUSING: L.C.P (HIGH TEMP THERMO PLASTIC) UL 94V-0, NATURAL.
   CONTACT: COPPER ALLOY.
2. FINISH:
   ENGAGEMENT AREA: 0.0002 MIN GOLD
   SOLDERING AREA: 0.002 MIN MATTE TIN
   UNDERCOAT: 0.0013 MIN NICKEL ALL OVER
3. FINISH:
   ENGAGEMENT AREA: 0.00076 MIN GOLD
   SOLDERING AREA: 0.002 MIN MATTE TIN
   UNDERCOAT: 0.0013 MIN NICKEL ALL OVER
4. POSITION SERIES:
   SEE P/N TABLE ON SHEET 3.
5. CONNECTOR MATED STACKED HEIGHT IS COMBINATION OF PLUG HEIGHT "Y" AND REC HEIGHT "X", LESS 5 mm.

   STACKED HEIGHT = Y + X - 5
6. THIS DRAWING 1735481 DESCRIBES CONNECTORS P/N X-1735480-X WITH STEEL COVER IN EMBOSS TAPE PACKAGING.

   CONNECTOR DIMENSIONS (ON SHEET 2) AND RECOMMENDED P.C. BOARD LAYOUT (ON SHEET 3) ARE REFERENCED FROM DRAWING 1735480.



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±0.30
2 PLC	±0.25
3 PLC	±0.20
4 PLC	±-
ANGLES	±3°

MATERIAL 1

FINISH SEE P/N TABLE

DWN WYLEE	10JUL2007
CHK YJ SEE	20MAR2013
APVD SF LEONG	20MAR2013
PRODUCT SPEC	108-5390
APPLICATION SPEC	114-5254
WEIGHT	-

CUSTOMER DRAWING

TE Connectivity

NAME
RECEPTACLE 17mm HEIGHT
FH 0.8mm B-T-B CONNECTOR
WITH STEEL COVER, ON EMBOSS TAPE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1735482	-


SCALE	SHEET	REV
2:1	1 OF 3	A2


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


LOC	DIST
DY	-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-







SECT "A"-"A"
(SCALE:8-1)

CONNECTOR DIMENSIONS REFERENCED FROM DRAWING NO. 1735480.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±0.30
2 PLC	±0.25
3 PLC	±0.20
4 PLC	±-
ANGLES	±3°

MATERIAL 1

FINISH SEE P/N TABLE

DWN	WYLEE 10JUL2007
CHK	YJ SEE 20MAR2013
APVD	SF LEONG 20MAR2013
PRODUCT SPEC	108-5390
APPLICATION SPEC	114-5254
WEIGHT	-

CUSTOMER DRAWING

TE Connectivity

NAME RECEPTACLE 17mm HEIGHT FH 0.8mm B-T-B CONNECTOR WITH STEEL COVER, ON EMBOSS TAPE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1735482	-


SCALE	SHEET	REV
2:1	2 OF 3	A2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST
DY	-

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



RECOMMENDED P.C.BOARD LAYOUT

(REFERENCED FROM DRAWING NO. 1735480.)

CONTACT FINISH	QTY	CC	BB	AA	F	E	D	C	B	A	CONNECTOR P/N REF. ONLY	POS	SALEABLE PART NO.
30 u"Au - Sn △3	100	84.20	SAME AS DIM D	79.20	94.0	20	85.8	120	116.4	58.2	8-1735480-0	200	3-1735482-0
	100	76.20		71.20	86.0	20	77.8	104	100.4	50.2	7-1735480-9	180	2-1735482-9
	100	68.20		63.20	73.8	20	69.8	88	84.4	42.2	7-1735480-8	160	2-1735482-8
	100	64.20		59.20	69.8	20	65.8	88	84.4	42.2	7-1735480-7	150	2-1735482-7
	100	60.20		55.20	65.8	20	61.8	88	84.4	42.2	7-1735480-6	140	2-1735482-6
	100	52.20		47.20	57.8	20	53.8	72	68.4	34.2	7-1735480-5	120	2-1735482-5
	100	44.20		39.20	49.8	20	45.8	72	68.4	34.2	7-1735480-4	100	2-1735482-4
	100	36.20		31.20	41.8	20	37.8	56	52.4	26.2	7-1735480-3	80	2-1735482-3
	100	28.20		23.20	33.8	20	29.8	44	40.4	20.2	7-1735480-2	60	2-1735482-2
	100	20.20		15.20	25.8	20	21.8	44	40.4	20.2	7-1735480-1	40	2-1735482-1
08 u"Au - Sn △2	100	84.20		79.20	94.0	20	85.8	120	116.4	58.2	6-1735480-0	200	1-1735482-0
	100	76.20		71.20	86.0	20	77.8	104	100.4	50.2	5-1735480-9	180	1735482-9
	100	68.20		63.20	73.8	20	69.8	88	84.4	42.2	5-1735480-8	160	1735482-8
	100	64.20		59.20	69.8	20	65.8	88	84.4	42.2	5-1735480-7	150	1735482-7
	100	60.20		55.20	65.8	20	61.8	88	84.4	42.2	5-1735480-6	140	1735482-6
	100	52.20		47.20	57.8	20	53.8	72	68.4	34.2	5-1735480-5	120	1735482-5
	100	44.20		39.20	49.8	20	45.8	72	68.4	34.2	5-1735480-4	100	1735482-4
	100	36.20		31.20	41.8	20	37.8	56	52.4	26.2	5-1735480-3	80	1735482-3
	100	28.20		23.20	33.8	20	29.8	44	40.4	20.2	5-1735480-2	60	1735482-2
	100	20.20		15.20	25.8	20	21.8	44	40.4	20.2	5-1735480-1	40	1735482-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±-
1 PLC	±0.30
2 PLC	±0.25
3 PLC	±0.20
4 PLC	±-
ANGLES	±3°

MATERIAL △1

FINISH SEE P/N TABLE

DWN WYLEE	10JUL2007
CHK YJ SEE	20MAR2013
APVD SF LEONG	20MAR2013
PRODUCT SPEC	108-5390
APPLICATION SPEC	114-5254
WEIGHT	-

TE Connectivity

NAME RECEPTACLE 17mm HEIGHT FH 0.8mm B-T-B CONNECTOR WITH STEEL COVER, ON EMBOSS TAPE

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1735482	-

CUSTOMER DRAWING | SCALE 2:1 | SHEET 3 OF 3 | REV A2


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.