


232OPDR

RS-232 Isolated Repeater

- ✓ Extend RS-232 Data another 50 ft (15.2 m)
- ✓ 2000V Optically Isolated Data Lines
- ✓ -40 to 80°C Operating Temperature






The 232OPDR is a DIN Rail mountable RS-232 optical isolator and repeater. It provides 2000 V Isolation for four RS-232 signal lines, two in each direction. The isolator has four LED's to show data flow and one LED to indicate power. Connections are made to a terminal block. The isolation provides protection for computer equipment from ground loops and induced currents caused by lightning or heavy electrical loads. It also functions as a repeater to extend RS-232 signals another 50 feet. The 232OPDR can support two data pairs or one data pair plus control signals in both directions.



Specifications

RS-232	
Connector	Terminal Block
Signals	4 signal lines in each direction Protected ground on Isolated side
Isolation	
Method	Optical
Rating	2000 V
Power	
Connector	Terminal Block
Voltage	10 to 30 VDC
Power Consumption	1.2 W
Source	External
Terminal Blocks	
Wire Size	24 to 14 AWG
Torque	4 kgf-cm
LED Indicators	
DATA LEDs (RED)	Data LED for each side of isolator Flashes when data transmitted
Power LED (RED)	ON when Power Applied
Enclosure	
Material	Plastic
IP Rating	30
Dimensions	1.0 x 3.1 x 3.7 in (2.5 x 7.9 x 9.5 cm)
Mounting	35 mm DIN (Panel Mount Adapter is available)
Environmental	
Operating Temperature	-40 to 80 C (-40 to 176 F)
Storage Temperature	-40 to 85 C (-40 to 185 F)
Operating Humidity	0 to 95% Non-condensing
MTBF	244689 hours
MTBF Calculation Method	MIL217F Parts Count Reliability
Agency Approvals	
	CE, FCC
	cULus Recognized, File E222870
Ordering Information	
Model Number	232OPDR
Power Supply	An external source is required. MDR-20-24 Recommended
Panel Mount Adapter	DRPM25





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.