

Anaren Integrated Radio A8520 PurePath™



A8520E24A91

The A8520E24A91 is a high-performance, FCC & IC certified and ETSI-compliant* radio module that incorporates the Texas Instruments CC8520 PurePath wireless audio SoC, CC2591 Range Extender, and integral antenna all in the industry's smallest package 11 x 19 x 2.5mm.

Features

- Operates in the 2.4GHz ISM band
- FCC, IC and ETSI compliant*, shielded package
- Un-Compressed Wireless Audio Connectivity
- Pre-defined protocol
- PC-based configurable human interface
- Autonomous or host mode operation
- Integral Antenna
- Integral Range Extender
- 87dBm Sensitivity
- 20dBm Output Power
- Exceptional range:
(>150M line-of-sight // typical 30m indoor)
- Co-existence with WiFi and Bluetooth systems
- 78mA Master current consumption
- 36mA Slave current consumption
- Available in tape & reel and matrix tray

* See User's Manual for important information about versions that comply to the ETSI standards

Benefits


- Minimal RF engineering experience necessary
- No additional "Intentional Radiator" certification required (FCC CFR 47 Part 15, IC RSS-210)
- Operating temperature -40 to +85C
- 100% RF Tested in production
- No protocol experience required
- Easily implemented on a two layer PCB

Applications


Consumer Audio, Professional Audio
Portable Audio, Digital Radio

PLEASE NOTE: Additional information on the Texas Instruments CC8520 and CC2591 devices can be found in the company's latest datasheet releases at <http://www.ti.com>. PurePath™ is a trademark of Texas Instruments


Application Block Diagram



MASTER



SLAVE



Anaren Integrated Radio

Product overview


The A8520E24A91 is a high-performance, FCC & IC certified and ETSI compliant audio module based on the Texas Instruments CC8520 transceiver and CC2591 range extender in the industry's smallest package (11 x 19 x 2.5 mm).

The module incorporates the required RF matching & filtering, crystal, integral antenna, and digital line filtering for good noise reduction and sensitivity. The result is quick low power wireless connectivity without having to deal with extensive protocol, RF, antenna design and regulatory compliance; thereby providing quick time to market. The modules are 100% tested in production to ensure consistent performance.

The A8520E24A91 has an RoHS-compliant ENIG finish and is packaged on tape & reel or in matrix tray for high-volume automated manufacturing.


Pin diagram

DNC = Do Not Connect




Caution! ESD sensitive device. Precautions should be used when handling the device in order to prevent permanent damage.

Footprint



Ground Plane Control



Nomenclature

A8520E24A91GR

① ② ③ ④ ⑤ ⑥ ⑦

- | | |
|---|---|
| A | (Anaren) |
| 1 | Chip series (C1101, CC110L, CC2500, CC8520) |
| 2 | Function (R = radio only, E = Range Extender) |
| 3 | Frequency band (x 100MHz) |
| 4 | Form factor (A = Internal Antenna, C = Connector) |
| 5 | Design ID (CC2591) |
| 6 | Application (G = General) |
| 7 | Packaging (R = Reel, M = Matrix Tray) |





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.