




Speed up your test times and save money with Test 'n' Tag
- Seaward's new portable PAT labelling system

TEST 'n' TAG

Now you can create professional appliance labels direct from your PAT!

Why Test 'n' Tag?

IT'S QUICK, IT'S PORTABLE, IT'S EASY!




Tag Features

- Tamperproof - security and accuracy of information is assured as test details are direct from the tester's memory
- Promote your company - you can insert your own company logo, company name and contact details
- Label design includes a barcode, asset number, test date and next test date, tester's name and test status
- Two label sizes available: panel label or cable wrap label
- Professional appearance of label as opposed to handwritten label
- Supplied with an easy to install label cartridge and Seaward software disc (pc required)

Example of a panel label

Insert your company name

Barcodes can be read by a bar code reader



Insert your own logo, strapline and contact details to promote your company

Tester's name gives traceability

The labels are:

- Waterproof
- Don't fade
- Don't tear
- No need for a pen - prints direct from tester

Printer features

- Compact thermal transfer printer
- Size approx 15cm l x 9cm w x 10cm h
- Portable and lightweight







TEST'n'TAG

The Test'n'Tag system is a simple process for use with the Seaward Supernova or Europa range of testers.

Carry case available as optional extra. Ask about our great package deals!



1. Go through your test routine with a Supernova or Europa Tester



2. On completion of the test routine, choose between panel label and cable wrap label



3. Label is printed automatically from the tester



4. Use the peelstick, if needed, to help remove the backing from the panel



5. Attach panel label to side of appliance...



6. or attach a cable wrap label

Technical Specification

Seaward Printer Part Number 308A910

Specifications

Printing: -

Thermal transfer printing
Resolution: 12dots per mm 300dpi

Dimensions

Printer: 152mm L (6") x 95mm W (3.75") x 101mm H (4")

Electrical specifications and approvals:

AC adaptor supplied

Output 14VDC, 1.6Amp - UL listed, CSA

Certified, TUV "GS" approval and CE

Meets VDE-B and FCC part 15 class B RFI limits

Environmental

Operating temp: 45F to 105F(7C to 40C) Supply cartridge storage temperature 60F to 105F (15C to 40C) shelf life is reduced at higher temperatures

- damage may occur at temperatures as high as 120F (50C) Operating / storage humidity limit: 90% RH Non- condensing

Labels: -

Seaward Part Number 308A914

Industrial Cast Vinyl

Black on Yellow / 12 metres in length

Two label sizes available:

Panel label = 25.4mm W x 83mm L

Cable wrap label = 25.4mm W x 122mm L

Number of labels per cartridge: From 96 -140 labels depending on size chosen



Seaward Electronic
Bracken Hill
South West Industrial Estate
Peterlee
Co. Durham
SR8 2SW
England

Tel: +44 (0)191 586 3511
Fax: +44 (0)191 586 0227
Web: www.seaward.co.uk
Email: sales@seaward.co.uk

www.seaward.co.uk



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.