

## VC-MP-K1

Order No.: 1884568

The illustration shows versions, powder-coated and EMC-coated coupling housing



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1884568>

Coupling housing, made of metal, powder-coated type 1, number of modules 2, cable screw connection Pg16

| Commercial data          |                    |
|--------------------------|--------------------|
| EAN                      | 4017918164591      |
| Pack                     | 5 pcs.             |
| Customs tariff           | 85389099           |
| Weight/Piece             | 0.36824 KG         |
| Catalog page information | Page 371 (PC-2009) |

### Product notes

WEEE/RoHS-compliant since:  
11/08/2006



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

### General characteristics

|                              |   |
|------------------------------|---|
| Note                         | When using fiber optics, the bending radii of the cable manufacturers must be observed. |
| Design                       | VC1   |
| Degree of protection         | IP65/IP66/IP67  |
| Type of the screw connection | 1x Pg16   |
| Pg screw connection          | None  |

|                                 |                   |
|---------------------------------|-------------------|
| Height                          | 49 mm             |
| Number of module slots          | 2                 |
| Housing material                | Zinc die-cast     |
| Housing surface material        | Powder coating    |
| Ambient temperature (operation) | -40 °C ... 125 °C |


### Accessories

| Item           | Designation             | Description  |
|----------------|-------------------------|--|
| <b>General</b> |                         |  |
| 1885460        | VC-M-KV-PG16 1X3/1X9    | Multiple screw connection Pg16, made of metal, consisting of rubber seal with several holes (1 x 3 mm/1 x 9 mm) and a pressure screw, for cable screw connection thread VC-M-KV-PG16.....  |
| 1885499        | VC-M-KV-PG16 1X3/2X8    | Multiple screw connection Pg16, made of metal, consisting of rubber seal with several holes (1 x 3 mm/2 x 8 mm) and a pressure screw, for cable screw connection support VC-M-KV-PG16..... |
| 1885509        | VC-M-KV-PG16 1X5/2X6    | Multiple screw connection Pg16, made of metal, consisting of rubber seal with several holes (1 x 5 mm/2 x 6 mm) and a pressure screw, for cable screw connection support VC-M-KV-PG16..... |
| 1885473        | VC-M-KV-PG16 1X6/1X8    | Multiple screw connection Pg16, made of metal, consisting of rubber seal with several holes (1 x 6 mm/1 x 8 mm) and a pressure screw, for cable screw connection support VC-M-KV-PG16..... |
| 1885473        | VC-M-KV-PG16 1X6/1X8    | Multiple screw connection Pg16, made of metal, consisting of rubber seal with several holes (1 x 6 mm/1 x 8 mm) and a pressure screw, for cable screw connection support VC-M-KV-PG16..... |
| 1885512        | VC-M-KV-PG16 2X6/1X7    | Multiple screw connection Pg16, made of metal, consisting of rubber seal with several holes (2 x 6 mm/1 x 7 mm) and a pressure screw, for cable screw connection support VC-M-KV-PG16..... |
| 1885525        | VC-M-KV-PG16 3X7        | Multiple screw connection Pg16, made of metal, consisting of rubber seal with several holes (3 x 7 mm) and a pressure screw, for cable screw connection support VC-M-KV-PG16.....          |
| 1853942        | VC-M-KV-PG16( 4- 6,5)   | Half screw connection Pg16, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 1 housings, cable [mm] 4 - 6.5   |
| 1853955        | VC-M-KV-PG16( 5- 8)     | Half screw connection Pg16, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 1 housings, cable [mm] 5 - 8   |
| 1853968        | VC-M-KV-PG16( 6,5- 9,5) | Half screw connection Pg16, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 1 housings, cable [mm] 6.5 - 9.5                                       |

|                |                         |  |
|----------------|-------------------------|--|
| 1853971        | VC-M-KV-PG16( 7-10,5)   | Half screw connection Pg16, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 1 housings, cable [mm] 7 - 10.5    |
| 1853984        | VC-M-KV-PG16( 9-13)     | Half screw connection Pg16, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 1 housings, cable [mm] 9 - 13      |
| 1854857        | VC-M-KV-PG16(11,5-15,5) | Half screw connection Pg16, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 1 housings, cable [mm] 11.5 - 15.5 |
| 1854857        | VC-M-KV-PG16(11,5-15,5) | Half screw connection Pg16, made of metal, consisting of rubber seal with one hole and one pressure screw, for type 1 housings, cable [mm] 11.5 - 15.5 |
| <b>Marking</b> |                         |  |
| 1852875        | VC-BZS WH               | Marker labels, unprinted, 5-section, for individual labeling with M-PEN or CMS system, white   |

Diagrams/Drawings

Dimensioned drawing



VC-MP-K1 Order No.: 1884568

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1884568>

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2010 Phoenix Contact  
Technical modifications reserved;



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.