






LOC		DIST		REVISIONS			
ES	00	P	LTM	DESCRIPTION	DATE	DMN	APVD
	G2			ADDED THE DASH NO -27	11MAY2011	ML	SZ
	G3			REV PER ECR-13-006828	25APR2013	CZ	SZ
	G4			ADDED NEW DASH NUMBER 2-9	03JUN2013	CZ	SZ



- △ OPTIONAL CENTER MODULE, WITH Ø.150 THRU HOLE OR HOLD DOWN FEATURE
- △ "AMP", TRADEMARK, PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES
- △ MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
 SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
 POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- △ CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- △ MECHANICAL CONNECTOR KEEP OUT ZONE
- △ DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- △ PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
- △ PCB - .0453 ±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 CU PLATING TO ACHIEVE A .040±.003 DIA HOLE
- △ FOR P/N:2-6450150-2.THE VARIABLE DIMENSIONS PLEASE SEE SHEET 7.





THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN R.GRZYBOWSKI 16FEB05	TE Connectivity	
DIMENSIONS: INCHES		CHK M.PERCHEKKE 16FEB05		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M.PERCHEKKE	NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.7°		PRODUCT SPEC 108-1973	SIZE A1	
MATERIAL FINISH		APPLICATION SPEC 114-13038	CAGE CODE DRAWING NO C=6450150	
△ 3 △ 4		WEIGHT CUSTOMER DRAWING	RESTRICTED TO SCALE 1:1 SHEET 1 OF 12 REV G5	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-

WITH	2.650	.200	.250	1.550	.875	2.700	-	3.000	.450	2P + 24S + 6P	2-6450150-9
WITH	2.300	.250	.300	1.950	1.275	2.350	-	2.650	.475	3ACP + 24S + 2P	2-6450150-8
WITH	5.150	.300	.300	3.550	2.700	5.200	-	5.500	.450	8ACP + 32S + 6ACP	2-6450150-7
WITH	2.800	.300	.250	2.075	1.375	2.850	-	3.150	.450	4P + 24S + 3ACP	2-6450150-6
WITH	3.800	.300	.250	1.875	1.375	3.850	-	4.150	.450	4P + 16S + 7ACP	2-6450150-5
WITH	2.400	.200	.200	2.100	.825	2.450	-	2.750	.450	2P + 48S + 2P	2-6450150-4
WITH	1.700	.250	.250	1.350	.875	1.750	-	2.050	.450	2P + 16S + 2P	2-6450150-3
WITHOUT	5.500	.300	.300	3.175	2.525	5.550	-	5.850	.475	7ACP+20S+4ACP+5P	2-6450150-2
WITH	2.900	.250	.250	2.550	.875	2.950	-	3.250	.450	2P + 64S + 2P	2-6450150-1
WITH	3.550	-	.300	2.550	1.275	3.600	-	3.900	.475	3ACP + 48S + 5P	2-6450150-0
WITH	4.000	-	-	-	.375	4.050	-	4.350	-	148S	1-6450150-9
WITH	2.800	.250	.250	1.700	1.125	2.850	-	3.150	.450	3P + 20S + 5P	1-6450150-8
WITH	2.200	.250	.250	1.350	.875	2.250	-	2.550	.450	2P + 16S + 4P	1-6450150-7
WITH	3.500	.300	.250	2.775	2.375	3.550	-	3.850	.450	8P + 12S + 3ACP	1-6450150-3
WITH	2.300	.250	.300	1.950	1.275	2.350	-	2.650	.475	3ACP + 24S + 2P	6450150-9
WITH	1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	6450150-8
WITH	3.000	.250	.250	2.150	1.425	3.050	-	3.350	.450	4P + 24S + 4P	6450150-6
WITH	2.500	.300	.250	1.800	1.125	2.550	-	2.850	.450	3P + 24S + 3ACP	6450150-5
WITH	2.675	.200	.200	2.375	1.650	2.725	-	3.025	.475	5P + 24S + 2P	6450150-4
WITH	2.800	.300	.250	2.075	1.375	2.850	-	3.150	.450	4P + 24S + 3ACP	6450150-3
WITH	3.550	-	.300	2.550	1.275	3.600	-	3.900	.475	3ACP + 48S + 5P	6450150-2
WITH	4.350	.250	.250	3.500	2.625	4.400	-	4.700	.450	9P + 32S + 4P	6450150-1
HOLD DOWN	U	T	S	R	W	D	M	L	K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI CHK M. PERCHERKE	16FEB05 16FEB05	 TE Connectivity	
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD M. PERCHERKE	NAME		
	0 PLC ±-	PRODUCT SPEC	VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL		
	1 PLC ±.01	APPLICATION SPEC			
MATERIAL	FINISH	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		A100779	6450150		
CUSTOMER DRAWING		SCALE	1:1	SHEET	2 OF 12
		REV	G5		



LOC			DIST			REVISIONS		
P	LTN	REV	DATE	BY	CHKD	DATE	BY	CHKD
ES	00							
			DESCRIPTION					
			SEE SHEET 1					

PART NUMBER	ROWS	POWER (L)				SIGNAL								POWER (R)								
		P13	P12	P11	P10	8	7	6	5	4	3	2	1	P9	P8	P7	P6	P5	P4	P3	P2	P1
6450150-1	D	VM	VM	VA	VM	E	E	E	E	E	E	E	E	E	VM	VM	VM	VM	VM	VM	VA	VM
	C					E	E	E	E	E	E	E	E									
	B					E	E	E	E	E	E	E	E									
	A					E	E	E	E	E	E	E	E									

9P + 32S + 4P


PART NUMBER	ROWS	POWER (L)				SIGNAL								POWER (R)							
		P8	P7	P6	P5	P4	12	11	10	9	8	7	6	5	4	3	2	1	P3	P2	P1
6450150-2	D	VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM
	C					E	E	E	E	E	E	E	E	E	E	E	E	E			
	B					E	E	E	E	E	E	E	E	E	E	E	E	E			
	A					E	E	E	E	E	E	E	E	E	E	E	E	E			

3ACP + 48S + 5P



PART NUMBER	ROWS	POWER (L)			SIGNAL							POWER (R)			
		P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1	
6450150-3	D	VM	VM	VA	E	E	E	E	E	E	E	E	VM	VM	VM
	C				E	E	E	E	E	E	E	E			
	B				E	E	E	E	E	E	E	E			
	A				E	E	E	E	E	E	E	E			

4P + 24S + 3ACP



VN	VM	VB	VA	CODE	TAIL LENGTH	DESCRIPTION	CODE	TAIL LENGTH
VN	.090	STD						
VM	.135	STD						
VB	.090	MFBL	J		.090			
VA	.135	MFBL	E		.135			

POWER CONTACTS SIGNAL CONTACTS

THIS DRAWING IS A CONTROLLED DOCUMENT.

OWN: R. GRZYBOWSKI 16FEB05
 CHK: M. PERCHERKE 16FEB05
 APVD: M. PERCHERKE

PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038

SIZE: A1
 CAGE CODE: 6450150
 DRAWING NO: 100779

RESTRICTED TO: -
 SCALE: 1:1
 SHEET: 3 OF 12
 REV: G5

TE Connectivity



VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

CUSTOMER DRAWING

PART NUMBER	ROWS	POWER (L)						SIGNAL						POWER (R)															
		P7	P6	6	5	4	3	2	1	P5	P4	P3	P2	P1	P1	P2	P3	P4	P5	P6	P7								
6450150-4	D							J	J	J	J	J	J	VN	VN	VN	VN												
	C							J	J	J	J	J	J	VN	VN	VN	VN												
	B							J	J	J	J	J	J	VN	VN	VN	VN												
		HD																										HD	
		5P + 24S + 2P																											



PART NUMBER	ROWS	POWER (L)						SIGNAL						POWER (R)															
		P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1														
6450150-6	D							J	J	J	J	J	J	VN	VN	VN	VN												
	C							J	J	J	J	J	J	VN	VN	VN	VN												
	B							J	J	J	J	J	J	VN	VN	VN	VN												
		HD																										HD	
		4P + 24S + 4P																											

NO CONTACT
LOADED



PART NUMBER	ROWS	POWER (L)						SIGNAL						POWER (R)															
		P6	P5	P4	6	5	4	3	2	1	P3	P2	P1	P1	P2	P3	P4	P5	P6										
6450150-5	D							E	E	E	E	E	E	VM	VM	VM	VM												
	C							E	E	E	E	E	E	VM	VM	VM	VM												
	B							E	E	E	E	E	E	VM	VM	VM	VM												
		HD																										HD	
		3P + 24S + 3ACP																											

PART NUMBER	ROWS	POWER (L)						SIGNAL						POWER (R)															
		P2	6	5	4	3	2	1	P1	P1	P2	P3	P4	P5	P6	P7	P8												
6450150-8	D							E	E	E	E	E	E	VM	VM	VM	VM												
	C							E	E	E	E	E	E	VM	VM	VM	VM												
	B							E	E	E	E	E	E	VM	VM	VM	VM												
		HD																										HD	
		1P + 24S + 1P																											



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: R. GRZYBOWSKI 16FEB05		TE Connectivity
DIMENSIONS: INCHES		CHK: M. PERCHERKE 16FEB05		NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERKE	PRODUCT SPEC: 108-1973	
0 PLC ±.01		PRODUCT SPEC: 108-1973	APPLICATION SPEC: 114-13038	
1 PLC ±.005		SIZE: 114-13038	WEIGHT: A100779	
2 PLC ±.002		SCALE: 1:1	SHEET 4 OF 12	
ANGLES ±.002		CUSTOMER DRAWING	REV: G5	



LOC	DIST	REVISIONS				
ES	00	P	LTH	DATE	DWN	APVD

PART NUMBER	ROWS	POWER (L)			SIGNAL								POWER				
		P11	P10	P9	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1		
I-6450150-3	D C B A	E															
		E															
		E															

8P + 12S + 3ACP


PART NUMBER	ROWS	POWER (L)					SIGNAL					POWER (R)		
		P8	P7	P6	P5	P4	5	4	3	2	1	P3	P2	P1
I-6450150-8	D C B A	E												
		E												
		E												

3P + 20S + 5P




PART NUMBER	ROWS	SIGNAL																																				
		37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
I-6450150-9	D C B A	E																																				
		E																																				
		E																																				

148S




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: R. GRZYBOWSKI 16FEB05	STE TE Connectivity
DIMENSIONS: INCHES		CHK: M. PERCHERKE 16FEB05	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERKE	NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
0 PLC ± .01		PRODUCT SPEC: 108-1973	
1 PLC ± .01		APPLICATION SPEC: 114-13038	
2 PLC ± .01		SIZE: A1	
3 PLC ± .01		WEIGHT: -	RESTRICTED TO: -
4 PLC ± .002		CAGE CODE: -	SCALE: 1:1
ANGLES: ± .02		FINISH: -	SHEET: 5 OF 12
MATERIAL: -		CUSTOMER DRAWING: -	REV: G5

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
ES	00	SEE SHEET 1	-	-	-



PART NUMBER	ROWS	POWER				SIGNAL				POWER		
		P6	P5	P4	P3	4	3	2	1	P2	P1	
1-6450150-7	D	VM	VM	VA	VA	E	E	E	E	VA	VM	
	C					E	E	E	E			
	B					E	E	E	E			
2P + 16S + 4P												HD



PART NUMBER	ROWS	POWER (L)								SIGNAL								POWER (R)				
		P8	P7	P6	P5	P4	I2	I1	I0	9	8	7	6	5	4	3	2	1	P3	P2		P1
2-6450150-0	D	VM	VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM	
	C						E	E	E	E	E	E	E	E	E	E	E	E				
	B						E	E	E	E	E	E	E	E	E	E	E	E				
3ACP + 48S + 5P																						HD

NO CONTACTS LOADED

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: R. GRZYBOWSKI 16FEB05
 CHK: M. PERCHERKE 16FEB05
 APVD: M. PERCHERKE

DIMENSIONS: INCHES. TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±.01
 1 PLC ±.01
 2 PLC ±.01
 3 PLC ±.005
 4 PLC ±.002
 ANGLES ±.2°

MATERIAL: FINISH:


PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038
 WEIGHT: CUSTOMER DRAWING

NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
 SIZE: A1
 CAGE CODE: 00779
 DRAWING NO: 6450150

RESTRICTED TO: SCALE: 1:1 SHEET 6 OF 12 REV: G5


LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
				SEE SHEET 1			

PART NUMBER	ROWS	POWER (L)		SIGNAL																POWER (R)				
		P4	P3	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	P2	P1			
2-6450150-1	D C B A	VB	VN	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	VN	VB	
				J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	VN	VB
				J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	J	VN	VB
2P + 64S + 2P																								



PART NUMBER	ROWS	POWER		SIGNAL						POWER								
		P5	P4	6	5	4	3	2	1	P3	P2	P1						
6450150-9	D C B A	VM	VM	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM	
				E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM
				E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM
3ACP+24S+2P																		

PART NUMBER	ROWS	POWER		SIGNAL						POWER							
		P5	P4	6	5	4	3	2	1	P3	P2	P1					
2-6450150-8	D C B A	VM	VM	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM
				E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM
				E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM
3ACP+24S+2P																	



6450150-9 & 2-6450150-8 PCB LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN: R. GRZYBOWSKI 16FEB05	CHK: M. PERCHERKE 16FEB05	APVD: M. PERCHERKE	NAME: M. PERCHERKE
0 PLC ± .01	1 PLC ± .01	PRODUCT SPEC: 108-1973			
2 PLC ± .01	3 PLC ± .005	APPLICATION SPEC: 114-13038			
4 PLC ± .002	ANGLES ± .020	WEIGHT: -			
MATERIAL: -	FINISH: -	CUSTOMER DRAWING: -			

STE TE Connectivity

VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SIZE: A1 CAGE CODE: 100779 DRAWING NO: 6450150


SCALE: 1:1 SHEET 7 OF 12 REV: G5

LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-

NO CONTACTS LOADED

PART NUMBER	ROWS	POWER (L)								SIGNAL					POWER (R)							
		P16	P15	P14	P13	P12	P11	P10	P9	P8	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1
2-6450150-2	D C B A	VA		VM		VM	VM	VM	VM	VM	E	E	E	E	E	VM	VM	VM	VM	VM	VM	VM
											E	E	E	E	E							
											E	E	E	E	E							
											E	E	E	E	E							

7ACP+20S+4ACP+5P





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: R. GRZYBOWSKI 16FEB05	TE Connectivity
DIMENSIONS: INCHES		CHK: M. PERCHERKE 16FEB05	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERKE	NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2°		PRODUCT SPEC: 108-1973	SIZE: A1
MATERIAL: -		APPLICATION SPEC: 114-13038	CAGE CODE: 6450150
FINISH: -		WEIGHT: -	RESTRICTED TO: -
CUSTOMER DRAWING		SCALE: 1:1	SHEET 8 OF 12 REV: G5

LOC		DIST		REVISIONS			
P	LTN	DATE	DMN	APVD	DESCRIPTION	DATE	DMN
-	-	-	-	-	SEE SHEET 1	-	-

PART NUMBER	ROWS	POWER		SIGNAL				POWER	
		P4	P3	4	3	2	1	P2	P1
2-6450150-3	D	VM	VM	E	E	E	E	VA	VA
	C			E	E	E	E		
	B			E	E	E	E		
	A			E	E	E	E		
2P + 16S + 2P		HD						HD	

PART NUMBER	ROWS	POWER		SIGNAL												POWER				
		P4	P3	12	11	10	9	8	7	6	5	4	3	2	1	P2	P1			
2-6450150-4	D	VM	VA	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	
	C			E	E	E	E	E	E	E	E	E	E	E	E	E	E			
	B			E	E	E	E	E	E	E	E	E	E	E	E	E	E			E
	A			E	E	E	E	E	E	E	E	E	E	E	E	E	E			E
2P + 48S + 2P		HD														HD				



THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: R. GRZYBOWSKI 16FEB05
 CHK: M. PERCHERKE 16FEB05

DIMENSIONS: INCHES. TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0 PLC ±.01
 1 PLC ±.01
 2 PLC ±.01
 3 PLC ±.005
 4 PLC ±.002
 ANGLES ±.020

MATERIAL: FINISH:

APVD: M. PERCHERKE
 PRODUCT SPEC: 108-1973
 APPLICATION SPEC: 114-13038
 WEIGHT: CUSTOMER DRAWING

NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
 SIZE: A1
 CAGE CODE: 100779
 DRAWING NO: 6450150

RESTRICTED TO: SCALE: 1:1 SHEET 9 OF 12 REV: G5

TE Connectivity

LOC		DIST		REVISIONS				
ES	00	P	LYN	DESCRIPTION	DATE	OWN	APVD	
		-		SEE SHEET 1				

PART NUMBER	ROWS	POWER						SIGNAL				POWER			
		P11	P10	P9	P8	P7	P6	P5	4	3	2	1	P4	P3	P2
2-6450150-5	D	VM	VA	VM	VM	VA	VM	E	E	E	E	VM	VM	VM	VM
	C							E	E	E	E				
	B							E	E	E	E				
	A							E	E	E	E				



4P + 16S + 7ACP

PART NUMBER	ROWS	POWER (L)			SIGNAL						POWER (R)			
		P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1
2-6450150-6	D	VM	VM	VA	E	E	E	E	E	E	VM	VM	VM	VM
	C				E	E	E	E	E					
	B				E	E	E	E	E					
	A				E	E	E	E	E					

4P + 24S + 3ACP

(F1)

NO CONTACT LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2°	FINISH	OTHERWISE SPECIFIED:
-----------------------	--	--------	----------------------

MATERIAL	FINISH	WEIGHT	CUSTOMER DRAWING
----------	--------	--------	------------------

OWN: R. GRZYBOWSKI	16FEB05	 TE Connectivity	
CHK: M. PERCHERKE	16FEB05		
APVD: M. PERCHERKE			
NAME			
PRODUCT SPEC	108-1973	VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
APPLICATION SPEC	114-13038		
SIZE	CAGE CODE DRAWING NO		
SCALE	1:1	SHEET 10 OF 12	REV G5

LOC	DIST	REVISIONS					
ES	00	P	LTN	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1			

PART NUMBER	ROWS	POWER (L)	SIGNAL								POWER (R)												
			PI4	PI3	PI2	PI1	PI0	P9	8	7		6	5	4	3	2	1	P8	P7	P6	P5	P4	P3
2-6450150-7	D C B A	VM VM VM VM	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VM	VM	VM	VM	VM	VM
8ACP + 32S + 6ACP																							




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI CHK M. PERCHERKE APVD M. PERCHERKE	16FEB05 16FEB05	 TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL		
0 PLC ± 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.020	FINISH *P*	PRODUCT SPEC 108-1973	APPLICATION SPEC 114-13038	SIZE A1
MATERIAL	FINISH	WEIGHT	CAGE CODE 100779	DRAWING NO C=6450150
CUSTOMER DRAWING			SCALE 1:1	SHEET 11
			OF 12	REV G5

LOC	DIST	REVISIONS			
		REV	DATE	BY	APPV
ES	00	-	-	-	-
		SEE SHEET 1			

PART NUMBER	ROWS	POWER						SIGNAL							
		P8	P7	P6	P5	P4	P3	4	3	2	3	2	1	P2	P1
2-6450150-9	D							E	E	E	E	E			
	C		VM	VM	VA		E	E	E	E	E	VM	VM		
	B						E	E	E	E	E				
	A		HD					E	E	E	E		HD		
2P + 24S + 6P															

NO CONTACTS LOADED

NO CONTACTS LOADED



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. GRZYBOWSKI 16FEB05 CHK M. PERCHERKE 16FEB05 APVD M. PERCHERKE	STE TE Connectivity
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±3°	NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038	SIZE: A1 CAGE CODE: 00779 DRAWING NO: C=6450150
MATERIAL: -	FINISH: -	WEIGHT: -	RESTRICTED TO: -
CUSTOMER DRAWING		SCALE: 1:1	SHEET 12 OF 12 REV G5



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.