

LOC	DIST	REVISIONS					
DW	—	P	LTR	DESCRIPTION	DATE	DWN	APVD
			B	REVISED (ECR-14-012584)	25AUG2014	S.H	V.P



REF
38.4
±4
32.4

±5
Ø330

SEE DETAIL A

±1
Ø100

PLASTIC REEL

PULL OUT DIRECTION

WEEDING THE COVER TAPE : 300 MIN
(NOT INCLUDE EMPTINESS POCKET)

PELLING ANGLE: 165°~180°
PEELING STRENGTH:
0.1~0.7N (300mm/min.)

1

2


20 HOLES MIN.

WITH PRODUCT CHARGE
QTY: 900 PCS

20 HOLES MIN.

TE P/N:	2229293-1
QTY:	900 pcs
D/C:	
MADE IN	CHINA

PART NUMBER		
2229293-1		
1	COVER TAPE	③
1	EMBOSS CARRIER TAPE	②
900	2229294-1	①
QTY REQD PER ASSY	COMPONENT NAME	NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN K.YAMAGUCHI 27SEP2012 CHK Y.YAMAMOTO 27SEP2012 APVD Y.YAMAMOTO 27SEP2012		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.3 1 PLC ± 0.3 2 PLC ± 0.3 3 PLC ± 0.3 4 PLC ± 0.3 ANGLES ± 3°		NAME 2mm PITCH BATTERY REC. ASSEMBLY 7POS. H=4.0 PACKING	
		PRODUCT SPEC 108-78292		APPLICATION SPEC	
MATERIAL		FINISH		SIZE A3	
				CAGE CODE 00779	
				DRAWING NO C-2229293	
				RESTRICTED TO —	
				SCALE 2:1	
				SHEET 1 OF 3	
				REV B	
CUSTOMER DRAWING					

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP ,2012.

© COPYRIGHT 2012 By Tyco Electronics Japan G.K.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

P

LTR

DESCRIPTION

DATE

DWN

APVD

—



SEE SHEET 1

—


—

—

1-2229293-1; AS SHOWN



DETAIL C



PART NUMBER		
1-2229293-1		
1	TRAY	⑤
72	1-2229294-1	④
QTY REQD PER ASSY	COMPONENT NAME	NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN		
DIMENSIONS:			CHK		
mm			APVD		
TOLERANCES UNLESS OTHERWISE SPECIFIED:			PRODUCT SPEC		
0 PLC ± 0.3			APPLICATION SPEC		
1 PLC ± 0.3			WEIGHT		
2 PLC ± 0.3			CUSTOMER DRAWING		
3 PLC ± 0.3			SCALE 2:1		
4 PLC ± 0.3			SHEET 2 OF 3		
ANGLES ± 3°			REV B		
FINISH					
MATERIAL					



TE Connectivity

NAME
2mm PITCH BATTERY REC. ASSEMBLY 7POS. H=4.0
PACKING

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	©-2229293	—

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

SEP ,2012.

© COPYRIGHT 2012 By Tyco Electronics Japan G.K.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

DW

P

LTR

DESCRIPTION

DATE

DWN

APVD

—






SEE SHEET 1

—


—

—


CONNECTOR W/O PACKING CONDITION



A-A
(SCALE 5:1)




REFERENCE P.C.BOARD LAYOUT
P.C.BOARD THICKNESS : 0.8~1.2
(VIEW FROM CONNECTOR MOUNTING SIDE)



PART NUMBER			
1-2229294-1	2229294-1		
7	7	CONTACT	⑦
1	1	HOUSING	⑥
QTY REQD PER ASSY		COMPONENT NAME	NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL

2

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± 0.3
1 PLC ± 0.3
2 PLC ± 0.3
3 PLC ± 0.3
4 PLC ± 0.3
ANGLES ± 3°

FINISH

3

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

0.7g

CUSTOMER DRAWING



TE Connectivity

NAME

2mm PITCH BATTERY REC. ASSEMBLY 7POS. H=4.0
PACKING

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

2229293

SCALE

2:1

SHEET

3 OF 3

REV

B



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.