

# Amphenol®



## HELIOS H4

Industrial Operations (AIO) offers products and solutions for all segments of the solar electric system. AIO understands the need for efficient (low loss) power transfer, highly reliable, and cost effective solutions that are required to be competitive in this industry. We can provide panel manufacturers, installers, and OEM's with connectivity products for both thin film and crystalline silicon technologies. **Amphenol** has a broad range of technologies to help minimize the cost of inverters and power conditioners. **Amphenol** Industrial can help you power the planet with the sun. The Helios H4 connector is just one of the solar connector solutions **Amphenol** Industrial has to offer.

## H4 Features:

- Fully intermateable with industry standard
- Meets all new NEC 2008 requirements
- Quick and easy secure snap lock mating
- Simple unlocking tool meets NEC requirements
- Long-term UV and Ozone resistance
- Highest current rating in industry
- RoHS compliant
- Complete Cable Assemblies available
- Low contact resistance means low power loss
- Ready for field assembly
- No assembly required, no small parts to lose

# Helios H4

Amphenol solar connector






## Technical Specifications

Rated current	36A (2.5mm <sup>2</sup> , AWG14), 45A (4.0mm <sup>2</sup> , AWG12), 52A (6.0mm <sup>2</sup> , AWG10)
Rated voltage	1000V (IEC/CEI), 600V (UL)
Test voltage	9KV
Typical contact resistance	0.25?
Contact material	Copper, tin plated
Contact system	Crimp Amphenol Radsok <sup>®</sup> , machined/cold formed contact with lamellar contact grid
Insulation material	PBT
Locking mechanism	Snap-lock, special unlock tool required to un-mate according to NEC 2008 article 690.33
Cable Strain relief	According to DIN V VDE 0126-3
Protection degree	IP68 mated, IP2X unmated (IEC60529)
Pollution degree	2
Flammability class	UL94-V0
Temperature rating	-40C to +90C (IEC/CEI), max temp +105C



## Derating curves



## Connector partnumbers

		2,5SQMM/AWG14	4,0SQMM/AWG12	6,0SQMM/AWG10
Cable connector male		PV-090507-M	PV-090508-M	PV-090506-M
Cable connector female		PV-090507-F	PV-090508-F	PV-090506-F
Cable connector mated pair		PV-090507-000	PV-090508-000	PV-090506-000
Panel mount receptacle male		PV-080511-M	PV-080509-M	PV-080510-M
Panel mount receptacle female		PV-080511-F	PV-080509-F	PV-080510-F
Panel mount receptacle mated pair		PV-080511-000	PV-080509-000	PV-080510-000

## Tooling partnumbers

Crimp tool for 2,5SQMM-6SQMM  
(AWG10-AWG14)  
PV-670508-000



Strip tool for 2,5SQMM-6SQMM  
(AWG10-AWG14)  
PV-670509-000



Wrench/disconnect/assembly tool  
PV-670803-000



Unlocking ring tool  
PV-670804-000



For further information on your individual application requirements, contact: Amphenol Corporation

### North America:

Amphenol Industrial Operations  
40-60 Delaware Avenue,  
Sidney, NY 13838-1395  
Tel: 1-520-285-5114 1-888-364-9011  
Fax: 1-520-397-7169  
E-mail: energy@amphenol-aio.com

### Europe:

Amphenol Industrial Operations  
Europe Via Barbaiana 5  
1-20020 Lainate (MI) Italy  
Tel: +39 02 93254.204  
Fax: +39 02 93254.444  
Email: info@amphenol-aio.com

### Middle East:

Amphenol Middle East Enterprises FZE  
Office C-37 PO Box 21107  
Ajman Free Zone, UAE  
Tel: +9716-7422494  
Fax: +9716-7422941  
Email: ameeffe@eim.ae

### Asia:

Amphenol Technology Shenzhen Ltd  
Block 5 Fuan 2nd Industrial Park Dayang Rd,  
Fuyong Baoan Baoan, Shenzhen, China 518103  
Tel: +86 755 2881 8389  
Fax: +86 755 2991 8310  
Email: enquiry@amphenol-industrial.com



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.