

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	E3	PART STATUS UPDATED	09JAN2018	RK	PS


Technical drawing of a 12-pin D-sub connector, showing side and front views with dimensions.

Side View (Top):

- Overall length: $L - 0.25$
- Distance from mounting edge to center of first pin: 2.54
- Pin pitch: 2.54
- Pin diameter: 1
- Mounting hole diameter: 2.2

Front View (Bottom):

- Pin pitch: 0.7
- Pin diameter: 1
- Mounting hole diameter: 2.2



Technical drawing of a PCB layout for a 12-pin connector. The drawing shows a 2x6 grid of pins. Dimensions include a total width of 8.4, a pin pitch of 2.54, and a total length of $A \pm 0.08$. A circular feature with a diameter of $\varnothing 1.2 \pm 0.08$ is shown. A label "LÖTSTELLE" points to a specific area. A note "1.5 MIN" is also present.

6 BEND ANGLE WILL BE $80^{\circ} \pm 5^{\circ}$ WHEN PRODUCED AT DIFFERENT EQUIPMENT
(SEMI-AUTOMATIC) DUE TO CAPACITY OR MIX OF LOAD.


2	-	HV 100 KONTAKT / HV 100 CONTACT	Cu Sn		2
1	-	HV 100 GEHÄUSE / HV 100 HOUSING	LCP	SCHWARZ / BLACK	1
POS.	STÜCK / PIECE	BENENNUNG EINZELTEIL PART DESCRIPTION	WERKSTOFF MATERIAL	OBERFLÄCHE / FARBE SURFACE / COLOR	SI No

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. STEIN 20-OCT-97		 TE Connectivity	
		CHK F. REICHARDT 20-OCT-97			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: TOL ± 0.2 		NAME	
		APVD G. Feldmeier PRODUCT SPEC 108-19056 APPLICATION SPEC —		HV100 REC. CONNECTOR, SMD, DOUBLE ROW WITH ADAPTER PACKED IN BLISTER BELT —	
MATERIAL		FINISH		SIZE	RESTRICTED TO
SEE TABLE		SEE TABLE		CAGE CODE A2 00779	DRAWING NO C-969973
		WEIGHT		SCALE	REV
		CUSTOMER DRAWING		1:2	1 of 3
					E3

969973


B

A




OBsolete

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 20-OCT-97 M. STEIN CHK 20-OCT-97 F. REICHARDT APVD — G. Feldmeier PRODUCT SPEC 108-19056 APPLICATION SPEC —		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.2 1 PLC ± 0.1 2 PLC ± 0.1 3 PLC ± — 4 PLC ± — ANGLES ± —		NAME HV100 REC. CONNECTOR, SMD, DOUBLE ROW WITH ADAPTER PACKED IN BLISTER BELT —	
MATERIAL		FINISH		WEIGHT	
SEE TABLE		SEE TABLE		A2 00779 G-969973	
CUSTOMER DRAWING				SCALE 1:2	SHEET 2 of 3
				REV E3	



ABWICKELRICHTUNG

DIRECTION OF THE TOP
OF THE REEL



CUSTOMER DRAWING	SCALE 1:2	SHEET 3 OF 3	REV E3
------------------	-----------	--------------	--------



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.