







This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

PRODUCT NUMBER

SEE TABLE



mat'l code				--				tolerances unless otherwise specified				CUSTOMER				 www.fciconnect.com			
ltr	ecn no.	dr	date	linear	0.X ± 0.3				COPY				 title METRAL SIGNAL HEADER 4 ROW PRESS-FIT, NO KEYWELL						
P	V06-0498	DCH	2006-05-24		0.XX ± 0.13				projection										
R	DG09-0105	TER	2009-04-29		.XXX ± .051														
-	-	-	-	angles	0° ± 2°								product family						
K	V04-0225	HTB	03/03/04	dr	T.BURNGARD 11/19/99				scale 2/1				METRAL				code		
L	V04-0248	HTB	03/09/04	enr	M.STRAWER 11/19/99								size		dwg no		213		
M	V04-0554	TAB	06/07/04	chr	M.STRAWER 11/19/99								A		58355		sheet		
N	V05-0358	VS	04/27/05	appd	M.STRAWER 02/29/00												1 of 1		
sheet		revision		R	R	R	R	R	R	R	R	R							
index		sheet		1	2	3	4	5	6	7	8	9	10	11					

cage code 22526

Pro/E

3


4

PDM: Rev:R


STATUS: Released

Printed: May 16, 2009

This document is the property of and embodies
 CONFIDENTIAL and PROPRIETARY information of FCI.
 No part of the information shown on this
 document may be used in any way or disclosed
 to others without the written consent of FCI.
 Copyright FCI.



REQUIRED PC BOARD LAYOUT
 COMPONENT SIDE
 SEE PRINT 58351 FOR
 ADDITIONAL PCB INFORMATION

mat'l code				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com		
lfr	ecn no.	dr	date	linear	0.X ±0.3		COPY		title METRAL SIGNAL HEADER 4 ROW PRESS-FIT, NO KEYWELL	
R					0.XX ±0.13		projection			
					.XXX ±.051					
				angles	0° ±2°				product family METRAL	
				dr	T.BURNGARD	11/19/99				size A
				enr	M.STRAWER	11/19/99				
				chr	M.STRAWER	11/19/99	sheet 2			
				appd	M.STRAWER	02/29/00				
sheet index	revision sheet									

cage code 22526

Pro/E

PDM: Rev:R

STATUS: Released

Printed: May 16, 2009



PRODUCT NUMBER	DESCRIPTION	PLATING IN PRESS FIT TAIL AREA	PERFORMANCE LEVEL OF PLATING IN CONTACT AREA
58355-NIYY	STANDARD	TIN LEAD	TELCORDIA CO (NXT)
58355-N5YY	STANDARD	TIN LEAD	TECORDIA UE (NXT)
58355-IYY	STANDARD	TIN LEAD	TELCORDIA CO
58355-2YY	STANDARD	TIN LEAD	TELECOM CLASS
58355-3YY	STANDARD	TIN LEAD	IEC CLASS I
58355-5YY	STANDARD	TIN LEAD	TELCORDIA UE
58355-9YY	STANDARD	TIN LEAD	TELCORDIA CO
58355-NIYYLF	LEAD FREE	TIN	TELCORDIA CO (NXT), IEC CLASS I, SEE NOTES 9 AND 10
58355-N5YYLF	LEAD FREE	TIN	TECORDIA UE (NXT) SEE NOTES 9 AND 10
58355-IYYLF	LEAD FREE	TIN	TELCORDIA CO, IEC CLASS I, SEE NOTES 9 AND 10
58355-2YYLF	LEAD FREE	TIN	TELECOM CLASS, SEE NOTES 9 AND 10
58355-5YYLF	LEAD FREE	TIN	TELCORDIA UE, SEE NOTES 9 AND 10

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCJ www.fcjconnect.com					
lfr	ecn no.	dr	date	linear	0.X ±0.3	projection	COPY	title	METRAL SIGNAL HEADER 4 ROW PRESS-FIT, NO KEYWELL				
R					0.XX ±0.13								
					.XXX ±.051								
				angles	0° ±2°			product family	METRAL				
				dr	T.BURNGARD					11/19/99	size	dwg no	code
				enr	M.STRAWSE					11/19/99			
				chr	M.STRAWSE	11/19/99							
				appd	M.STRAWSE	02/29/00	scale	1/1	A	58355	213		
sheet	revision												
index	sheet												



NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL:
PHOSPHOR BRONZE.
4. PLATING ON: PRESS-FIT TAIL AREA SEE PRODUCT NUMBER
TABLE. PLATING ON CONTACT AREA CONFORMS TO
PERFORMANCE LEVEL SHOWN IN TABLE ON SHEET3.
5. PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
7. PRODUCT SPECIFICATION:
GS-12-180
APPLICATION SPECIFICATION:
BUS-20-073
8. AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
9. THE PRODUCTS WHERE THE PART NUMBERS ENDS IN
LF MEET THE EUROPEAN UNION DIRECTIVE AND OTHER
COUNTRY REGULATIONS AS DESCRIBED IN GS-12-008.
10. ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS
CONTAINING 58355-N1--- OR 58355-N5--- WILL WITHSTAND
EXPOSURE TO 260 DEGREES C FOR 60 SECONDS IN A
CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
PART NUMBERS 58355-N1--- AND 58355-N5--- WILL NOT
WITHSTAND REFLOW AND THE Au CONTACT SURFACE OF
THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140
DEGREES C FOR NO LONGER THAN 15 SECONDS IN A
WAVE SOLDER APPLICATION.

KEY

CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
19	8.00	4.30
40	5.00	15.60
41	6.50	15.60
61	6.50	11.80

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com					
ltr	ecn no.	dr	date	linear	0.X ±0.3	projection	COPY	title	METRAL SIGNAL HEADER 4 ROW PRESS-FIT, NO KEYWELL				
R					0.XX ±0.13								
					.XXX ±.051								
					0° ±2°								
				angles	0° ±2°		MM	product family	METRAL				
				dr	T.BURNGARD					11/19/99	size	dwg no	code
				enrg	M.STRAWSE					11/19/99			
				chr	M.STRAWSE					11/19/99			
				appd	M.STRAWSE	02/29/00	A	58355	sheet 4				
sheet	revision									scale	1/1	cage code	22526
index	sheet												



1		2		3		4			
METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. I						
			ROW	1	2	3	4	5	6
			D	1	1	1	1	1	1
			C	1	1	1	1	1	1
58355-X01 AND 58355-X01LF	11.93	10.00	B	1	1	1	1	1	1
			A	1	1	1	1	1	1
METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. I						
			ROW	1	2	3	4	5	6
			D	19	19	-	3	-	-
			C	19	19	-	3	-	-
58355-X06 AND 58355-X06LF	11.93	10.00	B	19	19	-	3	-	-
			A	19	19	-	3	-	-
METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. I						
			ROW	1	2	3	4	5	6
			D	1	1	1	1	1	1
			C	1	1	1	1	1	1
58355-X11 AND 58355-X11LF	11.93	10.00	B	1	1	1	1	1	1
			A	3	3	3	3	3	3
METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. I						
			ROW	1	2	3	4	5	6
			D	3	3	3	3	3	3
			C	3	3	3	3	3	3
58355-X02 AND 58355-X02LF	11.93	10.00	B	3	3	3	3	3	3
			A	3	3	3	3	3	3
METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. I						
			ROW	1	2	3	4	5	6
			D	5	5	5	5	5	5
			C	5	5	5	5	5	5
58355-X03 AND 58355-X03LF	11.93	10.00	B	5	5	5	5	5	5
			A	5	5	5	5	5	5
METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. I						
			ROW	1	2	3	4	5	6
			D	19	19	1	1	1	1
			C	19	19	1	1	1	1
58355-X08 AND 58355-X08LF	11.93	10.00	B	19	19	1	1	1	1
			A	19	19	1	1	1	1
METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. I						
			ROW	1	2	3	4	5	6
			D	19	19	1	1	1	1
			C	19	19	1	1	1	1
58355-X09 AND 58355-X09LF	11.93	10.00	B	19	19	1	1	1	1
			A	19	19	1	1	1	1
METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. I						
			ROW	1	2	3	4	5	6
			D	6	1	6	1	6	1
			C	6	1	6	1	6	1
58355-X10 AND 58355-X10LF	11.93	10.00	B	6	1	6	1	6	1
			A	6	1	6	1	6	1

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCJ	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY		www.fciconnect.com	
R				linear	0.XX ±0.13	projection		title	
				angles	.XXX ±.051			METRAL SIGNAL HEADER	
				dr	0° ±2°			4 ROW PRESS-FIT, NO KEYWELL	
				enr	T.BURNGARD 11/19/99	MM		product family	
				chr	M.STRAWSE 11/19/99	scale		METRAL	
				appd	M.STRAWSE 02/29/00	1/1		code	
sheet		revision				A		213	
index		sheet						sheet	
								5	
								cage code	
								22526	
								4	

[illegible][illegible][illegible]

METRAL P/N	DIM C	DIM D	ROW	CONTACT CODE MOD. 1						MOD. 2					
				1	2	3	4	5	6	7	8	9	10	11	12
58355-X27 AND 58355-X27LF	23.93	22.00	D	-	1	1	1	-	1	-	1	-	1	-	1
			C	1	-	1	-	1	-	1	-	1	-	1	-
			B	-	1	1	1	-	1	-	1	-	1	-	1
			A	3	-	3	-	1	-	1	-	1	-	1	-

METRAL P/N	DIM C	DIM D	ROW	CONTACT CODE MOD. 1						MOD. 2					
				1	2	3	4	5	6	7	8	9	10	11	12
58355-X23 AND 58355-X23LF	23.93	22.00	D	1	2	2	2	2	3	1	3	2	2	2	1
			C	1	2	2	2	2	3	1	3	2	2	2	1
			B	1	2	2	2	2	3	1	3	2	2	2	1
			A	1	2	2	2	2	3	1	3	2	2	2	1

[illegible][illegible][illegible][illegible][illegible]

This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

mat'l code				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0. X $\pm$ 0.3	projection 	title METRAL SIGNAL HEADER 4 ROW PRESS-FIT, NO KEYWELL		
R					0. XX $\pm$ 0.13				
				angles	.XXX $\pm$.051				
					0° $\pm$ 2°				
		dr		T. BURNGARD	11/19/99	MM  scale 1/1	product family	METRAL	code
		enrg		M. STRAWSER	11/19/99		size	dwg no	213
		chr		M. STRAWSER	11/19/99		A	58355	sheet
		appd		M. STRAWSER	02/29/00				6
sheet index	revision sheet								



12

METRAL P/N	DIM C	DIM D	ROW	CONTACT CODE MOD. 1						MOD. 2				MOD. 3				MOD. 4								
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
58355-X41 AND 58355-X41LF	47.93	46.00	D	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			C	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			B	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			A	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

METRAL P/N	DIM C	DIM D	ROW	CONTACT CODE MOD. 1						MOD. 2				MOD. 3				MOD. 4								
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
58355-X42 AND 58355-X42LF	47.93	46.00	D	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
			C	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
			B	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
			A	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5

METRAL P/N	DIM C	DIM D	ROW	CONTACT CODE MOD. 1						MOD. 2				MOD. 3				MOD. 4								
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
58355-X43 AND 58355-X43LF	47.93	46.00	D	7	6	6	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	6	6	7
			C	7	6	6	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	6	6	7
			B	7	6	6	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	6	6	7
			A	7	6	6	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	6	6	7

METRAL P/N	DIM C	DIM D	ROW	CONTACT CODE MOD. 1						MOD. 2				MOD. 3				MOD. 4							
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
58355-X44 AND 58355-X44LF	47.93	46.00	D	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	3
			C	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	3
			B	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	3
			A	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	3

METRAL P/N	DIM C	DIM D	ROW	CONTACT CODE MOD. 1						MOD. 2				MOD. 3				MOD. 4								
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
58355-X45 AND 58355-X45LF	47.93	46.00	D	5	7	6	6	6	6	6	6	6	6	6	5	7	6	6	6	6	6	6	6	7	5	5
			C	5	7	6	6	6	6	6	6	6	6	6	5	7	6	6	6	6	6	6	6	7	5	5
			B	5	7	6	6	6	6	6	6	6	6	6	5	7	6	6	6	6	6	6	6	7	5	5
			A	5	7	6	6	6	6	6	6	6	6	6	5	7	6	6	6	6	6	6	6	7	5	5

3

METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. 1						MOD. 2				MOD. 3				MOD. 4									
			ROW	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
58355-X46 AND 58355-X46LF	47.93	46.00	D	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
			C	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
			B	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
			A	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2

METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. 1						MOD. 2				MOD. 3				MOD. 4									
			ROW	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
58355-X47 AND 58355-X47LF	47.93	46.00	D	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
			C	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
			B	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
			A	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. 1						MOD. 2				MOD. 3				MOD. 4									
			ROW	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
58355-X48 AND 58355-X48LF	47.93	46.00	D	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
			C	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
			B	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
			A	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7

METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. 1						MOD. 2				MOD. 3				MOD. 4									
			ROW	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
58355-X49 AND 58355-X49LF	47.93	46.00	D	-	1	-	-	-	1	-	1	-	-	-	1	-	1	1	-	1	-	1	-	1	-	1
			C	1	-	-	-	1	-	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-
			B	-	1	-	-	-	1	-	1	-	-	-	1	-	1	1	-	1	-	1	-	1	-	1
			A	1	-	1	-	1	-	-	-	1	-	1	-	3	-	3	-	1	-	1	-	1	-	1

METRAL P/N	DIM C	DIM D	CONTACT CODE MOD. 1						MOD. 2				MOD. 3				MOD. 4									
			ROW	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
58355-X50 AND 58355-X50LF	47.93	46.00	D	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-
			C	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1
			B	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
			A	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1


mat'l code				- -		tolerances unless otherwise specified		CUSTOMER		FCJ		www.fcjconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3		COPY		projection	title		METRAL SIGNAL HEADER	
R					0.XX ±0.13		4 ROW PRESS-FIT, NO KEYWELL						
					.XXX ±.051								
				angles	0° ±2°		MM		product family		METRAL		
				dr	T.BURNARD	11/19/99	scale		size		dwg no		
				enrg	M.STRAWER	11/19/99	1/1		A		58355		
				chr	M.STRAWER	11/19/99					213		
				appd	M.STRAWER	02/29/00					sheet		
sheet		revision										7	
index		sheet											



METRAL P/N	DIM C	DIM D	ROW	CONTACT CODE MOD. 1						MOD. 2						MOD. 3						MOD. 4					
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
58355-X51 AND 58355-X51LF	47.93	46.00	D	-	1	-	1	-	1	-	1	-	-	1	-	1	1	1	-	1	-	1	-	1	-	1	
			C	1	-	-	1	1	-	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1	-	1
			B	-	1	-	-	-	1	-	1	-	-	-	1	-	1	1	1	-	1	-	1	-	1	-	1
			A	1	-	1	-	1	-	-	1	-	1	-	3	-	3	-	1	-	1	-	1	-	1	-	1

METRAL P/N	DIM C	DIM D	ROW	CONTACT CODE MOD. 1						MOD. 2						MOD. 3						MOD. 4					
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
58355-X52 AND 58355-X52LF	47.93	46.00	D	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
			C	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
			B	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	
			A	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	

METRAL P/N	DIM C	DIM D	ROW	CONTACT CODE MOD. 1						MOD. 2						MOD. 3						MOD. 4					
				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
58355-X53 AND 58355-X53LF	47.93	46.00	D	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	
			C	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	
			B	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	
			A	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	61	

mat'l code				--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com				
ltr	ecn no.	dr	date	linear	0.X ±0.3		projection	COPY						
R					0.XX ±0.13									
					.XXX ±.051									
				angles	0° ±2°			scale	1/1		product family		METRAL	code
			dr	T.BURNGARD	11/19/99	size					dwg no	213		
			enr	M.STRAWSE	11/19/99	A					58355	sheet		
			chr	M.STRAWSE	11/19/99						8			
			appd	M.STRAWSE	02/29/00									
sheet index		revision sheet												



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.