



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JEREMY.ZHANG 01AUG2018		 TE Connectivity	
		CHK GINO.YAO 01AUG2018			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME H16B-TSB/TGB/TGBH/TSBH/TFBH-M/PG	
		0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-			
MATERIAL - -		FINISH - -		APVD CHRIS.WANG 01AUG2018 PRODUCT SPEC 108-137013 APPLICATION SPEC 114-137013	
		WEIGHT -		SIZE A2	CAGE CODE 00779
				DRAWING NO C-T12X01621XX000	
				RESTRICTED TO -	
Customer Drawing				SCALE 1:1	SHEET 2 OF 3
				REV A2	

D

D

C





C

B




B

A

A



TYPE 5: HIGH CONSTRUCTION, TOP & FRONT ENTRY
WITH STEEL DOUBLE LOCKING
OTHER SPEC REFER TO TYPE 4
类型5：高结构，顶出和前出，带彩锌双扣，其它规格参照类型4

T1290162929-000	HI6B-TGBH/TFBH-PG29/PG29	HI6B HOOD, TOP AND FRONT ENTRY PG29, METAL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY HI6B上壳, 顶出和前出PG29, 彩锌双扣, 高结构, 灰色粉末喷涂	PG29	PG29	TYPE5 类型5																											
PART NUMBER 料号	PART DESCRIPTION 描述		PG/M THREAD 1 PG/M 螺纹孔1	PG/M THREAD 2 PG/M 螺纹孔2	TYPE 类型																											
THIS DRAWING IS A CONTROLLED DOCUMENT. <table><tr><td>DIMENSIONS: mm</td><td>TOLERANCES UNLESS OTHERWISE SPECIFIED:</td><td>DWN JEREMY.ZHANG 01AUG2018 CHK GINO.WANG 01AUG2018 APVD CHRIS.WANG 01AUG2018</td><td colspan="3" rowspan="2"> TE Connectivity NAME HI6B-TSB/TGB/TGBH/TSBH/TFBH-M/PG </td></tr><tr><td></td><td>0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±- FINISH</td><td>PRODUCT SPEC 108-137013 APPLICATION SPEC 114-137013</td></tr><tr><td>MATERIAL - -</td><td>- -</td><td>WEIGHT -</td><td>SIZE A2</td><td>CAGE CODE 00779</td><td>DRAWING NO C-T12X01621XX000</td><td>RESTRICTED TO -</td></tr><tr><td colspan="3">Customer Drawing</td><td>SCALE 1:1</td><td>SHEET 3 OF 3</td><td>REV A2</td></tr><tr><td colspan="3"></td><td colspan="3"></td></tr></table>		DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN JEREMY.ZHANG 01AUG2018 CHK GINO.WANG 01AUG2018 APVD CHRIS.WANG 01AUG2018	TE Connectivity NAME HI6B-TSB/TGB/TGBH/TSBH/TFBH-M/PG				0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±- FINISH	PRODUCT SPEC 108-137013 APPLICATION SPEC 114-137013	MATERIAL - -	- -	WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C-T12X01621XX000	RESTRICTED TO -	Customer Drawing			SCALE 1:1	SHEET 3 OF 3	REV A2									
		DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN JEREMY.ZHANG 01AUG2018 CHK GINO.WANG 01AUG2018 APVD CHRIS.WANG 01AUG2018				TE Connectivity NAME HI6B-TSB/TGB/TGBH/TSBH/TFBH-M/PG																								
			0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±- FINISH	PRODUCT SPEC 108-137013 APPLICATION SPEC 114-137013																												
		MATERIAL - -	- -	WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C-T12X01621XX000	RESTRICTED TO -																								
		Customer Drawing			SCALE 1:1	SHEET 3 OF 3	REV A2																									



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.