



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

Table of Contents

Introduction	2
T200-Ident-Printer (Thermal Transfer)	3
Cable Identification markers	3
T200-Ident-Printer (Thermal Transfer)	4
Cable Identification Continuous Tube.....	4
T200-Ident-Printer (Thermal Transfer)	5
Labels.....	5
T208M-Printer and T212M-Printer (Thermal Transfer) (Printer Discontinued)	6
Cable Identification markers	6
Labels.....	6
T200-Label-Printer (Thermal Transfer)	7
Labels (Only)	7
TE3112-Printer (Recommended) and TE3124-Printer (On request) (Thermal Transfer)	8
Cable Identification markers	8
TE3112-Printer (Recommended) and TE3124-Printer (On request) (Thermal Transfer)	9
Cable Identification Continuous Tube.....	9
TE3112-Printer and TE3124-Printer (Thermal Transfer).....	10
Labels.....	10
T312M-Printer (Printers Discontinued) and T312Mi-Printer (Thermal Transfer)	11
Cable Identification markers	11
T312M-Printer and T312Mi-Printer (Thermal Transfer).....	12
Labels.....	12
T6112DS-Printer (Thermal Transfer)	12
T6112DS-Printer (Thermal Transfer)	14
Cable Identification Markers and Continuous Tube	14
T612M-DS-Printer (Thermal Transfer) (Printer Discontinued)	15
TTD03E / TTD04E / TTD05E / TTD06E-Printer (Printer Discontinued)	16
(Thermal Transfer)	16
Labels (only).....	16
TTD03E / TTD04E / TTD05E / TTD06E-Printer (Printer Discontinued)	17
(Thermal Transfer)	17
Labels (only).....	17
TTP5200 / TTP5300 Printer (Thermal Transfer) (Printer Discontinued)	18
TTP5200 / TTP5300 Printer (Thermal Transfer) (Printer Discontinued)	19
T408M-Printer (Thermal Transfer) (Printer Discontinued).....	20
T308S / T312S-Printer (Thermal Transfer) (Printer Discontinued).....	21
Labels (only).....	21
T2000CT-Printer (Thermal Transfer) (Printer Discontinued).....	22

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 1 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

LQ870 (Dot Matrix) (Printer Discontinued).....	23
LQ590 (Dot Matrix)	23
Lexmark 2390 (Dot Matrix) (Printer Discontinued).....	24
AM6310 / AM6310D (Dot Matrix) (Printer Discontinued)	24
OKI-380 (Dot Matrix) (Printer Discontinued)	25
Epson WF-R5190DW (Inkjet)	26
Epson B-310N (Inkjet) (Printer Discontinued)	26
Epson Stylus Photo R285 (Inkjet) (Printer Discontinued).....	26
Epson Stylus Colour 1520 (Inkjet) (Printer Discontinued).....	26
BTT-02 (card printer)	27
Ribbon ordering details	28
Cable Identification markers (25.4MM ID core)	28
Cable Identification markers (12.7MM ID core)	28
Labels (25.4MM ID core).....	29
Labels (12.7MM ID core).....	29
BTT-02 (card printer)	30
Dot Matrix Inks ordering details	30
Trademarks.....	30
Related Documents:	30

Introduction

It is essential that the combination of Printers, Products and Ribbons or Inks are correct, to ensure the best print quality and mark permanence. Each combination of Printer, Product, Ribbon and Ink have been evaluated for Print quality and tested for mark permanence. Any deviation from the information contained in this document will invalidate any assurances of print quality and mark permanence.

This document supersedes all previous documents detailing Identification printer, ribbon and product combinations.

When selecting a ribbon width, it is essential that the ribbon width covers the entire area of the label, to avoid missed print and damage to the print head.

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 2 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T200-Ident-Printer (Thermal Transfer)

Cable Identification markers

COMPATIBLE PRODUCTS	STANDARD RIBBON
CM-SCE-TP	1966-RIBBON
D-SCE	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE	1966-RIBBON (For Superior performance)
HLXNEL	1966-RIBBON
HS	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
HS	1966-RIBBON (For Superior performance)
HS	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)
HT-SCE	TMS-RJS-RIBBON-4HT
HT-SCE (Black)	T300-RIBBON-WH-4HT
HX-SCE	1966-RIBBON
MultiMark	TMS-RJS-RIBBON-4RPSCE
RPS	TMS-RJS-RIBBON-4RPSCE
RTSL	TMS-RJS-RIBBON-4RPSCE
Shrinkmark	TMS-RJS-RIBBON-4RPSCE
NBC-SCE	TMS-RJS-RIBBON-4HT
TMS-SCE and TMS-SCE 2X	TMS-RJS-RIBBON-4RPSCE
TMS-SCE (Black)	TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White)
TMS-90-SCE	1966-RIBBON
ZHD-SCE	1966-RIBBON
ZTSL	1966-RIBBON

When printing CM-SCE-TP, the smooth side of the marker must be used to print onto when using a Thermal Transfer printer.

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 3 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T200-Ident-Printer (Thermal Transfer)

Cable Identification Continuous Tube

COMPATIBLE PRODUCTS	STANDARD RIBBON
D-SCE-FLAT-SP Sizes 38.1 and above	1966-RIBBON
D-SCE-FLAT-SP Sizes 25.0 and below	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)
E4	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
E4	1966-RIBBON (For Superior performance)
HXCT Sizes 25.4 and below	LBF-2000P-RIBBON-1966-MED
HXCT Sizes 25.4 and above	1966-RIBBON
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7	2000P-RIBBON-4TT-NAR
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4	2000P-RIBBON-4TT-MED
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above	TMS-RJS-RIBBON-4RPSCE
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black)	2000P-RIBBON-4AG-NAR (Silver), 2000P-RIBBON-WH-NAR (White)
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black)	2000P-RIBBON-4AG-MED (Silver), 2000P-RIBBON-WH-MED (White)
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above (Black)	TMS-RJS-RIBBON-4AG (Silver), T300-RIBBON-WH (White)
WM-SCE	LBF-2000P-RIBBON-1966-MED
ZHDCT Sizes 38.1 and above	1966-RIBBON
ZHDCT Sizes 25.0 and below	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 4 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T200-Ident-Printer (Thermal Transfer)

Labels

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-10
Destructible Polyethylene (TN)	1330-0607-10
EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL	For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300
HPK	1330-0607-10
IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...PY-9 EET...V-8A EET...G-4 EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4 PPT...DF-9 KTT	For labels with liner width of 60mm or smaller: TTB-060SC/450AQ529 For labels with liner width of 90mm to 60mm: TTB-090SC/360-AQ529 For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529
Kapton® polyimide (T1K/T2K)	1330-0619-10
Nylon cloth (NC)	1330-0607-10
Paper (EP)	1330-0600-10
Polyesters (WP/MP/CP/HW/HM/MV/HMM)	1330-0607-10
SB Plus	TMS-RJS-RIBBON-4RPSCE
SP	1330-0607-10
Tedlar® polyvinyl fluoride (TTVF/PVF)	1330-3300-10
WV	1330-0607-10
WPM	1330-0607-10

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 5 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T208M-Printer and T212M-Printer (Thermal Transfer) (Printer Discontinued)

Cable Identification markers

COMPATIBLE PRODUCTS	STANDARD RIBBON
D-SCE	TMS-101-RIBBON-4DSCE
HLXNEL*	T200-RIBBON-1966
HPK	1330-0607-T200
HT-SCE	TMS-101-RIBBON-4HT
HT-SCE (Black)	T200-RIBBON-WH-4HT
HX-SCE*	T200-RIBBON-1966
NBC-SCE	TMS-101-RJS-RIBBON-4HT
RPS	TMS-101-RIBBON-4RPSCE
Shrinkmark	TMS-101-RIBBON-4RPSCE
TMS-SCE and TMS-SCE 2X	TMS-101-RIBBON-4RPSCE
TMS-SCE (Black)	TMS-101-RIBBON-4AG (silver) T200-RIBBON-WH (White)
TMS-90-SCE*	T200-RIBBON-1966

Labels

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-T200
Destructible Polyethylene (TN)	1330-0607-T200
EP Paper Labels	1330-0600-T200
Kapton® polyimide (T1K/T2K/TSK/T2Y)	1330-0619-T200
Nylon Cloth (NC)	1330-0607-T200
Polyesters (WP/MP/HW/HM/MV/HMM)	1330-0607-T200
Self Lams (SBP)	TMS-101-RIBBON-4RPSCE
Self Lams (PVF)	1330-3300-101TT
Self Lams (SP)	1330-0607-T200
Tedlar® polyvinyl fluoride (TTVF/PVF)	1330-3300-101TT
White Vinyl (WV)	1330-0607-T200

* HX-SCE, HLXNEL & TMS-90-SCE for T212M only

Note: T208M-PRINTER has been superseded by T200-LABEL-PRINTER, for label products only.

Note: T212M-PRINTER has been superseded by the T200-IDENT-PRINTER, for both Label and cable Ident products.

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 6 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T200-Label-Printer (Thermal Transfer)

Labels (Only)

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-T200
Destructible Polyethylene (TN)	1330-0607-T200
EET (P-8A, P-9, P-4)	1330-TTB-T200
EET (PY-9)	1330-TTB-T200
EET (G-4)	1330-TTB-T200
EET (V-8A, V-4-W, SL...V-4-W)	1330-TTB-T200
EET (V-9)	1330-TTB-T200
EET (K-9)	1330-TTB-T200
HPK	1330-0607-T200
Kapton (T1K/T2K)	1330-0619-T200
KTT	1330-TTB-T200
Nylon Cloth (NC)	1330-0607-T200
Paper (EP)	1330-0600-T200
Polyesters (WP/MP/HW/HM/MV/HMM)	1330-0607-T200
PPT	1330-TTB-T200
Self Lams (SBP)	TMS-101-RIBBON-4RPSCE
Self Lams (PVF)	1330-3300-101TT
Self Lams (SP)	1330-0607-T200
SOLAR LABELS	1330-0607-T200
Tedlar (TTVF/PVF)	1330-3300-101TT
White Vinyl (WV)	1330-0607-T200

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 7 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TE3112-Printer (Recommended) and TE3124-Printer (On request) (Thermal Transfer)

Cable Identification markers

COMPATIBLE PRODUCTS	STANDARD RIBBON
CM-NMX (TE3112 only)	1330-3300-10
CM-SCE-TP	1966-RIBBON
D-SCE	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE	1966-RIBBON (For Superior performance)
HL	1966-RIBBON (For Superior performance)
HL	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
HLX	1966-RIBBON
HLX	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)
MultiMark	TMS-RJS-RIBBON-4RPSCE
HTCM-SCE-TP	TMS-RJS-RIBBON-4HT
HT-SCE	TMS-RJS-RIBBON-4HT
HT-SCE (Black)	T300-RIBBON-WH-4HT
HS/HC	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
HS/HC	1966-RIBBON (For Superior performance)
HS/HC	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)
HX	1966-RIBBON
HX-SCE	1966-RIBBON
NBC-SCE	TMS-RJS-RIBBON-4HT
NCM-SCE-TP	1966-RIBBON
NHT-SCE	TMS-RJS-RIBBON-4HT
RPS	TMS-RJS-RIBBON-4RPSCE
RTSL	TMS-RJS-RIBBON-4RPSCE
Shrinkmark	TMS-RJS-RIBBON-4RPSCE
TMS-SCE and TMS-SCE 2X	TMS-RJS-RIBBON-4RPSCE
TMS-SCE (Black)	TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White)
TMS-90-SCE	1966-RIBBON
UV-SCE	T300-UV-SCE-RIBBON
ZHD-SCE	1966-RIBBON
ZTSL	1966-RIBBON

When printing CM-SCE-TP, CM-NMX, NCM-SCE-TP or HTCM-SCE-TP, the smooth side of the marker must be used to print onto, when using a Thermal Transfer printer.

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 8 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TE3112-Printer (Recommended) and TE3124-Printer (On request) (Thermal Transfer)

Cable Identification Continuous Tube

COMPATIBLE PRODUCTS	STANDARD RIBBON
D-SCE-SP	TMS-RJS-RIBBON-4DSCE
D-SCE-FLAT-SP Sizes 25.0 and below	LBF-2000P-RIBBON-1966-MED
D-SCE-FLAT-SP Sizes 38.1 and above	1966-RIBBON
HXCT Sizes 25.4 and below	LBF-2000P-RIBBON-1966-MED
E4	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
E4	1966-RIBBON (For Superior performance)
HXCT Sizes 25.4 and above	1966-RIBBON
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7	2000P-RIBBON-4TT-NAR
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4	2000P-RIBBON-4TT-MED
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above	TMS-RJS-RIBBON-4RPSCE
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black)	2000P-RIBBON-4AG-NAR (Silver), 2000P-RIBBON-WH-NAR (White)
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black)	2000P-RIBBON-4AG-MED (Silver), 2000P-RIBBON-WH-MED (White)
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above (Black)	TMS-RJS-RIBBON-4AG (Silver), T300-RIBBON-WH (White)
WM-SCE	LBF-2000P-RIBBON-1966-MED
ZHDCT sizes 38.1	1966-RIBBON
ZHDCT sizes 25.4 and bellow	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 9 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TE3112-Printer and TE3124-Printer (Thermal Transfer)

Labels

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-10
Destructible Polyethylene (TN)	1330-0607-10
EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL	For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300
IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...G-4 EET...PY-9 EET...V-8A EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4, DF-9 KTT	For labels with liner width of 60mm or smaller : TTB-060SC/450AQ529 For labels with liner width of 90mm to 60mm: TTB-090SC/360-AQ529 For labels with liner width of 110mm to 90mm: TTB-114SC/360AQ529
HPK	1330-0607-10
Kapton® polyimide (T1K/T2K/TSK/T2Y)	1330-0619-10
KMT	TTB-110SC/300WH
Nylon Cloth (NC)	1330-0607-10
Paper (EP)	1330-0600-10
Polyesters (WP/MP/CP/HW/HM/MV/HMM)	1330-0607-10
Self Lams (SBP)	TMS-RJS-RIBBON-4RPSCE
Self Lams (PVF)	1330-3300-10
Self Lams (SP)	1330-0607-10
SOLAR LABELS	1330-0607-10
TP Tape	1330-0607-10
Tedlar® polyvinyl fluoride (TTVF/PVF)	1330-3300-10
White Vinyl (WV)	1330-0607-10

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 10 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T312M-Printer (Printers Discontinued) and T312Mi-Printer (Thermal Transfer)

Cable Identification markers

COMPATIBLE PRODUCTS	STANDARD RIBBON
CM-NMX	1330-3300-10
CM-SCE-TP	1966-RIBBON
D-SCE	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE	1966-RIBBON (For Superior performance)
¹ HL	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
¹ HL	1966-RIBBON (For Superior performance)
HLX	1966-RIBBON
HS/HC	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
HS/HC	1966-RIBBON (For Superior performance)
HTCM-SCE-TP	TMS-RJS-RIBBON-4HT
HT-SCE	TMS-RJS-RIBBON-4HT
HT-SCE (Black)	T300-RIBBON-WH-4HT (white)
HX	1966-RIBBON
HX-SCE	1966-RIBBON
NBC-SCE	TMS-RJS-RIBBON-4HT
NCM-SCE-TP	1966-RIBBON
NHT-SCE	TMS-RJS-RIBBON-4HT
RPS	TMS-RJS-RIBBON-4RPSCE
Shrinkmark	TMS-RJS-RIBBON-4RPSCE
TMS-SCE and TMS-SCE-2X	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
* TMS-SCE and TMS-SCE 2X	*1966-RIBBON (For Superior performance)
TMS-SCE (Black)	TMS-RJS-RIBBON-4AG (silver) T300-RIBBON-WH (White)
TMS-90-SCE	1966-RIBBON
UV-SCE	T300-UV-SCE-RIBBON
ZHD-SCE	1966-RIBBON

¹Note: HL sizes HL253 and HL203 can be printed on TE3112 only

Note: T312M is superseded by the T312Mi

*Note: When printing with 1966-RIBBON. Select High energy and half speed check boxes. This feature is only available in WinTotal 5.4.03 or higher

When printing CM-SCE-TP, HTCM-SCE-TP, NCM-SCE-TP or CM-NMX, the smooth side of the marker must be used to print onto, when using a Thermal Transfer printer.

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 11 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T312M-Printer and T312Mi-Printer (Thermal Transfer)

Labels

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-10
Destructible Polyethylene (TN)	1330-0607-10
HPK	1330-0607-10
Kapton® polyimide (T1K/T2K/TSK/T2Y)	1330-0619-10
Nylon Cloth (NC)	1330-0607-10
Paper (EP)	1330-0600-10
Polyesters (WP/MP/CP/HW/HM/MV/HMM)	1330-0607-10
Self Lams (SBP)	TMS-RJS-RIBBON-4RPSCE
Self Lams (PVF)	1330-3300-10
Self Lams (SP)	1330-0607-10
Tedlar® polyvinyl fluoride (TTVF/PVF)	1330-3300-10
TP Tape	1330-0607-10
White Vinyl (WV)	1330-0607-10

T6112DS-Printer (Thermal Transfer)

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 12 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

Cable Identification Markers and Continuous Tube

COMPATIBLE PRODUCTS	STANDARD RIBBON
D-SCE	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE	1966-RIBBON (For Superior performance)
D-SCE-SP	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE-SP	1966-RIBBON (For Superior performance)
D-SCE-SP	LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less).
D-SCE-FLAT-SP Sizes 38.1 and above	1966-RIBBON
D-SCE-FLAT-SP Sizes 25.0 and below	LBF-2000P-RIBBON-1966-MED
E4	TMS-RJS-RIBBON-4RPSCE (For Optimal performance)
E4	1966-RIBBON (For Superior performance)
HT-SCE	TMS-RJS-RIBBON-4HT
HXCT Sizes 25.4 and below	LBF-2000P-RIBBON-1966-MED
HXCT, sizes 38.1 and above	1966-RIBBON
HX-SCE	1966-RIBBON
NBC-SCE	TMS-RJS-RIBBON-4HT
NHT-SCE	TMS-RJS-RIBBON-4HT
RPS	TMS-RJS-RIBBON-4RPSCE
RTSL	TMS-RJS-RIBBON-4RPSCE
Shrinkmark	TMS-RJS-RIBBON-4RPSCE
TMS-SCE (2X)	TMS-RJS-RIBBON-4RPSCE
TMS-SCE (Black)	TMS-RJS-RIBBON-4AG (Silver) T300-RIBBON-WH (White)
TMS-90-SCE	1966-RIBBON
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7	2000P-RIBBON-4TT-NAR
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4	2000P-RIBBON-4TT-MED
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above	TMS-RJS-RIBBON-4RPSCE
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7 (Black)	2000P-RIBBON-4AG-NAR (Silver), 2000P-RIBBON-WH-NAR (White)
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4 (Black)	2000P-RIBBON-4AG-MED (Silver), 2000P-RIBBON-WH-MED (White)
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above (Black)	TMS-RJS-RIBBON-4AG (Silver), T300-RIBBON-WH (White)

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 13 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T6112DS-Printer (Thermal Transfer)

Cable Identification Markers and Continuous Tube

COMPATIBLE PRODUCTS (Continued)	STANDARD RIBBON (Continued)
ZTSL	1966-RIBBON
ZHD-SCE	1966-RIBBON
ZHDCT sizes 38.1	1966-RIBBON
ZHDCT sizes 25.4 and bellow	1966-RIBBON LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 14 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T612M-DS-Printer (Thermal Transfer) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
D-SCE	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE	1966-RIBBON (For Superior performance)
HT-SCE	TMS-RJS-RIBBON-4HT
HX-SCE	1966-RIBBON
NBC-SCE	TMS-RJS-RIBBON-4HT
RPS	TMS-RJS-RIBBON-4RPSCE
Shrinkmark	TMS-RJS-RIBBON-4RPSCE
TMS-SCE	TMS-RJS-RIBBON-4RPSCE
TMS-SCE-2X	TMS-RJS-RIBBON-4RPSCE

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 15 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TTD03E / TTD04E / TTD05E / TTD06E-Printer (Printer Discontinued)

(Thermal Transfer)

Labels (only)

COMPATIBLE PRODUCTS	STANDARD RIBBON
IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...PY-9 EET...G-4 EET...V-8A EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4 PPT...DF-9	For labels with liner width of 60mm to 40mm: TTB-060SC/450AQ529S For labels with liner width of 90mm to 76mm: TTB-090SC/36-AQ529 For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529S For labels with liner width of 114mm to 110mm: TTB-114SC/360AQ529 For labels with liner width of 166mm to 165mm: TTB-166SC/360AQ529 When "Ink in" is required delete "S" (TTB-040SC/450AQ529)
EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL	For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300 For labels with liner width of 128mm to 110mm: TTB-128SC/300 For labels with liner width of 145mm to 128mm: TTB-145SC/300 For labels with liner width of 170mm to 145mm: TTB-170SC/300

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 16 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TTD03E / TTD04E / TTD05E / TTD06E-Printer (Printer Discontinued)

(Thermal Transfer)

Labels (only)

COMPATIBLE PRODUCTS (Continued)	STANDARD RIBBON (Continued)
PPT...DF-4	For labels with liner width of 76mm or smaller: TTB-076SC/300WH
PPT...DF-9	For labels with liner width of 84mm to 76mm: TTB-084SC/300WH
KMT	For labels with liner width of 110mm to 84mm: TTB-110SC/300WH
EP	For labels with liner width of 145mm to 110mm: TTB-145SC/300WH
	For labels with liner width of 170 to 145mm: TTB-170SC/300WH

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 17 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TTP5200 / TTP5300 Printer (Thermal Transfer) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
IKT...PV-4 IKT...PY-9 IMT...PV-4 IMT...PY-9 EET...PY-9 EET...V-8A EET...G-4 EET...V-4-W EET-SL...V-4-W EET...K-9 PPT...DF-4 PPT...DF-9	For labels with liner width of 60mm to 40mm: TTB-060SC/450AQ529S For labels with liner width of 90mm to 76mm: TTB-090SC/360-AQ529 For labels with liner width of 110mm to 90mm: TTB-110SC/300AQ529S For labels with liner width of 114mm to 110mm: TTB-114SC/360-AQ529 For labels with liner width of 166mm to 165mm: TTB-166SC/360AQ529S When "Ink in" is required delete "S" (TTB-040SC/450AQ529)
EET...P-8A EET...P-9 EET...P-4 EET...V-9 SET...PSL	For labels with liner width of 60mm or smaller: TTB-060SC/300 For labels with liner width of 76mm to 60mm: TTB-076SC/300 For labels with liner width of 84mm to 76mm: TTB-084SC/300 For labels with liner width of 110mm to 84mm: TTB-110SC/300 For labels with liner width of 128mm to 110mm: TTB-128SC/300 For labels with liner width of 145mm to 128mm: TTB-145SC/300 For labels with liner width of 170mm to 145mm: TTB-170SC/300

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 18 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

TTP5200 / TTP5300 Printer (Thermal Transfer) (Printer Discontinued)

COMPATIBLE PRODUCTS (Continued)	STANDARD RIBBON (Continued)
PPT...DF-4	For labels with liner width of 76mm or smaller: TTB-076SC/300WH
PPT...DF-9	For labels with liner width of 84mm to 76mm: TTB-084SC/300WH
KMT	For labels with liner width of 110mm to 84mm: TTB-110SC/300WH
EP	For labels with liner width of 145mm to 110mm: TTB-145SC/300WH
	For labels with liner width of 170mm to 145mm: TTB-170SC/300WH

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 19 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T408M-Printer (Thermal Transfer) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-10
Destructible Polyethylene (TN)	1330-0607-10
D-SCE	TMS-RJS-RIBBON-4DSCE (For Optimal performance)
D-SCE	1966-RIBBON (For Superior performance)
HL	TMS-RJS-RIBBON-4RPSCE
HLX	1966-RIBBON
HPK	1330-0607-10
HT-SCE	TMS-RJS-RIBBON-4HT
HT-SCE (Black)	T300-RIBBON-WH-4HT
Kapton® polyimide (T1K/T2K/TSK/T2Y)	1330-0619-10
KTT	TTB-114SC/360
NBC-SCE	TMS-RJS-RIBBON-4HT
Nylon Cloth (NC)	1330-0607-10
Paper (EP)	1330-0600-10
Polyesters (WP/MP/CP/HW/HM/MV/HMM)	1330-0607-10
RPS	TMS-RJS-RIBBON-4RPSCE
Self-Lams (SBP)	TMS-RJS-RIBBON-4RPSCE
Self-Lams (PVF)	1330-3300-10
Self-Lams (SP)	1330-0607-10
Shrinmark	TMS-RJS-RIBBON-4RPSCE
Tedlar® polyvinyl fluoride (TTVF/PVF)	1330-3300-10
TMS-SCE and TMS-SCE 2X	TMS-RJS-RIBBON-4RPSCE
TMS-SCE (Black)	T300-RIBBON-WH (White) or TMS-RJS-RIBBON-4AG (Silver)
TMS-90-SCE	1966-RIBBON
TP Tape	1330-0607-10
White Vinyl (WV)	1330-0607-10

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 20 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T308S / T312S-Printer (Thermal Transfer) (Printer Discontinued)

Labels (only)

COMPATIBLE PRODUCTS	STANDARD RIBBON
Decals (TTP)	1330-0607-10
Destructible Polyethylene (TN)	1330-0607-10
HPK	1330-0607-10
Kapton® polyimide (T1K/T2K/TSK/T2Y)	1330-0619-10
KTT	TTB-114SC/360-AQ529
Nylon Cloth (NC)	1330-0607-10
Paper (EP)	1330-0600-10
Self-Lams (SBP)	TMS-RJS-RIBBON-4RPSCE
Self-Lams (PVF)	1330-3300-10
Self-Lams (SP)	1330-0607-10
Polyesters (WP/MP/CP/HW/HM/MV/HMM)	1330-0607-10
Tedlar® polyvinyl fluoride (TTVF/PVF)	1330-3300-10
TP Tape	1330-0607-10
White Vinyl (WV)	1330-0607-10

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 21 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

T2000CT-Printer (Thermal Transfer) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
D-SCE-FLAT-SP Sizes 38.1 and above	1966-RIBBON
D-SCE-FLAT-SP Sizes 25.0 and below	LBF-2000P-RIBBON-1966-MED
TTMS, TTMS-2X & TTMS-MP sizes 2.4 to 12.7	2000P-RIBBON-4TT-NAR
TTMS, TTMS-2X & TTMS-MP sizes 19.0 and 25.4	2000P-RIBBON-4TT-MED
TTMS, TTMS-2X & TTMS-MP sizes 38.1 and above	TMS-RJS-RIBBON-4RPSCE
HXCT Sizes 25.4 and below	LBF-2000P-RIBBON-1966-MED
HXCT Sizes 25.4 and above	1966-RIBBON

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 22 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

LQ870 (Dot Matrix) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
RPS	TMS-SYSTEM-SIX-RIBBON-A
D-SCE	TMS-SYSTEM-SIX-RIBBON-A
CM-SCE	TMS-SYSTEM-SIX-RIBBON-A
NCM-SCE	TMS-SYSTEM-SIX-RIBBON-A
Shrinkmark	TMS-SYSTEM-SIX-RIBBON-A
NMX (Nomex)	1330-0037-00
Raymark (RMK6)	TMS-SYSTEM-SIX-RIBBON-A
Tedlar (DMVF)	1330-0037-00
Self Lams (TW/PV)	1330-0037-00
Kapton (K)	1330-0037-00
Vinyl Cloth (C)	1300-0037-00
Polyesters (E/M)	1330-0037-00

LQ590 (Dot Matrix)

COMPATIBLE PRODUCTS	STANDARD RIBBON
RPS	TMS-LQ590-RIBBON
D-SCE	TMS-LQ590-RIBBON
CM-SCE	TMS-LQ590-RIBBON
CM-SCE	LQ590-RIBBON
NCM-SCE	TMS-LQ590-RIBBON
Shrinkmark	TMS-LQ590-RIBBON
Raymark (RMK6)	TMS-LQ590-RIBBON
Raymark (RMK6)	LQ590-RIBBON

When printing CM-SCE, NMX or NCM-SCE, the dimpled side of the marker must be used to print onto, when using a Dot Matrix printer.

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 23 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

Lexmark 2390 (Dot Matrix) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
RPS	TMS-SYSTEM-SIX-RIBBON-B
D-SCE	TMS-SYSTEM-SIX-RIBBON-B
CM-SCE	TMS-SYSTEM-SIX-RIBBON-B
NCM-SCE	TMS-SYSTEM-SIX-RIBBON-B
Shrinkmark	TMS-SYSTEM-SIX-RIBBON-B
Raymark (RMK6)	TMS-SYSTEM-SIX-RIBBON-B

AM6310 / AM6310D (Dot Matrix) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
RPS	1892BK04-RIBBON
D-SCE	
CM-SCE	
Raymark (RMK6)	
HL	
HS/HC	
MultiMark (HM)	
Shrinkmark	
NMX (Nomex)	1892BK03-HIGH-PERF-RIBBON
Tedlar (DMVF)	
Self Lams (TW/PV)	
Kapton (K)	
HX	
HX-SCE	
HLX	
Vinyl Cloth (CW)	
Polyesters (E/M)	

When printing CM-SCE, NMX or NCM-SCE, the dimpled side of the marker must be used to print onto, when using a Dot Matrix printer.

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 24 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

OKI-380 (Dot Matrix) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD RIBBON
HL	18910000-OKI380-RIBBON
HS	
HX	
MultiMark (HM)	

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 25 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

Epson WF-R5190DW (Inkjet)

COMPATIBLE PRODUCT	STANDARD INK
Raymark A4 sheets	DURA BRITE ULTRA (Epson ink)

Epson B-310N (Inkjet) (Printer Discontinued)

COMPATIBLE PRODUCT	STANDARD INK
Raymark A4 sheets	DURA BRITE ULTRA (Epson ink)

(Recommended for enhanced humidity resistance)

Epson Stylus Photo R285 (Inkjet) (Printer Discontinued)

COMPATIBLE PRODUCT	STANDARD INK
Raymark A4 sheets	Claria Photographic ink (Epson ink)

Epson Stylus Colour 1520 (Inkjet) (Printer Discontinued)

COMPATIBLE PRODUCTS	STANDARD INK
Raymark 1	Chess (Black). Abacus (Cyan, Magenta, Yellow). Epson ink
Raymark A4 Sheets	Chess (Black). Abacus (Cyan, Magenta, Yellow). Epson ink

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 26 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005

Issue: 19

Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

BTT-02 (card printer)

COMPATIBLE PRODUCTS	STANDARD RIBBON
BGS	BBB-060SC/200 (black). BBB-060WE/200 (white). BBB-060BL/200 (blue). BBB-060RT/200 (red).
BGF	
BET	
BTS	
BBK	
BBL	
BBS	
BKB	

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 27 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

Ribbon ordering details

Cable Identification markers (25.4MM ID core)

DESCRIPTION	TE PART NUMBER
1330-3300-10	980892-000
1966-RIBBON	F55931-000
LBF-2000P-RIBBON-1966-MED (For print width of 60mm or less)	6-1768383-4
2000P-RIBBON-4TT-MED	893803-000
2000P-RIBBON-4TT-NAR	277493-000
TMS-RJS-RIBBON-4DSCE	311292-000
TMS-RJS-RIBBON-4RPSCE	557721-000
TMS-RJS-RIBBON-4HT	754073-000
T300-RIBBON-WH-4HT (White)	154739-000
2000P-RIBBON-WH-MED (White)	094514-000
2000P-RIBBON-WH-NAR (White)	530304-000
TMS-RJS-RIBBON-4AG (Silver)	124503-000
2000P-RIBBON-4AG-MED	351013-000
2000P-RIBBON-4AG-NAR	346933-000
1330-0607-10	742412-000
T300-UV-SCE-RIBBON	EC8932-000

Cable Identification markers (12.7MM ID core)

DESCRIPTION	TE PART NUMBER
TMS-101-RIBBON-4DSCE	505478-000
T200-RIBBON-1966	D60849-000
1330-0607-T200	E45478-000
TMS-101-RIBBON-4HT	746617-000
T200-RIBBON-WH-4HT (White)	086961-000
TMS-101-RIBBON-4RPSCE	310109-000
TMS-101-RIBBON-4AG (Silver)	252557-000

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 28 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled*



Doc. No: 411-121005
 Issue: 19
 Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

Labels (25.4MM ID core)

DESCRIPTION	TE PART NUMBER
1330-0607-10	742412-000
TTB-060SC/300	2-1768049-6
TTB-076SC/300	3-1768049-0
TTB-084SC/300	C75514-000
TTB-110SC/300	3-1768049-6
TTB-060SC/450AQ529	2-1768049-7
TTB-090SC/360-AQ529	3-1768049-4
TTB-110SC/300AQ529	3-1768049-7
1330-0619-10	952888-000
TTB-110SC/300WH	3-1768049-8
1330-0600-10	143060-000
TMS-RJS-RIBBON-4RPSCE	557721-000
1330-3300-10 (For labels with liner width of 110mm or smaller)	980892-000
1330-3300-15 (For labels with liner width of 110mm to 165mm)	562492-000

Labels (12.7MM ID core)

DESCRIPTION	TE PART NUMBER
1330-0607-T200	E45478-000
1330-0619-T200	C49013-000
TMS-101-RIBBON-4RPSCE	310109-000
1330-3300-101TT	C95590-000
1330-TTB-T200	1-1768384-8
1330-0600-T200	C36369-000

Author: I. Ridgeway
 Print date: 7-Jul-15
 Issue date: Jul 2015:
 Page: 29 of 30

While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
 If this document is printed it becomes uncontrolled



Doc. No: 411-121005
Issue: 19
Date: July 2015

IDENTIFICATION PRINTER PRODUCT RIBBON MATRIX

BTT-02 (card printer)

DESCRIPTION	TE PART NUMBER
BBB-060SC/200 (black).	1-1768016-4
BBB-060WE/200 (white).	1-1768016-5
BBB-060BL/200 (blue).	1-1768016-1
BBB-060RT/200 (red).	1-1768016-3

Dot Matrix Inks ordering details

DESCRIPTION	TE PART NUMBER
LQ590-RIBBON	1-2186029-1
TMS-SYSTEM-SIX-RIBBON-A (Obsolete)	310347-000
TMS-SYSTEM-SIX-RIBBON-B (Obsolete)	264327-000
TMS-LQ590-RIBBON	CC3130-000
1892BK04-RIBBON (Obsolete)	D06106-000
1892BK03-HIGH-PERF-RIBBON (Obsolete)	A72722-000
18910000-OKI380-RIBBON (Obsolete)	856832-000
1330-0037-00 (Obsolete)	9-1198202-3

Trademarks

TMS, TE Connectivity (TE) logo and Tyco Electronics are trademarks of the Tyco Electronics group of companies and its licensors. Other products, logos, and Company names mentioned herein may be trademarks of their respective owners.

Kapton and Tedlar are trademarks of E I du Pont de Nemours & Company for polyimide films.

Related Documents:

404-121000 WinTotal Ribbon List
TTDS-257 Printing Ribbons and Inks

Author: I. Ridgeway
Print date: 7-Jul-15
Issue date: Jul 2015:
Page: 30 of 30

*While TE Connectivity has made every reasonable effort to ensure the accuracy of the information in this document, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this document are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.
If this document is printed it becomes uncontrolled*



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.