








PRODUCT NUMBER
85832-XYX
85832-XYXLF



mat'l code				--				tolerances unless otherwise specified				CUSTOMER				 www.fciconnect.com			
lfr	ecm no.	dr	date	linear	0.X ±0.3				COPY					title METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT					
T	V06-0569	DCH	2006-06-12		0.XX ±0.13														
U	DG09-0256	TER	2009-08-19		.XXX ±.051														
-	-	-	-	angles	0° ±2°				scale 2:1				product family METRAL				code		
N	V04-0559	HTB	06/01/04	dr	T.BRUNGARD 11/19/99								size		dwg no		213		
P	V04-1059	HTB	10/25/04	enr	M.STRAWER 11/19/99								A		85832		sheet		
R	V04-1100	DAI	01/20/05	chr	M.STRAWER 11/19/99												1 of 8		
S	V05-0235	LP	3/30/05	appd	M.STRAWER 02/29/00														
sheet index		revision		U	U	U	U	U	U	U	U	U	U	U	U	U	U		
sheet		sheet		1	2	3	4	5	6	7	8								





This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X01	E	25	25	25	25	25	25	25	25	25	25
	D	25	25	25	25	25	25	25	25	25	25
85832-X01LF	C	25	25	25	25	25	25	25	25	25	25
	B	25	25	25	25	25	25	25	25	25	25
	A	25	25	25	25	25	25	25	25	25	25

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X02	E	1	1	1	1	1	1	1	1	1	1
	D	3	3	3	3	3	3	3	3	3	3
85832-X02LF	C	19	19	19	19	19	19	19	19	19	19
	B	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X03	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X03LF	C	3	3	3	3	3	3	3	3	3	3
	B	19	19	19	19	19	19	19	19	19	19
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X04	E	3	3	3	3	3	3	3	3	3	3
	D	10	10	10	10	10	10	10	10	10	10
85832-X04LF	C	10	10	10	10	10	10	10	10	10	10
	B	9	9	9	9	9	9	9	9	9	9
	A	10	10	10	10	10	10	10	10	10	10

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X05	E	44	44	44	44	44	44	44	44	44	44
	D	22	22	22	22	22	22	22	22	22	22
85832-X05LF	C	44	44	44	44	44	44	44	44	44	44
	B	44	44	44	44	44	44	44	44	44	44
	A	45	45	45	45	45	45	45	45	45	45

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X06	E	1	1	1	1	1	1	1	1	1	1
	D	1	1	1	1	1	1	1	1	1	1
85832-X06LF	C	3	3	3	3	3	3	3	3	3	3
	B	1	1	1	1	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X07	E	19	19	19	19	19	19	19	19	19	19
	D	4	4	4	4	4	4	4	4	4	4
85832-X07LF	C	4	4	4	4	4	4	4	4	4	4
	B	4	4	4	4	4	4	4	4	4	4
	A	4	4	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X08	E	20	20	20	20	20	20	20	20	20	20
	D	8	8	8	8	8	8	8	8	8	8
85832-X08LF	C	8	8	8	8	8	8	8	8	8	8
	B	8	8	8	8	8	8	8	8	8	8
	A	8	8	8	8	8	8	8	8	8	8

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X09	E	N/A									
	D	6	6	6	6	6	6	6	6	6	6
85832-X09LF	C	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6
	A	6	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X10	E	N/A									
	D	2	2	2	2	2	2	2	2	2	2
85832-X10LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X11	E	N/A									
	D	4	4	4	4	4	4	4	4	4	4
85832-X11LF	C	4	4	4	4	4	4	4	4	4	4
	B	19	19	19	19	19	19	19	19	19	19
	A	19	19	19	19	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X12	E	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7
85832-X12LF	C	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X13	E	3	3	3	3	3	3	3	3	3	3
	D	3	3	3	3	3	3	3	3	3	3
85832-X13LF	C	3	3	3	3	3	3	3	3	3	3
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com	
lfr	ecr no.	dr	date	linear	0.X ±0.3	COPY	title		
U					0.XX ±0.13	projection	METRAL SIGNAL HEADER		
				angles	.XXX ±.051		2 MOD, 5 ROW PRESS-FIT		
					0° ±2°		product family		
				dr	T.BRUNGARD 11/19/99	scale	METRAL		
				enrg	M.STRAWSE 11/19/99	1:1	code		
				chr	M.STRAWSE 11/19/99		213		
				appd	M.STRAWSE 02/29/00		sheet		
sheet		revision						3	
index		sheet						3	



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X14	E	16	16	16	16	16	16	16	16	16	16
	D	16	16	16	16	16	16	16	16	16	16
85832-X14LF	C	16	16	16	16	16	16	16	16	16	16
	B	16	16	16	16	16	16	16	16	16	16
	A	16	16	16	16	16	16	16	16	16	16

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X15	E	13	13	13	13	13	13	13	13	13	13
	D	13	13	13	13	13	13	13	13	13	13
85832-X15LF	C	13	13	13	13	13	13	13	13	13	13
	B	13	13	13	13	13	13	13	13	13	13
	A	13	13	13	13	13	13	13	13	13	13

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X16	E	17	17	17	17	17	17	17	17	17	17
	D	17	17	17	17	17	17	17	17	17	17
85832-X16LF	C	17	17	17	17	17	17	17	17	17	17
	B	17	17	17	17	17	17	17	17	17	17
	A	17	17	17	17	17	17	17	17	17	17

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X17	E	14	14	14	14	14	14	14	14	14	14
	D	14	14	14	14	14	14	14	14	14	14
85832-X17LF	C	14	14	14	14	14	14	14	14	14	14
	B	14	14	14	14	14	14	14	14	14	14
	A	14	14	14	14	14	14	14	14	14	14

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X18	E	18	18	18	18	18	18	18	18	18	18
	D	18	18	18	18	18	18	18	18	18	18
85832-X18LF	C	18	18	18	18	18	18	18	18	18	18
	B	18	18	18	18	18	18	18	18	18	18
	A	18	18	18	18	18	18	18	18	18	18

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X19	E	15	15	15	15	15	15	15	15	15	15
	D	15	15	15	15	15	15	15	15	15	15
85832-X19LF	C	15	15	15	15	15	15	15	15	15	15
	B	15	15	15	15	15	15	15	15	15	15
	A	15	15	15	15	15	15	15	15	15	15

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X20	E	10	10	10	10	10	10	10	10	10	10
	D	9	9	9	9	9	9	9	9	9	9
85832-X20LF	C	10	10	10	10	10	10	10	10	10	10
	B	9	9	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11	11	11

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X21	E	10	10	10	10	10	10	10	10	10	10
	D	10	10	10	10	10	10	10	10	10	10
85832-X21LF	C	9	9	9	9	9	9	9	9	9	9
	B	9	9	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11	11	11


METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X22	E	2	2	2	2	2	2	2	2	2	2
	D	4	4	4	4	4	4	4	4	4	4
85832-X22LF	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X23	E	19	19	19	19	19	19	19	19	19	19
	D	1	1	1	1	1	1	1	1	1	1
85832-X23LF	C	19	19	19	19	19	19	19	19	19	19
	B	1	1	1	1	1	1	1	1	1	1
	A	19	19	19	19	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X24	E	20	20	20	20	20	20	20	20	20	20
	D	5	5	5	5	5	5	5	5	5	5
85832-X24LF	C	20	20	20	20	20	20	20	20	20	20
	B	5	5	5	5	5	5	5	5	5	5
	A	20	20	20	20	20	20	20	20	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X25	E	22	22	22	22	22	22	22	22	22	22
	D	22	22	22	22	22	22	22	22	22	22
85832-X25LF	C	22	22	22	22	22	22	22	22	22	22
	B	22	22	22	22	22	22	22	22	22	22
	A	22	22	22	22	22	22	22	22	22	22

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X26	E	54	54	54	54	54	54	54	54	54	54
	D	55	55	55	55	55	55	55	55	55	55
85832-X26LF	C	56	56	56	56	56	56	56	56	56	56
	B	55	55	55	55	55	55	55	55	55	55
	A	54	54	54	54	54	54	54	54	54	54

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecr no.	dr	date	linear	0.X ± 0.3	projection	COPY	title	METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT
U					0.XX ± 0.13				
					.XXX ± 0.051				
				angles	0° $\pm 2^\circ$		product family	METRAL	code
				dr	T.BRUNGARD 11/19/99				
				enrg	M.STRAWSE 11/19/99				
				chr	M.STRAWSE 11/19/99	scale	size	dwg no	sheet
				appd	M.STRAWSE 02/29/00				
sheet	revision								
index	sheet								



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X40	E	60	60	60	60	60	60	60	60	60	60
	D	60	60	60	60	60	60	60	60	60	60
85832-X40LF	C	60	60	60	60	60	60	60	60	60	60
	B	62	62	62	62	62	62	62	62	62	62
	A	60	60	60	60	60	60	60	60	60	60

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X41	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61
85832-X41LF	C	62	62	62	62	62	62	62	62	62	62
	B	63	63	63	63	63	63	63	63	63	63
	A	63	63	63	63	63	63	63	63	63	63

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X42	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61
85832-X42LF	C	61	61	61	61	61	61	61	61	61	61
	B	63	63	63	63	63	63	63	63	63	63
	A	61	61	61	61	61	61	61	61	61	61

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X43	E	60	60	60	60	60	60	60	60	60	60
	D	60	60	60	60	60	60	60	60	60	60
85832-X43LF	C	60	60	60	60	60	60	60	60	60	60
	B	60	60	60	60	60	60	60	60	60	60
	A	60	60	60	60	60	60	60	60	60	60

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X44	E	62	62	62	62	62	62	62	62	62	62
	D	62	62	62	62	62	62	62	62	62	62
85832-X44LF	C	62	62	62	62	62	62	62	62	62	62
	B	62	62	62	62	62	62	62	62	62	62
	A	62	62	62	62	62	62	62	62	62	62

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X45	E	63	63	63	63	63	63	63	63	63	63
	D	63	63	63	63	63	63	63	63	63	63
85832-X45LF	C	63	63	63	63	63	63	63	63	63	63
	B	63	63	63	63	63	63	63	63	63	63
	A	63	63	63	63	63	63	63	63	63	63

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X46	E	40	40	40	40	40	40	40	40	40	40
	D	40	40	40	40	40	40	40	40	40	40
85832-X46LF	C	40	40	40	40	40	40	40	40	40	40
	B	40	40	40	40	40	40	40	40	40	40
	A	40	40	40	40	40	40	40	40	40	40

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X47	E	40	40	40	40	40	40	40	40	40	40
	D	40	40	40	40	40	40	40	40	40	40
85832-X47LF	C	40	40	40	40	40	40	40	40	40	40
	B	40	40	40	40	40	40	40	40	40	40
	A	41	41	41	41	41	41	41	41	41	41

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X48	E	25	25	25	25	25	25	25	25	25	25
	D	41	41	41	41	41	41	41	41	41	41
85832-X48LF	C	25	25	25	25	25	25	25	25	25	25
	B	25	25	25	25	25	25	25	25	25	25
	A	41	41	41	41	41	41	41	41	41	41

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X49	E	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41
85832-X49LF	C	41	41	41	41	41	41	41	41	41	41
	B	41	41	41	41	41	41	41	41	41	41
	A	41	41	41	41	41	41	41	41	41	41

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X50	E	25	25	25	25	25	25	25	25	25	25
	D	25	25	25	25	25	25	25	25	25	25
85832-X50LF	C	25	25	25	25	25	25	25	25	25	25
	B	42	42	42	42	42	42	42	42	42	42
	A	25	25	25	25	25	25	25	25	25	25

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X51	E	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41
85832-X51LF	C	42	42	42	42	42	42	42	42	42	42
	B	43	43	43	43	43	43	43	43	43	43
	A	43	43	43	43	43	43	43	43	43	43

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
85832-X52	E	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41
85832-X52LF	C	41	41	41	41	41	41	41	41	41	41
	B	43	43	43	43	43	43	43	43	43	43
	A	41	41	41	41	41	41	41	41	41	41

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY	projection	title	
U					0.XX ±0.13			METRAL SIGNAL HEADER	
					.XXX ±.051			2 MOD, 5 ROW PRESS-FIT	
				angles	0° ±2°			product family	
				dr	T.BRUNGARD 11/19/99			METRAL	
				enrg	M.STRAWSE 11/19/99			code	
				chr	M.STRAWSE 11/19/99			213	
				appd	M.STRAWSE 02/29/00			sheet	
sheet		revision				scale		6	
index		sheet				1:1			

cage code		22526		3		4	
-----------	--	-------	--	---	--	---	--

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X53	E	42	42	42	42	42	42	42	42	42	42	42	42
	D	42	42	42	42	42	42	42	42	42	42	42	42
-----	C	42	42	42	42	42	42	42	42	42	42	42	42
85832-X53LF	B	42	42	42	42	42	42	42	42	42	42	42	42
	A	42	42	42	42	42	42	42	42	42	42	42	42

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X55	E	1	1	1	1	1	1	1	1	1	1	1	1
	D	1	1	1	1	1	1	1	1	1	1	1	1
-----	C	12	12	12	12	12	12	12	12	12	12	12	12
85832-X55LF	B	21	21	21	21	21	21	21	21	21	21	21	21
	A	21	21	21	21	21	21	21	21	21	21	21	21

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X56	E	1	1	1	1	1	1	1	1	1	1	1	1
	D	1	1	1	1	1	1	1	1	1	1	1	1
-----	C	1	1	1	1	1	1	1	1	1	1	1	1
	B	2	1	2	1	2	1	2	1	2	1	2	1
	A	1	1	1	1	1	1	1	1	1	1	1	1
85832-X56LF													

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X57	E	7	7	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7	7	7
-----	C	8	8	8	8	8	8	8	8	8	8	8	8
85832-X57LF	B	20	20	20	20	20	20	20	20	20	20	20	20
	A	20	20	20	20	20	20	20	20	20	20	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X58	E	7	7	7	7	7	7	7	7	7	7	7	7
	D	7	7	7	7	7	7	7	7	7	7	7	7
	C	7	7	7	7	7	7	7	7	7	7	7	7

85832-X58LF	B	20	20	20	20	20	20	20	20	20	20	20	20
	A	7	7	7	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X59	E	2	2	2	2	2	2	2	2	2	2	2	2
	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2

85832-X59LF	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2

[illegible][illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	
85832-X62	E	64	64	64	64	64	64	64	64	64	64	64	
	D	64	64	64	64	64	64	64	64	64	64	64	
	C	64	64	64	64	64	64	64	64	64	64	64	
	B	64	64	64	64	64	64	64	64	64	64	64	
85832-X62LF	A	64	64	64	64	64	64	64	64	64	64	64	

[illegible][illegible][illegible]

PRODUCT NUMBER

85832-XYX

85832-XYXLF

NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL:
PHOSPHOR BRONZE.
4. PLATING ON PRESS-FIT TAIL:
85832-XYX IS SnPb
85832-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
LEVEL SHOWN IN TABLE BELOW.
5. PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP

7. PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073

8. AFTER INSERTION INTO CIRCUIT BOARD WITH
QUALIFIED TOOL.
9. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.


ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---
AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

10. REFER TO 89007 FOR OTHER LOAD VARIATIONS.

PLATING IN CONTACT AREA		NOTES
DASH NUMBER	PERFORMANCE LEVEL	-
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

mat'l code				--		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3		COPY			title METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT			
U					0.XX ±0.13		projection						
					.XXX ±.051								
				angles	0° ±2°								
				dr	T.BRUNGARD	11/19/99			product family		METRAL	code	
				enrg	M.STRAWSER	11/19/99			size	dwg no		213	
				chr	M.STRAWSER	11/19/99			scale	A		85832	
				appd	M.STRAWSER	02/29/00	1:1						
sheet index		revision sheet											

cage code 22526

Pro/E



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.