




PRODUCT NUMBER  
85832-XY  
85832-XYLF




mat'l code				tolerances unless otherwise specified				CUSTOMER		FCJ www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3			COPY		title	
T	V06-0569	DCH	2006-06-12		0.XX ±0.13			projection		METRAL SIGNAL HEADER	
U	DG09-0256	TER	2009-08-19		.XXX ±.051					2 MOD, 5 ROW PRESS-FIT	
-	-	-	-	angles	0° ±2°					product family METRAL code	
N	V04-0559	HTB	06/01/04	dr	T.BRUNGARD	11/19/99	scale		size		
P	V04-1059	HTB	10/25/04	engr	M.STRAWSER	11/19/99	2:1		dwg no		
R	V04-1100	DAI	01/20/05	chr	M.STRAWSER	11/19/99	A		85832		
S	V05-0235	LP	3/30/05	appd	M.STRAWSER	02/29/00			213		
sheet	revision	U	U	U	U	U	U	U	1 of 8		
index	sheet	1	2	3	4	5	6	7			

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



REQUIRED PC BOARD LAYOUT  
COMPONENT SIDE  
SEE PRINT 58351 FOR  
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
16	7.00	4.30
17	7.00	13.60
18	7.00	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
22	5.00	12.10
25	5.75	15.60

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
40	5.00	15.60
41	6.50	15.60
42	7.25	15.60
43	8.00	15.60
44	5.75	12.10
45	6.50	12.10
48	5.00	15.10
54	5.00	11.50
55	5.75	11.50
56	6.50	11.50
59	5.00	11.80
60	5.75	11.80
61	6.50	11.80
62	7.25	11.80
63	8.00	11.80
64	5.75	14.90

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCJ	
ltr	ecr no.	dr	date	linear	0.X ±0.3	COPY		www.fcjconnect.com	
U					0.XX ±0.13	projection	title		
					.XXX ±.051		METRAL SIGNAL HEADER		
				angles	0° ±2°		2 MOD, 5 ROW PRESS-FIT		
		dr	T.BRUNGARD	11/19/99		MM	product family		code
		enr	M.STRAWSER	11/19/99		← MM →	METRAL		213
		chr	M.STRAWSER	11/19/99		scale	size	dwg no	sheet
		appd	M.STRAWSER	02/29/00		2:1	A	85832	2
sheet index	revision sheet								

cage code 22526



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X01	E	25	25	25	25	25	25	25	25	25	25	25	25
	D	25	25	25	25	25	25	25	25	25	25	25	25
-----	C	25	25	25	25	25	25	25	25	25	25	25	25
85832-X01LF	B	25	25	25	25	25	25	25	25	25	25	25	25
	A	25	25	25	25	25	25	25	25	25	25	25	25
85832-X02	E	1	1	1	1	1	1	1	1	1	1	1	1
-----	D	3	3	3	3	3	3	3	3	3	3	3	3
-----	C	19	19	19	19	19	19	19	19	19	19	19	19
85832-X02LF	B	3	3	3	3	3	3	3	3	3	3	3	3
	A	1	1	1	1	1	1	1	1	1	1	1	1
85832-X03	E	3	3	3	3	3	3	3	3	3	3	3	3
-----	D	3	3	3	3	3	3	3	3	3	3	3	3
-----	C	3	3	3	3	3	3	3	3	3	3	3	3
85832-X03LF	B	19	19	19	19	19	19	19	19	19	19	19	19
	A	3	3	3	3	3	3	3	3	3	3	3	3
85832-X04	E	3	3	3	3	3	3	3	3	3	3	3	3
-----	D	10	10	10	10	10	10	10	10	10	10	10	10
-----	C	10	10	10	10	10	10	10	10	10	10	10	10
85832-X04LF	B	9	9	9	9	9	9	9	9	9	9	9	9
	A	10	10	10	10	10	10	10	10	10	10	10	10
85832-X05	E	44	44	44	44	44	44	44	44	44	44	44	44
-----	D	22	22	22	22	22	22	22	22	22	22	22	22
-----	C	44	44	44	44	44	44	44	44	44	44	44	44
85832-X05LF	B	44	44	44	44	44	44	44	44	44	44	44	44
	A	45	45	45	45	45	45	45	45	45	45	45	45

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X06	E	1	1	1	1	1	1	1	1	1	1	1	1
	D	1	1	1	1	1	1	1	1	1	1	1	1
-----	C	3	3	3	3	3	3	3	3	3	3	3	3
85832-X06LF	B	1	1	1	1	1	1	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1	1	1
85832-X07	E	19	19	19	19	19	19	19	19	19	19	19	19
-----	D	4	4	4	4	4	4	4	4	4	4	4	4
-----	C	4	4	4	4	4	4	4	4	4	4	4	4
85832-X07LF	B	4	4	4	4	4	4	4	4	4	4	4	4
	A	4	4	4	4	4	4	4	4	4	4	4	4
85832-X08	E	20	20	20	20	20	20	20	20	20	20	20	20
-----	D	8	8	8	8	8	8	8	8	8	8	8	8
-----	C	8	8	8	8	8	8	8	8	8	8	8	8
85832-X08LF	B	8	8	8	8	8	8	8	8	8	8	8	8
	A	8	8	8	8	8	8	8	8	8	8	8	8
85832-X09	E	N/A											
-----	D	6	6	6	6	6	6	6	6	6	6	6	6
-----	C	6	6	6	6	6	6	6	6	6	6	6	6
85832-X09LF	B	6	6	6	6	6	6	6	6	6	6	6	6
	A	6	6	6	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X10	E	N/A											
	D	2	2	2	2	2	2	2	2	2	2	2	2
-----	C	2	2	2	2	2	2	2	2	2	2	2	2
85832-X10LF	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2
85832-X11	E	N/A											
-----	D	4	4	4	4	4	4	4	4	4	4	4	4
-----	C	4	4	4	4	4	4	4	4	4	4	4	4
85832-X11LF	B	19	19	19	19	19	19	19	19	19	19	19	19
	A	19	19	19	19	19	19	19	19	19	19	19	19
85832-X12	E	7	7	7	7	7	7	7	7	7	7	7	7
-----	D	7	7	7	7	7	7	7	7	7	7	7	7
-----	C	7	7	7	7	7	7	7	7	7	7	7	7
85832-X12LF	B	7	7	7	7	7	7	7	7	7	7	7	7
	A	3	3	3	3	3	3	3	3	3	3	3	3
85832-X13	E	3	3	3	3	3	3	3	3	3	3	3	3
-----	D	3	3	3	3	3	3	3	3	3	3	3	3
-----	C	3	3	3	3	3	3	3	3	3	3	3	3
85832-X13LF	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2

mat'l code		--		tolerances unless otherwise specified		CUSTOMER				www.fcjconnect.com	
ltr	ecr no.	dr	date	linear	0.X ±0.3	COPY		projection		title	
U				angles	0.XX ±0.13					METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT	
					.XXX ±.051			MM		product family METRAL code	
				dr	0° ±2°			scale		size	
				enrg				1:1		85832	
				chr				A		213	
				appd						sheet	
										3	
sheet index	revision sheet										



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X14	E	16	16	16	16	16	16	16	16	16	16	16	16
	D	16	16	16	16	16	16	16	16	16	16	16	16
-----	C	16	16	16	16	16	16	16	16	16	16	16	16
85832-X14LF	B	16	16	16	16	16	16	16	16	16	16	16	16
	A	16	16	16	16	16	16	16	16	16	16	16	16
85832-X15	E	13	13	13	13	13	13	13	13	13	13	13	13
	D	13	13	13	13	13	13	13	13	13	13	13	13
-----	C	13	13	13	13	13	13	13	13	13	13	13	13
85832-X15LF	B	13	13	13	13	13	13	13	13	13	13	13	13
	A	13	13	13	13	13	13	13	13	13	13	13	13
85832-X16	E	17	17	17	17	17	17	17	17	17	17	17	17
	D	17	17	17	17	17	17	17	17	17	17	17	17
-----	C	17	17	17	17	17	17	17	17	17	17	17	17
85832-X16LF	B	17	17	17	17	17	17	17	17	17	17	17	17
	A	17	17	17	17	17	17	17	17	17	17	17	17
85832-X17	E	14	14	14	14	14	14	14	14	14	14	14	14
	D	14	14	14	14	14	14	14	14	14	14	14	14
-----	C	14	14	14	14	14	14	14	14	14	14	14	14
85832-X17LF	B	14	14	14	14	14	14	14	14	14	14	14	14
	A	14	14	14	14	14	14	14	14	14	14	14	14
85832-X18	E	18	18	18	18	18	18	18	18	18	18	18	18
	D	18	18	18	18	18	18	18	18	18	18	18	18
-----	C	18	18	18	18	18	18	18	18	18	18	18	18
85832-X18LF	B	18	18	18	18	18	18	18	18	18	18	18	18
	A	18	18	18	18	18	18	18	18	18	18	18	18

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X19	E	15	15	15	15	15	15	15	15	15	15	15	15
	D	15	15	15	15	15	15	15	15	15	15	15	15
-----	C	15	15	15	15	15	15	15	15	15	15	15	15
85832-X19LF	B	15	15	15	15	15	15	15	15	15	15	15	15
	A	15	15	15	15	15	15	15	15	15	15	15	15
85832-X20	E	10	10	10	10	10	10	10	10	10	10	10	10
	D	9	9	9	9	9	9	9	9	9	9	9	9
-----	C	10	10	10	10	10	10	10	10	10	10	10	10
85832-X20LF	B	9	9	9	9	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11	11	11	11	11
85832-X21	E	10	10	10	10	10	10	10	10	10	10	10	10
	D	10	10	10	10	10	10	10	10	10	10	10	10
-----	C	9	9	9	9	9	9	9	9	9	9	9	9
85832-X21LF	B	9	9	9	9	9	9	9	9	9	9	9	9
	A	11	11	11	11	11	11	11	11	11	11	11	11
85832-X22	E	2	2	2	2	2	2	2	2	2	2	2	2
	D	4	4	4	4	4	4	4	4	4	4	4	4
-----	C	2	2	2	2	2	2	2	2	2	2	2	2
85832-X22LF	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
85832-X23	E	19	19	19	19	19	19	19	19	19	19	19	19
	D	1	1	1	1	1	1	1	1	1	1	1	1
-----	C	19	19	19	19	19	19	19	19	19	19	19	19
85832-X23LF	B	1	1	1	1	1	1	1	1	1	1	1	1
	A	19	19	19	19	19	19	19	19	19	19	19	19
85832-X24	E	20	20	20	20	20	20	20	20	20	20	20	20
	D	5	5	5	5	5	5	5	5	5	5	5	5
-----	C	20	20	20	20	20	20	20	20	20	20	20	20
85832-X24LF	B	5	5	5	5	5	5	5	5	5	5	5	5
	A	20	20	20	20	20	20	20	20	20	20	20	20
85832-X25	E	22	22	22	22	22	22	22	22	22	22	22	22
	D	22	22	22	22	22	22	22	22	22	22	22	22
-----	C	22	22	22	22	22	22	22	22	22	22	22	22
85832-X25LF	B	22	22	22	22	22	22	22	22	22	22	22	22
	A	22	22	22	22	22	22	22	22	22	22	22	22
85832-X26	E	54	54	54	54	54	54	54	54	54	54	54	54
	D	5	5	5	5	5	5	5	5	5	5	5	5
-----	C	56	56	56	56	56	56	56	56	56	56	56	56
85832-X26LF	B	5	5	5	5	5	5	5	5	5	5	5	5
	A	54	54	54	54	54	54	54	54	54	54	54	54

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		www.fcjconnect.com	
ltr	ecr no.	dr	date	linear	0.X ±0.3	COPY		title	
U				angles	0.XX ±0.13	projection		METRAL SIGNAL HEADER	
				dr	.XXX ±.051			2 MOD, 5 ROW PRESS-FIT	
				engr	0° ±2°	MM		product family	
				chr	T.BRUNGARD 11/19/99	scale		METRAL	
				appd	M.STRAWSER 11/19/99	1:1		code	
sheet	revision				M.STRAWSER 11/19/99	A		213	
index	sheet				M.STRAWSER 02/29/00			sheet	
								4	





This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

1 | 2

3 |

4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X40	E	60	60	60	60	60	60	60	60	60	60
	D	60	60	60	60	60	60	60	60	60	60	60	
	C	60	60	60	60	60	60	60	60	60	60	60	
	B	62	62	62	62	62	62	62	62	62	62	62	
85832-X40LF	A	60	60	60	60	60	60	60	60	60	60	60	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X45	E	63	63	63	63	63	63	63	63	63	63
	D	63	63	63	63	63	63	63	63	63	63	63	
	C	63	63	63	63	63	63	63	63	63	63	63	
	B	63	63	63	63	63	63	63	63	63	63	63	
85832-X45LF	A	63	63	63	63	63	63	63	63	63	63	63	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X49	E	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41	41	
	C	41	41	41	41	41	41	41	41	41	41	41	
	B	41	41	41	41	41	41	41	41	41	41	41	
85832-X49LF	A	41	41	41	41	41	41	41	41	41	41	41	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X41	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61	61	
	C	62	62	62	62	62	62	62	62	62	62	62	
	B	63	63	63	63	63	63	63	63	63	63	63	
85832-X41LF	A	63	63	63	63	63	63	63	63	63	63	63	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X46	E	40	40	40	40	40	40	40	40	40	40
	D	40	40	40	40	40	40	40	40	40	40	40	
	C	40	40	40	40	40	40	40	40	40	40	40	
	B	40	40	40	40	40	40	40	40	40	40	40	
85832-X46LF	A	40	40	40	40	40	40	40	40	40	40	40	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X50	E	25	25	25	25	25	25	25	25	25	25
	D	25	25	25	25	25	25	25	25	25	25	25	
	C	25	25	25	25	25	25	25	25	25	25	25	
	B	42	42	42	42	42	42	42	42	42	42	42	
85832-X50LF	A	25	25	25	25	25	25	25	25	25	25	25	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X42	E	61	61	61	61	61	61	61	61	61	61
	D	61	61	61	61	61	61	61	61	61	61	61	
	C	61	61	61	61	61	61	61	61	61	61	61	
	B	63	63	63	63	63	63	63	63	63	63	63	
85832-X42LF	A	61	61	61	61	61	61	61	61	61	61	61	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X47	E	40	40	40	40	40	40	40	40	40	40
	D	40	40	40	40	40	40	40	40	40	40	40	
	C	40	40	40	40	40	40	40	40	40	40	40	
	B	40	40	40	40	40	40	40	40	40	40	40	
85832-X47LF	A	41	41	41	41	41	41	41	41	41	41	41	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X51	E	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41	41	
	C	42	42	42	42	42	42	42	42	42	42	42	
	B	43	43	43	43	43	43	43	43	43	43	43	
85832-X51LF	A	43	43	43	43	43	43	43	43	43	43	43	

1 | 2

3 |

4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X43	E	60	60	60	60	60	60	60	60	60	60
	D	60	60	60	60	60	60	60	60	60	60	60	
	C	60	60	60	60	60	60	60	60	60	60	60	
	B	60	60	60	60	60	60	60	60	60	60	60	
85832-X43LF	A	60	60	60	60	60	60	60	60	60	60	60	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X48	E	25	25	25	25	25	25	25	25	25	25
	D	41	41	41	41	41	41	41	41	41	41	41	
	C	25	25	25	25	25	25	25	25	25	25	25	
	B	25	25	25	25	25	25	25	25	25	25	25	
85832-X48LF	A	41	41	41	41	41	41	41	41	41	41	41	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X52	E	41	41	41	41	41	41	41	41	41	41
	D	41	41	41	41	41	41	41	41	41	41	41	
	C	41	41	41	41	41	41	41	41	41	41	41	
	B	43	43	43	43	43	43	43	43	43	43	43	
85832-X52LF	A	41	41	41	41	41	41	41	41	41	41	41	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
		85832-X44	E	62	62	62	62	62	62	62	62	62	62
	D	62	62	62	62	62	62	62	62	62	62	62	
	C	62	62	62	62	62	62	62	62	62	62	62	
	B	62	62	62	62	62	62	62	62	62	62	62	
85832-X44LF	A	62	62	62	62	62	62	62	62	62	62	62	

mat'l code			--			tolerances unless otherwise specified			CUSTOMER			FCI		
ltr	ecr no.	dr	date			linear	0. X ±0.3			COPY	www.fciconnect.com			
U						angles	0. XX ±0.13			projection	title			
						dr	. XXX ±.051				METRAL SIGNAL HEADER			
						engr	0° ±2°				2 MOD, 5 ROW PRESS-FIT			
						chr	T.BRUNGARD	11/19/99			product family	METRAL	code	
						appd	M.STRAWSER	11/19/99			size	85832	213	
							M.STRAWSER	02/29/00			sheet	6		
sheet index	revision sheet										scale	1:1		
											cage code	22526		

1 | 2

3 |

4



PRODUCT NUMBER
85832-XYX
85832-XYLFF

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL  
POLYMER 30 % GLASS.  
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:  
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:  
85832-XYX IS SnPb  
85832-XYLFF IS SN (LEAD FREE)  
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE BELOW.
- PRODUCT MARKING:  
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP

PLATING IN CONTACT AREA		NOTES
DASH NUMBER	PERFORMANCE LEVEL	
-NIYY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-NIYYLFF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLFF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLFF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLFF	TELECOM CLASS	SEE NOTE 9
-5YYLFF	TELCORDIA UE	SEE NOTE 9

- PRODUCT SPECIFICATION GS-12-180  
APPLICATION SPECIFICATION BUS-20-073

- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-NI--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-NI--- AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

- REFER TO 89007 FOR OTHER LOAD VARIATIONS.



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

mat'l code				tolerances unless otherwise specified		CUSTOMER		www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3		COPY		title METRAL SIGNAL HEADER 2 MOD, 5 ROW PRESS-FIT
U					0.XX ±0.13		projection		
					.XXX ±.051				
				angles	0° ±2°				product family METRAL code 213 size dwg no 85832 sheet 8
		dr	T.BRUNGARD	11/19/99	MM				
		engr	M.STRAWSER	11/19/99	scale		1:1		
		chr	M.STRAWSER	11/19/99					cage code 22526
		appd	M.STRAWSER	02/29/00					
sheet index	revision sheet								





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.