






LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
E1		ADD 3-6450140-4	02APR2011	OL	SZ
E2		REV PER ECR-11-008606	29APR2011	OL	SZ
E3		ADDED NEW DASH NUMBER 3-5 AND 3-6	09MAR2012	CZ	SZ
E4		REVISED	23APR2012	CZ	SZ



- 1 OPTIONAL CENTER MODULE, WITH  $\varnothing$ .150 THRU HOLE OR HOLD DOWN FEATURE
- 2 "AMP", TRADEMARK, PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN.
- 3 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0  
SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY  
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 4 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- 5 MECHANICAL CONNECTOR KEEP OUT ZONE
- 6 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 7 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
- 8 PCB -  $.0453 \pm .0010$  DRILLED HOLES PLATED WITH  $.0003$  MIN Sn OVER  $.001$  TO  $.003$  Cu PLATING TO ACHIEVE A  $.040$  HOLE



THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN R.GRZYBOWSKI 15FEB05	TE Connectivity
DIMENSIONS: INCHES		CHK M.PERCHEKKE 15FEB05	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD M.PERCHEKKE	NAME VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
0 PLC ±		PRODUCT SPEC	SIZE A1
1 PLC ±.01		APPLICATION SPEC	CAGE CODE C=6450140
2 PLC ±.005		WEIGHT	RESTRICTED TO
3 PLC ±.0020		CUSTOMER DRAWING	SCALE 2:1 SHEET 1 OF 11 REV E4
ANGLES ±.7°			
FINISH			

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTN	DESCRIPTION	DATE	DWN	APVD
ES	00	-	-	SEE SHEET 1	-	-	-

1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	3-6450140-6
1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	3-6450140-5
2.700	.250	.250	2.100	1.125	2.750	-	3.050	.450	3P + 36S + 3P	3-6450140-4
3.200	.250	.250	2.350	1.375	3.250	-	3.550	.450	4P + 36S + 4P	3-6450140-1
3.500	.250	.250	2.150	1.875	3.550	-	3.850	.450	6P + 8S + 6P	3-6450140-0
2.500	.250	.250	1.650	1.375	2.550	-	2.850	.450	4P + 8S + 4P	2-6450140-9
2.900	.250	.250	2.050	1.375	2.950	-	3.250	.450	4P + 24S + 4P	2-6450140-8
2.400	.250	.250	2.050	1.375	2.450	-	2.750	.450	4P + 24S + 2P	2-6450140-7
3.700	.300	.200	2.700	2.025	3.750	-	4.050	.450	8P + 24S + 4ACP	2-6450140-6
2.400	.250	.250	1.800	1.125	2.450	-	2.750	.450	3P + 24S + 3P	2-6450140-5
1.900	.250	.250	1.550	.875	1.950	-	2.250	.450	2P + 24S + 2P	2-6450140-0
2.600	.200	.200	1.900	1.225	2.650	-	2.950	.450	4HDP + 24S + 4HDP	1-6450140-9
1.700	.250	.250	1.350	.875	1.750	-	2.050	.450	2P + 16S + 2P	1-6450140-8
4.500	.250	.250	2.900	2.125	4.550	-	4.850	.450	7P + 28S + 7P	1-6450140-3
4.250	.250	.250	2.650	1.875	4.300	-	4.600	.450	6P + 28S + 7P	1-6450140-2
2.800	.250	.250	1.950	1.375	2.850	-	3.150	.450	4P + 20S + 4P	1-6450140-1
2.400	.250	.250	1.800	1.125	2.450	-	2.750	.450	3P + 24S + 3P	1-6450140-0
4.000	.250	.250	2.650	1.675	4.050	2.225	4.350	.450	5P+24S+1M+6P	6450140-9
4.150	.250	.250	2.800	2.125	4.200	-	4.500	.450	7P + 24S + 6P	6450140-8
4.350	.250	.250	3.500	2.625	4.400	-	4.700	.450	9P + 32S + 4P	6450140-7
1.575	-	-	1.425	.700	1.625	-	1.925	.475	1P + 24S + 1P	6450140-6
1.900	.250	.250	1.550	.875	1.950	-	2.250	.450	2P + 24S + 2P	6450140-5
7.400	.250	.250	5.050	2.875	7.450	-	7.750	.450	10P + 84S + 10P	6450140-4
3.650	.250	.250	2.550	1.875	3.700	-	4.000	.450	6P + 24S + 5P	6450140-3
4.350	.250	.250	3.000	2.125	4.400	-	4.700	.450	7P + 32S + 6P	6450140-2
5.100	.250	.250	3.250	2.375	5.150	-	5.450	.450	8P + 32S + 8P	6450140-1
U	T	S	R	W	D	M	L	K	DESCRIPTION	PART NUMBER

E3

THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: R. GRZYBOWSKI 15FEB05  
 CHK: M. PERCHERKE 15FEB05  
 APVD: M. PERCHERKE

**TE** TE Connectivity

NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL


PRODUCT SPEC: 108-1973  
 APPLICATION SPEC: 114-13038

SIZE: A100779 C=6450140  
 SCALE: 2:1 SHEET 2 OF 11 REV E4


CUSTOMER DRAWING

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
ES	00	SEE SHEET 1			

PART NUMBER	ROWS	POWER							SIGNAL							POWER													
		P16	P15	P14	P13	P12	P11	P10	P9	8	7	6	5	4	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1				
6450140-1	D C B A	VA	VA	VA	VA	VA	VA	VA	E	E	E	E	E	E	E	E	VA	VA	VA	VA	VA	VA	VA	VA					
		9P + 32S + 8P																											



PART NUMBER	ROWS	POWER							SIGNAL							POWER													
		P13	P12	P11	P10	P9	P8	8	7	6	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1							
6450140-2	D C B A	VA	VA	VA	VA	VA	VA	E	E	E	E	E	E	E	VA	VA	VA	VA	VA	VA	VA								
		7P + 32S + 6P																											



VB	.090	MFBL	J	.090
VM	.135	STD	E	.135
VA	.135	MFBL	CODE	TAIL LENGTH
POWER CONTACT		SIGNAL CONTACT		

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONS: INCHES. TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.01, 1 PLC ±.01, 2 PLC ±.01, 3 PLC ±.005, 4 PLC ±.0020, ANGLES ±.2°.

OWN: R. GRZYBOWSKI, CHK: M. PERCHERKE, APVD: M. PERCHERKE. PRODUCT SPEC: 108-1973, APPLICATION SPEC: 114-13038, WEIGHT: .



NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL. SIZE: A1, CAGE CODE: 100779, DRAWING NO: 6450140, SHEET 3 OF 11, REV: E4.

SCALE: 2:1


LOC		DIST		REVISIONS		
				REV	DATE	APPROV
ES	00	-	-	1	SEE SHEET 1	

PART NUMBER	ROWS	POWER				SIGNAL								POWER								
		P11	P10	P9	P8	P7	6	5	4	3	2	1	P6	P5	P4	P3	P2	P1				
6450140-3	D C B A	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA
6P + 24S + 5P																						

PART NUMBER	ROWS	POWER		SIGNAL						POWER			
		P4	P3	6	5	4	3	2	1	P2	P1		
6450140-5	D C B A	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA
2P + 24S + 2P													



PART NUMBER	ROWS	POWER										SIGNAL												POWER																	
		P20	P19	P18	P17	P16	P15	P14	P13	P12	P11	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	P10	P9	P8	P7	P6	P5	P4	P3	P2
6450140-4	D C B A	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA
10P + 84S + 10P																																									



THIS DRAWING IS A CONTROLLED DOCUMENT. OWN: R. GRZYBOWSKI 15FEB05  
CHK: M. PERCHERKE 15FEB05


DIMENSIONS: INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2° FINISH	PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038 WEIGHT CUSTOMER DRAWING	<b>STE</b> TE Connectivity  <b>VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL</b>	NAME M. PERCHERKE SIZE: CAGE CODE DRAWING NO 114-13038 RESTRICTED TO
--	---	---	--

SCALE 2:1 SHEET 4 OF 11 REV. E 4

LOC	DIST	REVISIONS			
ES	00	REV	DATE	BY	APP'D
		1			
		SEE SHEET 1			


PART NUMBER	ROWS	POWER					SIGNAL					POWER									
		P2	6	5	4	3	2	1	P1	P1	2	3	4	5	6	5	4	3	2	1	P2
6450140-6	D C B A	VA	E	E	E	E	E	E	E	E	E	E	E	E	VA	VA	VA	VA	VA	VA	VA
		HD													HD						

IP + 24S + IP




PART NUMBER	ROWS	POWER						SIGNAL						POWER						
		P13	P12	P11	P10	P9	P8	6	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1
6450140-8	D C B A	VA	VA	VA	VA	VA	VA	E	E	E	E	E	E	E	E	E	E	E	E	E
		HD																		

7P + 24S + 6P



PART NUMBER	ROWS	POWER								SIGNAL								POWER																
		P13	P12	P11	P10	8	7	6	5	4	3	2	1	P9	P8	P7	P6	P5	P4	P3	P2	P1												
6450140-7	D C B A	VA	VA	VA	VA	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA	VA
		HD																					HD											

J2 + 3cS + 4P




THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2°	OWN: R. GRZYBOWSKI	DATE: 15FEB05	TE Connectivity <b>VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL</b>
		CHK: M. PERCHERKE	DATE: 15FEB05	
MATERIAL:	FINISH:	APVD: M. PERCHERKE	NAME:	SIZE: A1
		PRODUCT SPEC: 108-1973	APPLICATION SPEC: 114-13038	WEIGHT:
		CUSTOMER DRAWING	SCALE: 2:1	SHEET: 5 OF 11


4805 (3/11)

PART NUMBER	ROWS	POWER					SIGNAL					POWER								
		P11	P10	P9	P8	P7	P6	M1	6	5	4	3	2	1	P5	P4	P3	P2	P1	
6450140-9	D C B A	VA	VA	VA	VA	VA	VA	E	E	E	E	E	E	E	E	VA	VA	VA	VA	VA
		HD				HD								HD						
		5P + 24S + 1M + 6P																		




LOC	DIST	REV	DATE	BY	APPD
ES	00				


PART NUMBER	ROWS	POWER					SIGNAL					POWER							
		P8	P7	P6	P5	P4	7	6	5	4	3	2	1	P6	P5	P4	P3	P2	P1
1-6450140-1	D C B A	VA	VA	VA	VA	VA	E	E	E	E	E	E	E	E	VA	VA	VA	VA	VA
		HD				HD								HD					
		4P + 20S + 4P																	



PART NUMBER	ROWS	POWER					SIGNAL					POWER							
		P6	P5	P4	P3	P2	P1	6	5	4	3	2	1	P3	P2	P1			
1-6450140-0	D C B A	VA	VA	VA	VA	VA	E	E	E	E	E	E	E	VA	VA	VA			
		HD				HD								HD					
		3P + 24S + 3P																	



PART NUMBER	ROWS	POWER					SIGNAL					POWER							
		P13	P12	P11	P10	P9	P8	7	6	5	4	3	2	1	P6	P5	P4	P3	P2
1-6450140-2	D C B A	VA	VA	VA	VA	VA	VA	E	E	E	E	E	E	E	VA	VA	VA	VA	VA
		HD				HD								HD					
		6P + 28S + 7P																	





THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.002 ANGLES ±.020	OWN: R. GRZYBOWSKI CHK: M. PERCHERKE APPD: M. PERCHERKE	15FEB05 15FEB05	TE Connectivity <b>VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL</b>	SIZE: A1 CAGE CODE: 114-13038 DRAWING NO: 108-1973 APPLICATION SPEC: 114-13038	RESTRICTED TO: -
MATERIAL:	FINISH:	WEIGHT:	CUSTOMER DRAWING		SCALE: 2:1 SHEET 6 OF 11 REV: E4	

PART NUMBER	ROWS	POWER								SIGNAL							POWER																	
		P14	P13	P12	P11	P10	P9	P8	7	6	5	4	3	2	1	P7	P6	P5	P4	P3	P2	P1												
1-6450140-3	D C B A	VA	VA	VA	VA	VA	VA	VA	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VA	VA	VA	VA	VA	VA
		HD																													HD			
7P + 28S + 7P																																		


PART NUMBER	ROWS	POWER					SIGNAL					POWER																	
		P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1														
1-6450140-9	D C B A	VA	VA	VA	VA	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VA	VA	VA	VA
		HD																									HD		
4HDP + 24S + 4HDP																													



PART NUMBER	ROWS	POWER		SIGNAL				POWER					
		P4	P3	4	3	2	1	P2	P1				
1-6450140-8	D C B A	VA	VA	E	E	E	E	E	E	E	E	VA	VA
		HD										HD	
2P + 16S + 2P													



PART NUMBER	ROWS	POWER			SIGNAL				POWER				
		P4	P3	6	5	4	3	2	1	P2	P1		
2-6450140-0	D C B A	VA	VA	E	E	E	E	E	E	E	E	VA	VA
		HD										HD	
2P + 24S + 2P													



THIS DRAWING IS A CONTROLLED DOCUMENT.


DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:	0 PLC ± .01	1 PLC ± .01	2 PLC ± .01	3 PLC ± .01	4 PLC ± .01	ANGLES ± .0020
MATERIAL	FINISH	DWG: R. GRZYBOWSKI 15FEB05 CHK: M. PERCHERKE 15FEB05 APP'D: M. PERCHERKE					NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
		PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038					SIZE: 2.1
		WEIGHT: A100779C=6450140					SHEET 7 OF 11
		CUSTOMER DRAWING					SCALE: 2:1

LOC	DIST	REV	DATE	BY	APPV
ES	00				


  

REVISIONS			
NO	DESCRIPTION	DATE	BY
-	SEE SHEET 1	-	-


PART NUMBER	ROWS	POWER			SIGNAL						POWER		
		P6	P5	P4	6	5	4	3	2	1	P3	P2	P1
2-6450140-5	DCBA	VM	VM	VA	E	E	E	E	E	E		VM	VM
					E	E	E	E	E	E			
					E	E	E	E	E	E			
					E	E	E	E	E	E			
3P + 24S + 3P													



PART NUMBER	ROWS	POWER		SIGNAL						POWER			
		P6	P5	6	5	4	3	2	1	P4	P3	P2	P1
2-6450140-7	DCBA	VM	VM	E	E	E	E	E	E	VM	VM	VM	VM
				E	E	E	E	E	E				
				E	E	E	E	E	E				
				E	E	E	E	E	E				
4P + 24S + 2P													



PART NUMBER	ROWS	POWER				SIGNAL						POWER							
		P12	P11	P10	P9	6	5	4	3	2	1	P8	P7	P6	P5	P4	P3	P2	P1
2-6450140-6	DCBA	VM	VM	VM	VM	E	E	E	E	E	E	VM	VM	VM	VM	VM	VM	VM	VM
						E	E	E	E	E	E								
						E	E	E	E	E	E								
						E	E	E	E	E	E								
8P + 24S + 4ACP																			



THIS DRAWING IS A CONTROLLED DOCUMENT. DWN: R. GRZYBOWSKI 15FEB05  
 CHK: M. PERCHERKE 15FEB05

TE Connectivity

VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL

SCALE: 2:1 SHEET 8 OF 11 REV: E4




LOC	DIST	REV	DATE	BY	APPV
ES	00				

REVISIONS			
NO.	DESCRIPTION	DATE	BY
-	SEE SHEET 1	-	-

PART NUMBER	ROWS	POWER				SIGNAL						POWER					
		P8	P7	P6	P5	6	5	4	3	2	1	P4	P3	P2	P1		
2-6450140-8	DCBA	VM	VM	VM	VM	E	E	E	E	E	E	E	E	VM	VM	VM	VM
		VM	VM	VM	VM	E	E	E	E	E	E	E	E	VM	VM	VM	VM
		VM	VM	VM	VM	E	E	E	E	E	E	E	E	VM	VM	VM	VM
		VM	VM	VM	VM	E	E	E	E	E	E	E	E	VM	VM	VM	VM
4P + 24S + 4P		HD														HD	




PART NUMBER	ROWS	POWER		SIGNAL						POWER		
		P2	P1	6	5	4	3	2	1	P4	P3	
3-6450140-5	DCBA	VA	VA	E	E	E	E	E	E	E	VA	VA
		VA	VA	E	E	E	E	E	E	E	VA	VA
		VA	VA	E	E	E	E	E	E	E	VA	VA
		VA	VA	E	E	E	E	E	E	E	VA	VA
IP + 24S + IP		HD								HD		

(E3)

NO CONTACTS LOADED

PART NUMBER	ROWS	POWER		SIGNAL						POWER		
		P2	P1	6	5	4	3	2	1	P4	P3	
3-6450140-6	DCBA	VA	VA	E	E	E	E	E	E	E	VA	VA
		VA	VA	E	E	E	E	E	E	E	VA	VA
		VA	VA	E	E	E	E	E	E	E	VA	VA
		VA	VA	E	E	E	E	E	E	E	VA	VA
IP + 24S + IP		HD								HD		

NO CONTACTS LOADED





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: R. GRZYBOWSKI 15FEB05 CHK: M. PERCHERKE 15FEB05 APVD: M. PERCHERKE NAME:	 TE Connectivity
DIMENSIONS: INCHES 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.002 ANGLES ±.020	PRODUCT SPEC: 108-1973 APPLICATION SPEC: 114-13038 WEIGHT:	
MATERIAL:	FINISH:	CUSTOMER DRAWING	SCALE: 2:1 SHEET 9 OF 11 REV: E4

LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD
-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	POWER				SIGNAL		POWER			
		P8	P7	P6	P5	2	1	P4	P3	P2	P1
2-6450140-9	D C B A	VM	VM	VM	VM	E	E	VM	VM	VM	VM
						E	E				
						E	E				
						E	E				
4P + 8S + 4P		HD		HD							

PART NUMBER	ROWS	POWER						SIGNAL		POWER					
		P12	P11	P10	P9	P8	P7	2	1	P6	P5	P4	P3	P2	P1
3-6450140-0	D C B A	VM	VM	VM	VM	VM	VM	E	E	VM	VM	VM	VM	VM	
								E	E						
								E	E						
								E	E						
6P+8S+6P		HD		HD											





THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN: R. GRZYBOWSKI 15FEB05	TE Connectivity
DIMENSIONS: INCHES		CHK: M. PERCHERKE 15FEB05	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: M. PERCHERKE	NAME: VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL
0 PLC ±. 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±.2°		PRODUCT SPEC: 108-1973	SIZE: A100779
MATERIAL: -		APPLICATION SPEC: 114-13038	CAGE CODE: C=6450140
FINISH: -		WEIGHT: -	RESTRICTED TO: -
CUSTOMER DRAWING		SCALE: 2:1	SHEET 10 OF 11 REV: E4

LOC		DIST		REVISIONS			
ES	00	P	LTN	DESCRIPTION	DATE	OWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-

PART NUMBER	ROWS	SIGNAL												P4	P3	P2	P1					
		P8	P7	P6	P5	9	8	7	6	5	4	3	2					1				
3-6450140-1	D	VM	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E	E	VM	VM	VM	VM	
	C					E	E	E	E	E	E	E	E	E	E	E	E					
	B					E	E	E	E	E	E	E	E	E	E	E	E					E
	A					E	E	E	E	E	E	E	E	E	E	E	E					E
4P + 36S + 4P		HD																				

PART NUMBER	ROWS	POWER			SIGNAL								POWER								
		P6	P5	P4	9	8	7	6	5	4	3	2	1	P3	P2	P1					
3-6450140-4	DCBA	VM	VM	VM	E	E	E	E	E	E	E	E	E	E	E	E	E	E	VM	VM	VM
					E	E	E	E	E	E	E	E	E	E	E	E	E	E			
					E	E	E	E	E	E	E	E	E	E	E	E	E	E			
					E	E	E	E	E	E	E	E	E	E	E	E	E	E			
3P + 36S + 3P		HD																			



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN	R. GRZYBOWSKI	15FEB05
DIMENSIONS: INCHES		CHK	M. PERCHERKE	15FEB05
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	M. PERCHERKE	
0 PLC	±	NAME	VERTICAL RECEPTACLE ASSEMBLY WITH GUIDES MULTI-BEAM XL	
1 PLC	±.01	PRODUCT SPEC	108-1973	
2 PLC	±.005	APPLICATION SPEC	114-13038	
3 PLC	±.0020	SIZE	CAGE CODE	DRAWING NO
4 PLC	±.0020	RESTRICTED TO	A100779	C=6450140
ANGLES	±.0020	WEIGHT		
FINISH	±.0020	CUSTOMER DRAWING		
MATERIAL		SCALE	2:1	SHEET 11 OF 11
		REV	E4	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.