

Cable reel - PV-1P-500,0/S02-4,0 - 1787700


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable ring, black PE-X, 1-pos., cable length: 500 m

RoHS

Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 609395
GTIN	4046356609395

Technical data

Dimensions

Length of cable	500 m
Fixed cable length	500 m

General

Rated current at 85 °C	≤ 55 A (up to +60°C)
Number of positions	1

Cable

Cable type	PV1-F cables
Cable type (abbreviation)	S02
Cable abbreviation	Li2X-2X
Conductor cross section	4 mm ²
AWG signal line	12
Conductor structure signal line	56x 0.30 mm
External sheath, color	black-gray RAL 7021
External cable diameter D	5.2 mm ±0.2 mm
Smallest bending radius, fixed installation	approx. 26 mm
Smallest bending radius, movable installation	approx. 52 mm
Cable weight	59 kg/km

Cable reel - PV-1P-500,0/S02-4,0 - 1787700

Technical data

Cable

Outer sheath, material	PE-X
Material, inner sheath	PE-X
Conductor material	Tin-plated Cu litz wires
Conductor resistance	≤ 5 Ω/km (at 20 °C)
Nominal voltage, cable	600 V AC (U ₀)
	1000 V AC
Test voltage, cable	≥ 10000 V AC
Flame resistance	IEC 60332-1-2
Halogen-free	in accordance with DIN VDE 0472 part 815
	in accordance with DIN EN 50267-2-1
Other resistance	Resistance to acids and alkalis
	Resistant to salt water
	Resistant to ozone
Ambient temperature (operation)	-40 °C ... 90 °C
	to 120 °C (maximum permissible temperature at the conductor)
	to 200 °C (permissible short-circuit temperature - maximum of 5 s)

Standards and Regulations

Flame resistance	IEC 60332-1-2
Halogen-free	in accordance with DIN VDE 0472 part 815
	in accordance with DIN EN 50267-2-1
Other resistance	Resistance to acids and alkalis
	Resistant to salt water
	Resistant to ozone

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

Cable reel - PV-1P-500,0/S02-4,0 - 1787700

Approvals

EAC



B.00767

Phoenix Contact 2018 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.