


A scalable approach to your body, networking and security platforms

Data brief



Features

- Package availability ranges from QFN32 up to the eTQFP100
- Core: single z2d core up to 80 MHz
- Code: 512 kbytes to 1 Mbytes Flash
- Data: 64 kbytes data Flash
- RAM: up to 96 kbytes RAM
- Timer: 32ch, 16-bit counter timed I/O
- ADC: 32ch 1x 12-bit
- Networking: Up to 6xLIN, 7 x ISO CAN FD
- Low Power: HALT, STOP and STBY Smart Standby Unit
- Safety: ASIL-B, CRC unit, FCCU
- Other: MPU, eDMA, 4xSPI, I2C, Cross Triggering Unit, PIT, RTC/API, STM
- Package: QFN32, 2TQFP64, eTQFP100
- Supply: 5V or 3.3V with internal regulator
- Temperature: -40°C / +105°C or +125°C

Description

The SPC58 2B-Line constitutes a general-purpose MCU family targeting Body, Networking and Security applications. Built on the legacy of successful 90nm products, SPC56xB/C/D, this new product generation in 40nm offers the widest range of compatible devices from 512k up to 6M bytes Flash combined with the latest communication interfaces like ISO CAN FD and Ethernet with AVB capability.

Designed according to ISO 26262, the SPC58 B/C/G-Lines family supports ASIL-B (optional ASIL-D) as well as a high Security level according to EVITA medium.

The SPC58 2B-Line offers a high integrated, high performance devices available in high-efficiency pin count packages like eTQFP100 featuring an e200z2 core with seven ISO CAN FD. The 2B-Line is fully scalable and compatible up to eLQFP100. The 40nm technology allows to further reduce the power consumption in RUN mode, while the advanced low power modes manage even complex contact monitoring sequences in STANDBY mode and without CPU intervention.

Table 1. Device summary


| Part number | | | Package | References |
|-------------|-------------|-------------|----------|------------|
| 512 KByte | 768 KByte | 1 mByte | | |
| SPC582B50Q2 | SPC582B54Q2 | SPC582B60Q2 | QFN32 | SPC582BXX |
| SPC582B50E1 | SPC582B54E1 | SPC582B60E1 | eTQFP64 | |
| SPC582B50E3 | SPC582B54E3 | SPC582B60E3 | eTQFP100 | |

1 Overview

1.1 Block diagram

Functional blocks diagram of SPC58 2B-Line MCU.

Figure 1. Block diagram



2 Software library

The product family is provided with a set of software libraries downloadable by ST web, registration is required, to facilitate application development.

- The offer includes:
- Flash drivers for run-time and off-line device programming
- MCAL developed and distributed by ST
- Core Self Test
- Safety adapted MCAL
- RTOS/Kernel RTOS from ETAS, Vector and Green Hills products
- AS BSW from Vector Informatik GmbH

2.1 Tools

A set of ST and third parties tools are available to explore the product family starting from budgetary cost evaluation boards to top class solutions.

Figure 2. Third parties tools



3 Revision history

Table 2. Document revision history

| Date | Revision | Changes |
|-------------|----------|------------------|
| 06-Mar-2017 | 1 | Initial release. |

IMPORTANT NOTICE – PLEASE READ CAREFULLY

STMicroelectronics NV and its subsidiaries ("ST") reserve the right to make changes, corrections, enhancements, modifications, and improvements to ST products and/or to this document at any time without notice. Purchasers should obtain the latest relevant information on ST products before placing orders. ST products are sold pursuant to ST's terms and conditions of sale in place at the time of order acknowledgement.

Purchasers are solely responsible for the choice, selection, and use of ST products and ST assumes no liability for application assistance or the design of Purchasers' products.

No license, express or implied, to any intellectual property right is granted by ST herein.

Resale of ST products with provisions different from the information set forth herein shall void any warranty granted by ST for such product.

ST and the ST logo are trademarks of ST. All other product or service names are the property of their respective owners.

Information in this document supersedes and replaces information previously supplied in any prior versions of this document.

© 2017 STMicroelectronics – All rights reserved





Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.