







LOC		DIST		REVISIONS			
FX		00		REV	DESCRIPTION	DATE	OWN
				D1	REVISED PER ECR 07-029132	07JAN2008	DLD WTW
				E	REVISED PER ECR 07-030366	08JAN2008	DLD WTW
				F	REVISED PER ECO 08-006962	19MAR2008	DLD WTW



- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
 4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
 5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
 6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



KEYING OPTION "G" SHOWN
SEE SHEET 2 FOR BILL OF MATERIALS
AND SHEET 3, 4 AND 5 FOR PIN-OUT CHARTS

TYPICAL DIMENSIONS: UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS (INCHES) AND DECIMAL FRACTIONS ARE IN MILLIMETERS (INCHES). DIMENSIONS ARE TO CENTER UNLESS OTHERWISE SPECIFIED.		DWN: A. HOLT 14NOV2006 CHK: W. WELLINSKY 14NOV2006 APVD: W. WELLINSKY 14NOV2006		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME: 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
0 PLC ±.3 1 PLC ±.3 2 PLC ±.3 3 PLC ±.3 4 PLC ±.3 ANGLES ±.3		PRODUCT SPEC: - APPLICATION SPEC: -		SIZE: 00779 C=1924170	
MATERIAL: SEE CHART ON SHEET 2		WEIGHT: SEE NOTE 5		CUSTOMER DRAWING	
		SCALE: 3:1		SHEET 1 OF 5	
				REV F	

[illegible][illegible]AMP 4805 REV 31MAR2000

LOC	DIST	REVISIONS							
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD		
		-	-	SEE SHEET 1	-	-	-		

PIN OUT CHART																																												
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																												
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																												
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40					
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30							37	37	39	40	6-1924170-6	G			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				23	24		26									35	36	37	37	39	40	6-1924170-7	G			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24			27	28	29	30						35	36	37	37	39	40	6-1924170-8	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24												35	36	37	37	39	40	6-1924170-9	G		
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30							37	38	39	40	7-1924170-0	G			
				5	6	7	8	9	10	11	12	13	14	15	16								24												35	36	37	38	39	40	7-1924170-1	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	7-1924170-2	G			
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	7-1924170-3	G			
											11	12											24																		7-1924170-4	G		
1	2										11	12	13	14	15	16						24																			7-1924170-5	G		
											11	12																				32					37	38	39	40	7-1924170-6	G		
											11	12											24																		7-1924170-7	G		
											11	12								19	20			24																	7-1924170-8	G		
											11	12								19	20			24										33	34						7-1924170-9	G		
						7	8	9	10	11	12									19	20													33	34						8-1924170-0	G		
						7	8	9	10	11	12																										37	38	39	40	8-1924170-1	G		
								9	10	11	12						17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G	
				5	6	7	8	9	10	11	12	13	14	15	16																						37	38				8-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20														33	34			37	38	39	40	8-1924170-4	G
						7	8	9	10	11	12	13	14	15	16				19	20															33	34			37	38	39	40	8-1924170-5	G
1	2					7	8	9	10	11	12		14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38				8-1924170-6	G		
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-7	G		
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G		
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38				8-1924170-9	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38				9-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38				9-1924170-1	G		
		3	4	5	6					11	12												24												35	36	37	38	39	40	9-1924170-2	G		
						7	8	9	10	11	12												24												35	36	37	38				9-1924170-3	G	
										11	12												24												35	36	37	38	39	40	9-1924170-4	G		
		3	4	5	6					11	12									19	20																	39	40	9-1924170-5	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G		
						7	8	9	10	11	12	13	14	15	16				19	20				24													37	38	39	40	9-1924170-7	G		
		3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20				24										33	34			37	38	39	40	9-1924170-8	G	
		3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20				24													37	38	39	40	9-1924170-9	G		
						7	8	9	10	11	12	13	14	15	16				19	20			24														37	38	39	40	0-1924171-1	G		
										11	12								19	20																					0-1924171-2	G		
		3	4	5	6	7	8	9	10	11	12								19	20			24															39	40	0-1924171-3	G			
						7	8	9	10	11	12																														0-1924171-4	G		
										11	12																														0-1924171-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	0-1924171-6	G			
						7	8	9	10	11	12												24													35	36					0-1924171-7	G	
										11	12	13	14	15	16								24																			0-1924171-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38		40	0-1924171-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21			24		26	27	28	29	30					35	36	37	38	39	40	1-1924171-0	G		



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.