Virtium
Solid State Storage and Memory

Product Brief

StorFly® 25

2.5” SATA 6G SSD
CE, XE, and PE Classes

Industrial Embedded Technology for our Interconnected world

Overview

Virtium’s StorFly® 25 SSDs are designed for the unique capacity, workload and product longevity requirements of a broad range of embedded systems. As rugged storage solutions, StorFly 25 products meet MIL-STD-810F standards for shock, vibration and altitude..

StorFly 25 – Ideal for applications that require high performance in an industry-standard 2.5” form factor.

Applications

StorFly 25 SSDs are ideal for industrial automation, networking, server, blade and medical applications that require high performance in an industry-standard 2.5” form factor.

They are ideal as rugged alternatives to 2.5” HDDs and are also used in many military and ruggedized portable computers and data recorders.

Designed, built, and supported in the U.S.—fortified by locations worldwide

Features

- Standard and industrial temperature
- vtGuard Power-Fail Protection
- vtView software accessable
- Global static and dynamic wear leveling
- Self Encrypting Drive (SED) optional

Specifications

Interface	SATA 6G (SATA III), 3G and 1.5G
Voltage / Power	5v / 1.7W
UBER	<1 sector error in 1015 bits read
MTBF	> 2M hours
Environmental	MIL-STD-810F
Compliance	ATA/ATAPI-8 (ACS-2), FCC, CE, UL, RoHS, WEEE
Dimensions (mm)	69.85 x100.5 x 5.0

Class	CE	XE	PE
Media	MLC (Good)	iMLC (Better)	SLC (Best)
Capacity	30GB-480GB	30GB-480GB	8GB-256GB
*Endurance	1X Baseline	7X Baseline	30X Baseline
Operating Temperature	0º to 70ºC	-40º to 85ºC	-40º to 85ºC
Warranty	3 Years	5 Years	5 Years

* Endurance Baseline = one entire drive write per day for the entire warranty period.

Ordering Information

VSF25x(C/I)yyyG-zzz

where:

VSF	Virtium StorFly
B25x	Form factor and product class
(C/I)	Commercial / Industrial operating temp
yyyG	Capacity (1GB = 1,000,000,000 bytes)
zzz	Virtium proprietary

Virtium manufactures memory and storage solutions for the world's top industrial embedded OEMs. For two decades we have designed, built and supported our products in the USA - fortified by a networ of global locations. Our world-class technology and unsurpassed support provide a superior customer experience that continuously results in better industrial embedded products for our increasingly interconnected world.

© Copyright 2016. All rights reserved. Virtium®, Storfly®, TuffDrive®, vtView®, vtGuard® are registered trademarks and vtSecure™ is a trademark of Virtium LLC. All other non-Virtium product names are trademarks of their respective companies.

Virtium®
Solid State Storage and Memory

30052 Tomas | Rancho Santa Margarita, CA 92688
Phone: 949-888-2444 | Fax: 949-888-2445
www.virtium.com

PB009-1114-03

Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.