

Inspired LED **Flexible Strip Lights** are a simple, customizable solution for all of your LED lighting needs. These unique strips can be cut to length and terminated with solderless end connectors for easy DIY installation. Energy efficient, with a wide range of options for brightness and color, LED Flex Strips are the perfect option for any lighting application.




Warm White Pure White Cool White



Red Green Blue

Available in NB & SB Only NB, SB & UB Only



NB – Normal Bright ≈ 9 LEDs per foot


SB – Super Bright ≈ 18 LEDs per foot

UB – Ultra Bright ≈ 30 LEDs per foot

MB – Mega Bright ≈ 36 LEDs per foot


Product Features

- Minimal Heat Production- No IR or UV
- Available in various colors and brightness levels
- Custom pre-cut lengths or full 12m reels
- Adhesive mounting to almost any flat surface
- Class 2 DC plug in connectors (3.5 x 1.3 mm) or screw terminal end-connectors available
- 12VDC Class 2 power systems only
- Dimmable with compatible systems
- Rated to last up to 100,000 hours



Installation Instructions

1. Clean desired mounting surface(s) and test all products prior to installation
2. Temporarily mount LED flex strips using scotch tape
3. Interconnect LED strips with compatible DC cables
4. Run cable from LED system to control device and connect to class 2 power source
5. When satisfied with placement, peel adhesive backing from strips and press firmly to adhere



Power Specifications

Power Source	Maximum Length of Flex Strip Lighting			
	Normal*	Super**	Ultra***	Mega****
1 Amp Standard (12 Watt)	154.5" (10.8 Watt)	70" (10.8 Watt)	40.5" (10.8 Watt)	38.5" (10.8 Watt)
1 Amp Mini (12 Watt)	154.5" (10.8 Watt)	70" (10.8 Watt)	40.5" (10.8 Watt)	38.5" (10.8 Watt)
1.5 Amp Skinny (18 Watt)	205.5" (16.1 Watt)	101.5" (16.1 Watt)	59.5" (16.1 Watt)	58" (16.1 Watt)
40 Watt Dimmable Transformer	456" (36 Watt)	227.5" (36 Watt)	133.5" (36 Watt)	129" (36 Watt)
3.8 Amp (45.6 Watt)	520" (41 Watt)	259" (41 Watt)	152.5" (41 Watt)	146.5" (41 Watt)
5 Amp (60 Watt)	684" (54 Watt)	339.5" (54 Watt)	200" (54 Watt)	192" (54 Watt)
60 Watt Dimmable Transformer	684" (54 Watt)	339.5" (54 Watt)	200" (54 Watt)	192" (54 Watt)
100 Watt Dimmable Transformer	1140" (90 Watt)	568" (90 Watt)	335" (90 Watt)	320" (90 Watt)

Color Temperatures

Cool White: 6000K
Pure White: 4200K
Warm White: 3000K

*Individual strips over 200" should be powered from the center of the strip, individual strips should not exceed 400" in length.
 **Individual strips over 150" should be powered from the center of the strip, individual strips should not exceed 300" in length.
 *** Individual strips over 105" should be powered from the center of the strip, individual strips should not exceed 210" in length.
 **** Individual strips over 100" should be powered from the center of the strip, individual strips should not exceed 200" in length.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.