

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0857271012

Status:


Active

Overview:

Magnetic Modular Jacks

Description:

Gigabit Magnetic Jack 2X4, LEDs Yellow and Green/Yellow and Green



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

China RoHS

Compliant/Exempted

REACH SVHC

Contained Per -
ED/79/2015 (17
December 2015)
1,3,5-
tris(oxiranylmethyl)-1,3,5-
triazine-2,4,6(

Halogen-Free

Status

Not Relevant

Need more information on product
environmental compliance?

Email productcompliance@molex.com
Please visit the [Contact Us](#) section for any
non-product compliance questions.

China ROHS	50 Image
ELV	Not Relevant

Search Parts in this Series

85727 Series

Mates With

95043 , 44915 Plugs according to IEC
60603-7

Documents:

- | | |
|--|--|
| 3D Model | Packaging Specification PK-85727-001 (PDF) |
| Drawing (PDF) | RoHS Certificate of Compliance (PDF) |
| Product Specification PS-85728-001 (PDF) | |

General

Product Family	Modular Jacks/Plugs
Series	85727
Comments	With LED
Component Type	PCB Jack
Magnetic	Yes
Overview	Magnetic Modular Jacks
Performance Category	5, 5e
Power over Ethernet (PoE)	Non-PoE
Product Name	Magnetic Jack
UPC	887191096025

Physical

Durability (mating cycles max)	750
Inverted / Top Latch	Yes
Jack Height	25.43mm
Lightpipes/LEDs	LEDs
Material - Metal	Brass
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	PBT
Net Weight	43.215/g
Orientation	Right Angle (Side Entry)
PCB Retention	N/A
PCB Thickness - Recommended	2.20mm
Packaging Type	Tray
Pitch - Mating Interface	1.02mm
Plating min - Mating	0.762µm
Ports	8
Positions / Loaded Contacts	8/8
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	0°C to +70°C
Termination Interface: Style	Through Hole
Wire/Cable Type	CAT 5, CAT 6

Electrical

Current - Maximum per Contact	1.5A
Grounding to PCB	Yes
Grounding to Panel	Panel Ground Tab
Shielded	Yes
Voltage - Maximum	125V AC (RMS)

Material Info

Reference - Drawing Numbers

Packaging Specification	PK-85727-001
Product Specification	PS-85728-001
Sales Drawing	SD-85727-001

This document was generated on 06/10/2016

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.