

NOTES:

1. MATERIAL:

OVER MOLD - POLYBUTYLENE TEREPHTHALATE (PBT), 94-V0.
GLASS FILLED 30%.

LATCH - STAINLESS STEEL ALLOY.

CABLE -

SIGNALS PVC INSULATION
SOLID COPPER SIGNAL AND DRAIN
INNER DIELECTRIC IS POLYOLEFIN
TWIN-AX SHIELD IS ALUMINIZED POLYESTER FOIL.
JACKET - PVC RED

PCB - FR4

2. PRODUCT TO PERFORM PER

PRODUCT SPECIFICATION: PS-79536-001.

3. PACKAGING: BULK PACK PER PK-79536-XXX.

4. PRODUCT MATES TO 75783 (RIGHT ANGLE) AND 75784 (VERTICAL) SERIES.

5. THIS PRODUCT CONFORMS TO THE MECHANICAL DIMENSIONING AND ELECTRICAL PERFORMANCE REQUIREMENTS OF SFF-8086 AND SFF-8087.

6. MINIMUM RECOMMENDED RADIUS 28 MM.

7. PRODUCT IS RoHS COMPLIANT.

8. LENGTHS OVER 1 METER ARE NOT COMPLIANT WITH SAS 1.1 09E SPECIFICATION.



9. LABEL INFO

MOLEX

<<PART NUMBER>>

MADE IN CHINA

WW/YY



MATERIAL #	AWG	LENGTH(M)	TOL (+/-)
79575-2000	30	0.152	0.015
79575-2001	30	0.300	0.015
79575-2002	30	0.500	0.015
79575-2003	30	0.600	0.015
79575-2004	28	1.000	0.030
79575-2005	28	2.000	0.030

ENTER DESCRIPTION EC NO: USY2006-0236 TIDRWKPHILLIPS 2006/02/01 CHKD:T. HALL 2006/02/01 APPR:DDOYE 2006/02/07 REV	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY JERWIN	DATE 2005/10/27	TITLE IPASS (MINI-SAS) INTERNAL CABLE 26 CKT, 4X	
			4 PLACES	± ---	± ---	CHECKED BY THALL	DATE 2005/10/27		
			3 PLACES	± ---	± .010	APPROVED BY DDOYE	DATE 2005/10/27	MOLEX INCORPORATED	
			2 PLACES	± 0.25	± ---	MATERIAL NO. SEE CHART	DOCUMENT NO. SD-79575-200		SHEET NO. 1 OF 2
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

IPASS™ IS A TRADEMARK OF MOLEX

IPASS (MINI-SAS)
INTERNAL CABLE 26 CKT,
4X

NOTE:

- PIN OUT CONFORMS TO SAS 1.1 9.0D SECTION 5.2.4.1.2.3
- ALL SIGNAL GROUNDS ARE BUSSED IN PCB. PINS A1, A13, B1, & B13 DO NOT HAVE CORRESPONDING SOLDER PADS.

IPASS™ IS A TRADEMARK OF MOLEX

INITIAL RELEASE EC NO: USY2006-0236 DRWN:PHILLIPS 2006/02/01 CHKD:T.HALL 2006/02/01 APPR:DDOYE 2006/02/07	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽C=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 1:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY JERWIN	DATE 2005/10/27	TITLE IPASS™ (MINI-SAS) INTERNAL CABLE 26 CKT, 4X			
			4 PLACES	± ---	± ---	CHECKED BY THALL	DATE 2005/10/27				
			3 PLACES	± ---	± .010	APPROVED BY DDOYE	DATE 2005/10/27				
			2 PLACES	± 0.25	± ---	MATERIAL NO. SEE CHART				DOCUMENT NO. SD-79575-200	SHEET NO. 2 OF 2
			1 PLACE	± ---	± ---						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			ANGULAR ±1/2°		MOLEX MOLEX INCORPORATED						
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.