










13	12	11	10	9	8	7	6	5	4	3	2	1																																																											
MAT'L NO.		INTERNAL THREAD	DIM. "A"	MATERIAL / PLATING		NOTES: 1. PARTS ARE PACKAGED IN POLY BAGS CONSISTING OF 40 PIECES. 2. INTERNAL AND EXTERNAL THREADS TO WITHSTAND A MINIMUM APPLIED TORQUE OF 5 lbf in/5.76 kgf cm.																																																																	
74962-1000		4-40 UNC-2B	.338 / 8.60	STAINLESS STEEL 303																																																																			
74962-2000		M3x0.5 CLASS 6H	.338 / 8.60																																																																				
74962-3000		4-40 UNC-2B	.378 / 9.60	STAINLESS STEEL 303																																																																			
74962-4000		M3x0.5 CLASS 6H	.378 / 9.60																																																																				
74962-0005		4-40 UNC-2B	.421 / 10.69	STAINLESS STEEL 303																																																																			
74962-0006		M3x0.5 CLASS 6H	.421 / 10.69																																																																				
  																																																																							
<table><tr><td rowspan="4">INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04 A</td><td rowspan="4">DESCRIPTION REV</td><td rowspan="4">QUALITY SYMBOLS ▽ = 0 ▽ = 0 ▽ = 0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE IN/MM</td><td>SCALE 10:1</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>4 PLACES ± ---</td><td>± ---</td><td>TIBARRA</td><td>DATE 2014/08/01</td><td colspan="3" rowspan="2">TITLE TDP 3/16" HEX JACKPOST</td></tr><tr><td>3 PLACES ± ---</td><td>± .010</td><td>CHECKED BY MPOFF</td><td>DATE 2014/08/29</td></tr><tr><td>2 PLACES ± 0.25</td><td>± ---</td><td>APPROVED BY SMILLER</td><td>DATE 2014/09/04</td><td colspan="3" rowspan="2">molex</td></tr><tr><td>1 PLACE ± ---</td><td>± ---</td><td colspan="2">MATERIAL NO. SEE TABLE</td><td>DOCUMENT NO. SD-74962-1000</td><td>SHEET NO. 1 OF 1</td></tr><tr><td>0 PLACE ±</td><td>±</td><td colspan="2">ANGULAR ±1/2°</td><td colspan="7">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="10"></td></tr></table>													INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04 A	DESCRIPTION REV	QUALITY SYMBOLS ▽ = 0 ▽ = 0 ▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		4 PLACES ± ---	± ---	TIBARRA	DATE 2014/08/01	TITLE TDP 3/16" HEX JACKPOST			3 PLACES ± ---	± .010	CHECKED BY MPOFF	DATE 2014/08/29	2 PLACES ± 0.25	± ---	APPROVED BY SMILLER	DATE 2014/09/04	molex			1 PLACE ± ---	± ---	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-74962-1000	SHEET NO. 1 OF 1	0 PLACE ±	±	ANGULAR ±1/2°		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS												
INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04 A	DESCRIPTION REV	QUALITY SYMBOLS ▽ = 0 ▽ = 0 ▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																														
			4 PLACES ± ---	± ---	TIBARRA	DATE 2014/08/01	TITLE TDP 3/16" HEX JACKPOST																																																																
			3 PLACES ± ---	± .010	CHECKED BY MPOFF	DATE 2014/08/29																																																																	
			2 PLACES ± 0.25	± ---	APPROVED BY SMILLER	DATE 2014/09/04	molex																																																																
1 PLACE ± ---	± ---	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-74962-1000	SHEET NO. 1 OF 1																																																																		
0 PLACE ±	±	ANGULAR ±1/2°		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																																																																							
12	11	10	9	8	7	6	5	4	3	2	1																																																												

13	12	11	10	9	8	7	6	5	4	3	2	1																																																																																									
MAT'L NO.		INTERNAL THREAD	EXTERNAL THREAD	DIM. "A"	MATERIAL / PLATING			NOTES: 1. PARTS ARE PACKAGED IN POLY BAGS CONSISTING OF 40 PIECES. 2. INTERNAL AND EXTERNAL THREADS TO WITHSTAND A MINIMUM APPLIED TORQUE OF 5 lbf in/5.76 kgf cm. 3. NYLOK® TORQUE PATCH LOCATED TO THE LEFT OF THE FIRST OR SECOND FULL THREADS AND COVERS 3 THREADS MINIMUM.																																																																																													
74962-1110		4-40 UNC-2B	4-40 UNC-2A	.338 / 8.60			STAINLESS STEEL 303 / NYLON TORQUE PATCH																																																																																														
  																																																																																																					
<table><tr><td rowspan="10">MOD NOTE 3</td><td rowspan="10">REV</td><td rowspan="10">DESCRIPTION</td><td rowspan="10">QUALITY SYMBOLS</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE</td><td>SCALE</td><td>DESIGN UNITS</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td colspan="2"></td><td colspan="2">IN/MM</td><td>10:1</td><td>INCH</td><td colspan="2"></td></tr><tr><td></td><td>mm</td><td></td><td>INCH</td><td></td><td></td><td colspan="2"></td></tr><tr><td>4 PLACES</td><td>± .005</td><td>± .005</td><td>DRAWN BY</td><td>DATE</td><td colspan="2" rowspan="2">TITLE</td></tr><tr><td>3 PLACES</td><td>± .005</td><td>± .010</td><td>CHECKED BY</td><td>DATE</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± .005</td><td>DMORGAN</td><td>2017/07/09</td><td colspan="2" rowspan="3">TDP 3/16" HEX JACKPOST WITH TORQUE PATCH</td></tr><tr><td>1 PLACE</td><td>± .005</td><td>± .005</td><td>APPROVED BY</td><td>DATE</td></tr><tr><td>0 PLACE</td><td>± .005</td><td>± .005</td><td>SMILLER</td><td>2015/08/14</td></tr><tr><td colspan="4">ANGULAR ±1/2°</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td colspan="2">SHEET NO.</td></tr><tr><td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="2">SD-74962-1110</td><td colspan="2">1 OF 1</td></tr><tr><td colspan="12">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>													MOD NOTE 3	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION				IN/MM		10:1	INCH				mm		INCH					4 PLACES	± .005	± .005	DRAWN BY	DATE	TITLE		3 PLACES	± .005	± .010	CHECKED BY	DATE	2 PLACES	± 0.25	± .005	DMORGAN	2017/07/09	TDP 3/16" HEX JACKPOST WITH TORQUE PATCH		1 PLACE	± .005	± .005	APPROVED BY	DATE	0 PLACE	± .005	± .005	SMILLER	2015/08/14	ANGULAR ±1/2°				MATERIAL NO.		DOCUMENT NO.		SHEET NO.		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-74962-1110		1 OF 1		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
MOD NOTE 3	REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION																																																																																											
						IN/MM		10:1	INCH																																																																																												
					mm		INCH																																																																																														
				4 PLACES	± .005	± .005	DRAWN BY	DATE	TITLE																																																																																												
				3 PLACES	± .005	± .010	CHECKED BY	DATE																																																																																													
				2 PLACES	± 0.25	± .005	DMORGAN	2017/07/09	TDP 3/16" HEX JACKPOST WITH TORQUE PATCH																																																																																												
				1 PLACE	± .005	± .005	APPROVED BY	DATE																																																																																													
				0 PLACE	± .005	± .005	SMILLER	2015/08/14																																																																																													
				ANGULAR ±1/2°				MATERIAL NO.		DOCUMENT NO.		SHEET NO.																																																																																									
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				SEE TABLE		SD-74962-1110		1 OF 1																																																																																									
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																					
12	11	10	9	8	7	6	5	4	3	2	1																																																																																										



MOD NOTE 3 EC NO: UCP2016-1139 DRWN: TIBARRA 2015/09/14 CHKD: MCAN 2015/09/14 APPR: SMILLER 2015/09/17 B	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION		
				mm	INCH	DRAWN BY TIBARRA	DATE 2015/07/09	TITLE TDP 3/16" HEX JACKPOST WITH TORQUE PATCH			
			4 PLACES	± ---	± ---	CHECKED BY DMORGAN	DATE 2017/07/09				
			3 PLACES	± ---	± .010	APPROVED BY	DATE	molex			
			2 PLACES	± 0.25	± ---	SMILLER	2015/08/14				
			1 PLACE	± ---	± ---	MATERIAL NO.					
			0 PLACE	±	±	SEE TABLE		SD-74962-1110		1 OF 1	
			ANGULAR ±1/2°			SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.